



**GASTROPARTS**

# Winterhalter

- [EN]** Equipment
- [DE]** Geräte
- [ES]** Aparatos
- [FR]** Équipement
- [IT]** Attrezzature
- [PL]** Urządzenia
- [RU]** Оборудование

✉ [gastroparts@gastroparts.com](mailto:gastroparts@gastroparts.com)

☎ +48 56 657 00 66

📘 [fb.com/gastroparts.global](https://fb.com/gastroparts.global)


**GASTROPARTS.COM**







## heating elements


### dry heating elements for dishwashers


			
<b>Part No.</b>	420152	<b>Ref. No.</b>	3103137 3103138
<b>description</b>	heating element 2000W 230V heating circuits 1 L 115mm W 345mm connection length 18mm tube ø 6.3mm connection male faston 6.3mm dry heating element for drying thread M10x1 mounting distance 339mm		
<b>For models:</b>	MTF, MTR, STR, WKTS		

			
<b>Part No.</b>	420151	<b>Ref. No.</b>	3103024
<b>description</b>	heating element 2000W 230V heating circuits 1 L 185mm W 220mm connection length 18mm tube ø 6.3mm connection male faston 6.3mm dry heating element for drying 2 hole fixing thread M10x1 mounting distance 214mm		
<b>For models:</b>	WBA, WKTS		



			
<b>Part No.</b>	420348	<b>Ref. No.</b>	5101415
<b>description</b>	heating element 2500W 230V heating circuits 1 L 130mm W 690mm tube ø 6.3mm connection male faston 6.3mm mounting pos. lower dry heating element for dishwasher bracket mounting hole ø 4mm lug length 36mm lug width 22mm		

### heating cartridges

			
<b>Part No.</b>	420161	<b>Ref. No.</b>	30000122
<b>description</b>	heating cartridge 1800W 200-254V ø 20mm L 215mm connection coded plug mounting ø 35mm cable length 300mm 3 hole flange immersion heater		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		


			
<b>Part No.</b>	420347	<b>Ref. No.</b>	30000123 30002495
<b>description</b>	heating cartridge 2500W 200-255V ø 20mm L 215mm connection coded plug mounting ø 36mm cable length 300mm 3 hole flange hole distance 49mm warewashing		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		



### contact heaters


			
<b>Part No.</b>	416056	<b>Ref. No.</b>	61005230 61005231
<b>description</b>	contact heater 1800W 230V heating circuits 2 L 257mm W 112mm H 27mm dishwasher connection male faston 6.3mm with thermostat dry heating element tube ø 6.3mm		
<b>For models:</b>	GS501, GS502, GS515		
<b>spare parts for</b>	416056		
	<b>Part No.</b>	<b>Ref. No.</b>	82000014
	 gasket L 235mm W 92mm for heating element suitable for WINTERHALTER equiv. no. 82000014		

### immersion heating elements


#### 3 hole flange ø47.5mm

			
<b>Part No.</b>	420404	<b>Ref. No.</b>	60003598 60003601
<b>description</b>	heating element 5000W 380-420V mounting ø 47.5mm heating circuits 3 L 285mm W 39mm H 32mm tube ø 8.5mm hole distance 63mm hole ø 8/10mm connection length 6mm connection male faston 6.3mm 3 hole flange with notch immersion heater with fuse		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		

			
<b>Part No.</b>	420402	<b>Ref. No.</b>	60003605
<b>description</b>	heating element 2600W 220-240V mounting ø 47.5mm heating circuits 1 L 250mm W 40mm H 20mm tube ø 8.5mm hole distance 62mm hole ø 8mm connection male faston 6.3mm 3 hole flange with notch immersion heater with fuse		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		
<b>accessories for</b>	420402		
	<b>Part No.</b>	<b>Ref. No.</b>	—
	 O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		

<b>Part No.</b>	420438	<b>Ref. No.</b>	60003604
<b>description</b>	heating element 4000W 220-240V heating circuits 3 countries UK		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		




<b>Part No.</b>	419189	<b>Ref. No.</b>	30008074
<b>description</b>	heating element 4900W 380-440/200-254V heating circuits 3 mounting $\varnothing$ 47.5mm L 266mm W 160mm H 35mm cable length 250mm tank tube $\varnothing$ 8.5mm		




<b>Part No.</b>	418896	<b>Ref. No.</b>	30000125
<b>description</b>	heating element 4900W 380-440/200-254V heating circuits 3 mounting $\varnothing$ 47.5mm L 280mm W 36mm H 41mm cable length 250mm boiler tube $\varnothing$ 8.5mm		
<b>For models:</b>	GS630-McDonalds, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		
<b>accessories for</b>	418896		
	<b>Part No.</b>	<b>Ref. No.</b>	2707071 2707085
	O-ring silicone thickness 5.34mm ID $\varnothing$ 47mm Qty 1 pcs		

group 8




<b>Part No.</b>	420193	<b>Ref. No.</b>	3103228
<b>description</b>	heating element 5000W 400V mounting $\varnothing$ 47.5mm heating circuits 3 L 185mm W 32mm H 117mm tube $\varnothing$ 8.4mm hole distance 63mm hole $\varnothing$ 9mm cable length 1000mm connection cable 3 hole flange immersion heater		
<b>For models:</b>	GS202, GS402		


with round flange  $\varnothing$ 47.5mm




<b>Part No.</b>	416391	<b>Ref. No.</b>	3103081 3103082 3103083 3103088
<b>description</b>	heating element 2200W 230V heating circuits 1 mounting $\varnothing$ 47.5mm L 220mm W 24mm H 54mm round flange connection male faston 6.3mm immersion heater H1 11mm H2 43mm L1 30mm L2 35mm L3 155mm thermostat sleeves $\varnothing$ 6.5mm number of thermostat sleeves 1 length thermostat sleeves 215mm thermostat sleeve eccentric, clinging		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS24, GS8		




<b>Part No.</b>	420412	<b>Ref. No.</b>	3103015 3103044 3103084
<b>description</b>	heating element 2800W 230V heating circuits 1 mounting $\varnothing$ 47.5mm L 220mm W 28mm H 50mm round flange connection male faston 6.3mm immersion heater tube $\varnothing$ 6.2mm H1 25mm H2 25mm L1 20mm L2 35mm L3 170mm thermostat sleeves $\varnothing$ 6.5mm number of thermostat sleeves 1 length thermostat sleeves 210mm thermostat sleeve eccentric, clinging		
<b>For models:</b>	GS10, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS32, GS4, GS7, GS9		




<b>Part No.</b>	420418	<b>Ref. No.</b>	3103062
<b>description</b>	heating element 2800W 230V heating circuits 1 mounting $\varnothing$ 47.5mm L 235mm W 140mm H 14mm round flange with thread bolt connection male faston 6.3mm for tank mounting thread M5		
<b>For models:</b>	GS23, GS23H, GS23S, GS25, GS27, GS4		



<b>Part No.</b>	420408	<b>Ref. No.</b>	3103047
<b>description</b>	heating element 2800W 230V heating circuits 1 mounting $\varnothing$ 47.5mm L 245mm W 35mm H 44mm round flange connection male faston 6.3mm immersion heater tube $\varnothing$ 6.3mm H1 19mm H2 35mm connection length 28mm		
<b>For models:</b>	GS10, GS22, GS25, GS32, GS4, GS7, GS9		





<b>Part No.</b>	420395	<b>Ref. No.</b>	3103015 3103033 3103044
<b>description</b>	heating element 2800W 240V heating circuits 1 mounting $\varnothing$ 47.5mm L 220mm W 28mm H 50mm round flange connection male faston 6.3mm immersion heater tube $\varnothing$ 6.2mm H1 25mm H2 25mm L1 20mm L2 35mm L3 170mm thermostat sleeves $\varnothing$ 6.5mm number of thermostat sleeves 1 length thermostat sleeves 210mm thermostat sleeve eccentric, clinging		
<b>For models:</b>	GS10, GS22, GS23, GS24, GS27, GS32, GS7, GS9		





<b>Part No.</b>	420409	<b>Ref. No.</b>	3103027
<b>description</b>	heating element 3000W 230/400V heating circuits 3 mounting $\varnothing$ 47.5mm L 220mm W 36mm H 45mm round flange connection male faston 6.3mm immersion heater tube $\varnothing$ 6.3mm thermostat sleeves $\varnothing$ 6mm number of thermostat sleeves 1 length thermostat sleeves 170mm thermostat sleeve eccentric, clinging		
<b>For models:</b>	GS10, GS10-2, GS12, GS22, GS23, GS25, GS27, GS27B, GS28, GS32, GS34, GS4, GS7, GS9, WKTS		






			
<b>Part No.</b>	420155	<b>Ref. No.</b>	3103100
<b>description</b>	heating element 3000W 230/400V heating circuits 3 mounting ø 47.5mm L 295mm W 34mm H 57mm round flange connection male faston 6.3mm immersion heater tube ø 6.3mm H1 32mm H2 25mm L1 30mm L2 55mm L3 210mm connection length 17mm thermostat sleeves ø 6.6mm number of thermostat sleeves 1 length thermostat sleeves 200mm thermostat sleeve eccentric, clinging		
<b>For models:</b>	GR64, GR65, GR66-1, KTS1900, KTS2400, WKT1000, WKTS		


			
<b>Part No.</b>	419114	<b>Ref. No.</b>	30000219 30008041 3103154
<b>description</b>	heating element 3000W 400V heating circuits 3 mounting ø 47.5mm L 260mm W 33mm H 65mm round flange connection cable cable length 800mm boiler immersion heater tube ø 8.5mm H1 36mm H2 28mm L1 60mm L2 60mm L3 140mm connection length 30mm		
<b>For models:</b>	MTF, MTR		


			
<b>Part No.</b>	419190	<b>Ref. No.</b>	30008048
<b>description</b>	heating element 3000W 400V heating circuits 3 mounting ø 47.5mm L 530mm W 30mm H 40mm round flange connection cable cable length 780mm tank		


			
<b>Part No.</b>	420398	<b>Ref. No.</b>	3103077 3103085
<b>description</b>	heating element 4980W 230V heating circuits 3 mounting ø 47.5mm L 335mm W 30mm H 50mm round flange connection male faston 6.3mm immersion heater H1 35mm H2 15mm L1 30mm L2 45mm L3 260mm thermostat sleeves ø 6.5mm number of thermostat sleeves 1 length thermostat sleeves 215mm thermostat sleeve eccentric, clinging		

			
<b>Part No.</b>	420401	<b>Ref. No.</b>	3103089
<b>description</b>	heating element 4980W 230V mounting ø 47.5mm L 230mm W 165mm H 45mm heating circuits 3 round flange connection male faston 6.3mm immersion heater tube ø 6.3mm H1 28mm H2 17mm L1 30mm L2 20mm L3 180mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 170mm thermostat sleeve centred, adjacent		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B, GSR36, GSR36E, GSR36E-Mc-Donalds, GSR36-McDonalds, KTS1900, KTS2400		



			
<b>Part No.</b>	420410	<b>Ref. No.</b>	3103030 3103077 3103085
<b>description</b>	heating element 5000W 230V heating circuits 3 mounting ø 47.5mm L 290mm W 33mm H 55mm round flange connection male faston 6.3mm immersion heater H1 29mm H2 26mm L1 21mm L2 52mm L3 217mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 205mm		
<b>For models:</b>	GS10, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS24, GS27, GS28, GS29, GS29B, GS32, GS34, GS7, GS9, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, WKT1200, WKTS		
<b>accessories for</b>	420410		
			
<b>Part No.</b>	532495	<b>Ref. No.</b>	2707015 2707037 2707069 2707088
O-ring EPDM thickness 7mm ID ø 43mm Qty 1 pcs			


			
<b>Part No.</b>	420396	<b>Ref. No.</b>	3103032
<b>description</b>	heating element 5000W 240V heating circuits 3 mounting ø 47.5mm L 290mm W 33mm H 55mm round flange connection male faston 6.3mm immersion heater H1 29mm H2 26mm L1 21mm L2 52mm L3 217mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 205mm		
<b>For models:</b>	GS10, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS24, GS27, GS28, GS29, GS29B, GS32, GS34, GS7, GS9, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, WKT1200, WKTS		



			
<b>Part No.</b>	420394	<b>Ref. No.</b>	3103017 3103072 3103086
<b>description</b>	heating element 6000W 230/400V heating circuits 3 mounting ø 47.5mm L 282mm W 35mm H 57mm round flange connection male faston 6.3mm immersion heater H1 35mm H2 22mm L1 20mm L2 52mm L3 210mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 215mm thermostat sleeve eccentric, non clinging		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS12, GS22, GS27B, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS72...(Other models you can see in the webshop)		



			
<b>Part No.</b>	418903	<b>Ref. No.</b>	3103132
<b>description</b>	heating element 6000W 230/400V heating circuits 3 mounting ø 47.5mm L 435mm W 30mm H 55mm round flange connection male faston 6.3mm immersion heater tube ø 6.5mm H1 31mm H2 23mm L1 30mm L2 55mm L3 350mm connection length 25mm thermostat sleeves ø 6.5mm number of thermostat sleeves 1 length thermostat sleeves 205mm thermostat sleeve eccentric, clinging		
<b>For models:</b>	GR64, GR65, GR66, GR66-1, GS640, GS640-McDonalds, GS650, GS650-McDonalds, KTS1900, KTS2400		








			
<b>Part No.</b>	420431	<b>Ref. No.</b>	30008050
<b>description</b>	heating element 6000W 230V heating circuits 3 L 260mm W 60mm H 65mm		
<b>accessories for</b>	420431		
	<b>Part No.</b>	532495	<b>Ref. No.</b>
			2707015 2707037 2707069 2707088
O-ring EPDM thickness 7mm ID ø 43mm Qty 1 pcs			


			
<b>Part No.</b>	420397	<b>Ref. No.</b>	3103025
<b>description</b>	heating element 6000W 230V heating circuits 3 mounting ø 47.5mm L 335mm W 130mm H 49mm L1 55mm L2 280mm W1 44mm W2 42mm H1 29mm H2 20mm tube ø 6.3mm round flange with thread bolt connection male faston 6.3mm immersion heater connection length 30mm		
<b>For models:</b>	BAVARIA2000, GR1200, GR1400, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GS10, GS100, GS100-1, GS22, GS32, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS72, GS80, GS81, GS9, GS90, WKT1000		


			
<b>Part No.</b>	420413	<b>Ref. No.</b>	3103043
<b>description</b>	heating element 6000W 240-420V heating circuits 3 mounting ø 47.5mm L 290mm W 35mm H 57mm round flange connection male faston 6.3mm immersion heater H1 35mm H2 22mm L1 20mm L2 52mm L3 210mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 215mm thermostat sleeve eccentric, non clinging		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS22, GS27B, GS29, GS32, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS62, GS63, GS64, GS65, GS7, GS71, GS72, GS80, GS81, GS9, GS90, KTS1900, KTS2400, WBA, WKT1000...(Other models you can see in the webshop)		
<b>accessories for</b>	420413		
	<b>Part No.</b>	532495	<b>Ref. No.</b>
			2707015 2707037 2707069 2707088
O-ring EPDM thickness 7mm ID ø 43mm Qty 1 pcs			


			
<b>Part No.</b>	416058	<b>Ref. No.</b>	30000234 30002548 30008044 3103150
<b>description</b>	heating element 6000W 400-440V heating circuits 3 mounting ø 47.5mm L 260mm W 32mm H 62mm round flange cable length 800mm boiler immersion heater H1 38mm H2 24mm L1 65mm L2 60mm L3 135mm		
<b>For models:</b>	GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, MTF, MTR, STR, WKT1200		
<b>spare parts for</b>	416058		
	<b>Part No.</b>	532495	<b>Ref. No.</b>
			2707015 2707037 2707069 2707088
O-ring EPDM thickness 7mm ID ø 43mm Qty 1 pcs			


<b>accessories for</b>	416058		
	<b>Part No.</b>	520235	<b>Ref. No.</b>
			—
3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm			
	<b>Part No.</b>	520236	<b>Ref. No.</b>
			—
flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes			
	<b>Part No.</b>	550002	<b>Ref. No.</b>
			—
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			
	<b>Part No.</b>	550362	<b>Ref. No.</b>
			—
blind flange ø 64mm mounting ø 47.5mm			

			
<b>Part No.</b>	420116	<b>Ref. No.</b>	30000235 3103176
<b>description</b>	heating element 6000W 400V heating circuits 3 mounting ø 47.5mm L 430mm W 32mm H 63mm round flange cable length 800mm tank immersion heater tube ø 8.5mm H1 36mm H2 27mm L1 60mm L2 60mm L3 310mm		
<b>For models:</b>	GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		


			
<b>Part No.</b>	417532	<b>Ref. No.</b>	30002558 30008051
<b>description</b>	heating element 6000W 400V heating circuits 3 mounting ø 47.5mm L 520mm W 32mm H 52mm round flange cable length 800mm tank immersion heater H1 38mm H2 24mm L1 65mm L2 60mm L3 410mm		


			
<b>Part No.</b>	420430	<b>Ref. No.</b>	30008049
<b>description</b>	heating element 6200W 230V heating circuits 3 L 525mm W 60mm H 65mm for tank incl. accessories		


			
<b>Part No.</b>	420400	<b>Ref. No.</b>	3103018 3103058
<b>description</b>	heating element 9000W 230V heating circuits 3 mounting ø 47.5mm L 430mm W 36mm H 52mm round flange connection male faston 6.3mm immersion heater H1 35mm H2 17mm L1 20mm L2 50mm L3 360mm thermostat sleeves ø 6mm number of thermostat sleeves 1 length thermostat sleeves 215mm		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1200, GR1210, GR1220, GR1230, GR1320, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS41-1, GS41-4, GS41-4S, GS62, GS63, GS64, GS65, GS660, GS72, KTS1900, KTS2400, WBA, WKT1000, WKT1200, WKTS		


			
<b>Part No.</b>	420411	<b>Ref. No.</b>	3103057
<b>description</b>	heating element 9000W 240V heating circuits 3 mounting ø 47.5mm L 430mm W 36mm H 52mm round flange connection male faston 6.3mm immersion heater H1 35mm H2 17mm L1 20mm L2 50mm L3 360mm thermostat sleeves ø 6mm number of thermostat sleeves 1 length thermostat sleeves 215mm		
<b>For models:</b>	GKTS2600, GR1210, GR1220, GR1230, GR1320, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS41-1, GS41-4, GS41-4S, GS660, KTS1900, KTS2400, WBA, WKT1000, WKT1200, WKTS		





1 			
<b>Part No.</b>	420392	<b>Ref. No.</b>	30008047
<b>description</b>	heating element 9000W 400V heating circuits 3 mounting ø 47.5mm L 434mm W 32mm H 32mm round flange cable length 820mm boiler tube ø 8.5mm connection length 40mm		


1 			
<b>Part No.</b>	420173	<b>Ref. No.</b>	30000244 30008054 3103177
<b>description</b>	heating element 9000W 400V heating circuits 3 mounting ø 47.5mm L 525mm W 33mm H 54mm round flange cable length 820mm tank immersion heater tube ø 8.5mm H1 36mm H2 29mm L1 65mm L2 60mm L3 310mm connection length 40mm		
<b>For models:</b>	GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		


<b>accessories for</b>	420173		
	<b>Part No.</b>	532495	<b>Ref. No.</b>
			2707015 2707037 2707069 2707088
	O-ring EPDM thickness 7mm ID ø 43mm Qty 1 pcs		


1 1½" 			
<b>Part No.</b>	415401	<b>Ref. No.</b>	3103009
<b>description</b>	heating element 4500W 230V heating circuits 3 thread 1½" L 315mm W 33mm H 30mm thermostat sleeves ø 6mm length thermostat sleeves 240mm connection M4x0.75 immersion heater flange with thread no original spare part		

<b>spare parts for</b>	415401		
	<b>Part No.</b>	510406	<b>Ref. No.</b>
			—
	flat gasket fibre ED ø 60mm ID ø 48mm thickness 3mm for thread 1½" Qty 1 pcs		

<b>accessories for</b>	415401		
	<b>Part No.</b>	510424	<b>Ref. No.</b>
			—
	gasket copper ED ø 55mm ID ø 48mm thickness 2.2mm Centellen for thread 1½"		


	<b>Part No.</b>	520211	<b>Ref. No.</b>
			—
	reducer thread 2" ET - 1½" IT brass		





	<b>Part No.</b>	520212	<b>Ref. No.</b>
			—
	hexagonal nut thread 1½" brass WS 60 H 8mm		


	<b>Part No.</b>	550361	<b>Ref. No.</b>
			—
	blind flange ø 58mm thread 1½"		

1 			
<b>Part No.</b>	415402	<b>Ref. No.</b>	3103012

<b>description</b>	heating element 6000W 400/230V heating circuits 3 thread 1½" L 425mm W 35mm H 35mm thermostat sleeves ø 7mm length thermostat sleeves 330mm thermostat sleeve centre not clinging tube ø 8.5mm connection M4 immersion heater flange with thread WS 60 no original spare part number of thermostat sleeves 1		
<b>spare parts for</b>	415402		

	<b>Part No.</b>	510406	<b>Ref. No.</b>
			—
	flat gasket fibre ED ø 60mm ID ø 48mm thickness 3mm for thread 1½" Qty 1 pcs		


<b>accessories for</b>	415402		
	<b>Part No.</b>	510424	<b>Ref. No.</b>
			—
	gasket copper ED ø 55mm ID ø 48mm thickness 2.2mm Centellen for thread 1½"		
	<b>Part No.</b>	520211	<b>Ref. No.</b>
			—
	reducer thread 2" ET - 1½" IT brass		
	<b>Part No.</b>	520212	<b>Ref. No.</b>
			—
	hexagonal nut thread 1½" brass WS 60 H 8mm		
	<b>Part No.</b>	550361	<b>Ref. No.</b>
			—
	blind flange ø 58mm thread 1½"		


1 			
<b>Part No.</b>	415878	<b>Ref. No.</b>	3103117 3103119 62001178 62001773


<b>description</b>	heating element 2800W 230V heating circuits 1 L 237mm W 120mm H 24mm W1 20mm W2 82mm thread M10x1 thread L 15mm mounting distance 75mm tube ø 6.3mm connection male faston 6.3mm 2 hole fixing thermostat sleeves ø 7mm length thermostat sleeves 195mm number of thermostat sleeves 1 thermostat sleeve clinging immersion heater screw connection included included		
<b>For models:</b>	GS24		

<b>accessories for</b>	415878		
------------------------	--------	--	--

	<b>Part No.</b>	510416	<b>Ref. No.</b>
			—
	flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs		


	<b>Part No.</b>	510893	<b>Ref. No.</b>
			—
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		

	<b>Part No.</b>	520231	<b>Ref. No.</b>
			—
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs		

	<b>Part No.</b>	521129	<b>Ref. No.</b>
			—
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439		

foil heating elements



1 			
<b>Part No.</b>	420405	<b>Ref. No.</b>	60003653
<b>description</b>	foil heating element L 310mm W 115mm 600W 230V t.max. 185°C with safety thermostat silicone cable length 1950mm thickness 1mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		



# thermostats

## bi-metal thermostats

### safety bi-metal thermostats



<b>Part No.</b>	390958	<b>Ref. No.</b>	3125053
<b>description</b>	bi-metal safety thermostat hole distance 14mm switch-off temp. 185°C 1NC 1-pole connection F6.3		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		

## control and safety thermostats


### EGO

#### control thermostats



##### 55.13\_ series





<b>Part No.</b>	376018	<b>Ref. No.</b>	3125047
<b>description</b>	thermostat t.max. 93°C temperature range 28-93°C 1-pole 1NO 16A probe ø 3.1mm probe L 244mm capillary pipe 710mm capillary pipe isolated 650mm gland nut shaft L 23mm shaft position upper rotation 270°		
<b>For models:</b>	GS501, GS502, GS515		





<b>Part No.</b>	376022	<b>Ref. No.</b>	3125046
<b>description</b>	thermostat t.max. 93°C temperature range 28-93°C 1-pole 1NO 16A probe ø 3.1mm probe L 244mm capillary pipe 710mm capillary pipe isolated 650mm gland nut shaft L 23mm shaft position upper rotation 270°		
<b>For models:</b>	GS501, GS502, GS515		

<b>Part No.</b>	390926	<b>Ref. No.</b>	5528271	
<b>description</b>	thermostat t.max. 93°C temperature range 28-93°C 1-pole 1NO/1CO probe ø 3.1mm probe L 245mm capillary pipe 740mm capillary pipe isolated 700mm gland nut shaft ø 6x4.6mm shaft L 26mm shaft position upper rotation 270° kit			
<b>For models:</b>	GS501, GS502, GS515			
<b>spare parts for</b>	390926			
	<b>Part No.</b>	375304	<b>Ref. No.</b>	—
	thermostat t.max. 93°C temperature range 28-93°C 1-pole 1NO 16A probe ø 3.1mm probe L 244mm capillary pipe 710mm capillary pipe isolated 650mm gland nut shaft L 23mm shaft position upper rotation 270°			




<b>Part No.</b>	375949	<b>Ref. No.</b>	3125031
<b>description</b>	thermostat t.max. 93°C temperature range 30-93°C 1-pole probe ø 6mm probe L 95mm capillary pipe 1730mm capillary pipe isolated 600mm gland nut shaft ø 4.5x6mm shaft L 7mm shaft position upper rotation 270°		
<b>For models:</b>	GS24		

<b>Part No.</b>	376015	<b>Ref. No.</b>	3125010
<b>description</b>	thermostat t.max. 95°C temperature range 30-90°C 1-pole 1CO 16A probe ø 6mm probe L 95mm capillary pipe 2380mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 10mm shaft position upper rotation 270°		
<b>For models:</b>	GR1410, GR1420, GR1430, GS10, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS32, GS4, GS7, GS9, WKTS		

1 electric components




<b>Part No.</b>	376016	<b>Ref. No.</b>	3125013 3125014
<b>description</b>	thermostat t.max. 95°C temperature range 30-90°C 1-pole 1NO 16A probe ø 6mm probe L 90mm capillary pipe 2380mm capillary pipe isolated 1700mm gland nut M9x1 shaft ø 6x4.6mm shaft L 15mm shaft position upper rotation 270°		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS23H, GS23S, GS25, GS27, GS27B, GS28, GS29, GS29B, GS32, GS34, GS4, GS40, GS405, GS41, GS41-1...(Other models you can see in the webshop)		



<b>Part No.</b>	376021	<b>Ref. No.</b>	3125011
<b>description</b>	thermostat t.max. 93°C temperature range 30-93°C 3-pole 3CO 16A probe ø 6mm probe L 175mm capillary pipe 870mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
<b>For models:</b>	GS25, GS4, GS501, GS502, GS515		



<b>Part No.</b>	376017	<b>Ref. No.</b>	3125015
<b>description</b>	thermostat t.max. 95°C temperature range 30-90°C 1-pole 1NO 16A probe ø 6mm probe L 95mm capillary pipe 2380mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 15mm shaft position upper rotation 270°		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR63, GR63-1, GS62, GS63, GS64, GS65, GS81, GS90		

safety thermostats

55.11\_ series




<b>Part No.</b>	376019	<b>Ref. No.</b>	3125022
<b>description</b>	safety thermostat switch-off temp. 98°C 1-pole 16A probe ø 3.1mm probe L 248mm capillary pipe 1770mm capillary pipe isolatedmm gland nut probe		
<b>For models:</b>	GKTS2600, GR1221, GR1231, GR1321, GS100-1, GS23S, GS24, GS41-1, GS41-4, GS41-4S, GS72, WKT1000, WKTS		

55.34\_ series



<b>Part No.</b>	376020	<b>Ref. No.</b>	3125023
<b>description</b>	thermostat t.max. 93°C temperature range 30-93°C 2-pole 2NO 16A probe ø 6mm probe L 173mm capillary pipe 1780mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
<b>For models:</b>	GS24		

55.13\_ series



<b>Part No.</b>	376023	<b>Ref. No.</b>	3125030 3125045
<b>description</b>	safety thermostat switch-off temp. 160°C 1-pole 16A probe ø 6mm probe L 75mm capillary pipe 1540mm capillary pipe isolated 1490mm gland nut probe SS		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1221, GR1231, GR1321, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, WKT1000, WKT1200, WKTS		





## accessories

## fitting parts



1			
<b>Part No.</b>	698510	<b>Ref. No.</b>	60003939
<b>description</b>	bracket for contact thermostat L 110mm W 35mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		

## gland nut accessories

## ducts



1			
<b>Part No.</b>	521074	<b>Ref. No.</b>	3125001
<b>description</b>	gland duct ET M12x0.75 IT M9x1		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS27B, GS28, GS29, GS29B, GS32, GS34, GS4, GS40, GS405, GS41... (Other models you can see in the webshop)		

## plunger sockets



1			
<b>Part No.</b>	511652	<b>Ref. No.</b>	3201030
<b>description</b>	thermowell thread M14x1 IT M10x1 ET M14x1 ID ø 9mm L 36mm SS single ø 11mm		
<b>For models:</b>	GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR63, GR63-1, GS10, GS100, GS100-1, GS12, GS22, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS72, GS80, GS81, GS9, GS90, WBA, WKT1000, WKT1200, WKTS		

## switches and momentary switches

## rocker/momentary rocker switches

## 30x22mm



1			
<b>Part No.</b>	348034	<b>Ref. No.</b>	3124035
<b>description</b>	momentary rocker switch mounting measurements 30x22mm white 2NO 250V 20A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with rubber collar		
<b>For models:</b>	GS23, GS23H, GS25, GS27, GS4		



1			
<b>Part No.</b>	348035	<b>Ref. No.</b>	3124034
<b>description</b>	rocker switch mounting measurements 30x22mm white 2NO 250V 16A 0-I connection male faston 6.3mm ambient temperature max. 100/55°C protection IP65 with rubber collar		
<b>For models:</b>	GS23, GS23H, GS25, GS27, GS4		

## push/momentary push switches

## 30x22mm



1			
<b>Part No.</b>	345439	<b>Ref. No.</b>	3124129 3124167
<b>description</b>	momentary push switch mounting measurements 30x22mm white 1NO 250V 16A rinsing connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS24, GS34, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, GS8, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, WKT1000		




1			
<b>Part No.</b>	345436	<b>Ref. No.</b>	3124115 3124153
<b>description</b>	momentary push switch mounting measurements 30x22mm white 1NO/indicator light 250V 16A programme I connection male faston 6.3mm ambient temperature max. 85/55°C protection IP40		
<b>For models:</b>	GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS12, GS14, GS14E, GS15, GS15E, GS23, GS27, GS28, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		




1			
<b>Part No.</b>	345440	<b>Ref. No.</b>	3124075 3124130
<b>description</b>	momentary push switch mounting measurements 30x22mm white 1NO/indicator light 250V 16A programme II connection male faston 4.8mm/6.3mm ambient temperature max. 85/55°C protection IP40		
<b>For models:</b>	GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS23, GS23S, GS24, GS27, GS27B, GS28, GS29, GS29B, GS34, GS8, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		




 <p>1</p>			
<b>Part No.</b>	345443 <sup>1</sup>	<b>Ref. No.</b>	3124073 3124074 3124131 3124132 3124185
<b>description</b>	push switch mounting measurements 30x22mm green 2NO 250V 16A illuminated ON-OFF connection male faston 6.3mm ambient temperature max. 85/55°C protection IP40		
<b>For models:</b>	GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS23, GS23S, GS24, GS27, GS27B, GS28, GS29, GS29B, GS34, GS41-5, GS42, GS501, GS502, GS515, GS72, GS8, GSR36, GSR36E, GSR36E-McDonalds, GSR36-Mc-Donalds		


<sup>1</sup>illuminated


 <p>1</p>			
<b>Part No.</b>	345442 <sup>1</sup>	<b>Ref. No.</b>	3124227
<b>description</b>	push switch mounting measurements 30x22mm white 2NO/2NC/indicator light 250V 16A illuminated outflow connection male faston 4.8mm/6.3mm ambient temperature max. 85°C protection IP40		
<b>For models:</b>	GS501, GS502, GS515, MTF, MTR		


<sup>1</sup>illuminated


 <p>1</p>			
<b>Part No.</b>	345437 <sup>1</sup>	<b>Ref. No.</b>	3124166
<b>description</b>	push switch mounting measurements 30x22mm white 2NO/indicator light 250V 16A illuminated programme II connection male faston 4.8mm/6.3mm ambient temperature max. 85/55°C protection IP40		
<b>For models:</b>	GS100-1, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, WKT1000		


<sup>1</sup>illuminated


 <p>1</p>			
<b>Part No.</b>	345438	<b>Ref. No.</b>	3124128
<b>description</b>	push switch mounting measurements 30x22mm white 2NO/indicator light 250V 16A illuminated rinse connection male faston 4.8mm/6.3mm ambient temperature max. 85/55°C protection IP40		
<b>For models:</b>	GKTS2600, GR62-2, GR62-3, GR66, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS34, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, GS8, WKT1000		


 <p>1</p>			
<b>Part No.</b>	345441	<b>Ref. No.</b>	3124165
<b>description</b>	push switch mounting measurements 30x22mm white 2NO/indicator light 250V 16A programme I connection male faston 4.8mm/6.3mm ambient temperature max. 85/55°C protection IP40		
<b>For models:</b>	GS100-1, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS72, WKT1000		


 <p>1</p>			
<b>Part No.</b>	347645	<b>Ref. No.</b>	3124160
<b>description</b>	momentary push switch mounting measurements 30x22mm green 1NO/indicator light 250V 16A illuminated on connection F6.3/F4.8 (lamp) ambient temperature max. 85°C protection IP40		
<b>For models:</b>	BAVARIA2000, KTS1900, KTS2400, WBA, WKT1000, WKT1200, WKTS		

 <p>1</p>			
<b>Part No.</b>	347916	<b>Ref. No.</b>	3124161
<b>description</b>	momentary push switch mounting measurements 30x22mm white 1NC 250V 16A OFF connection male faston 6.3mm ambient temperature max. 85/55°C protection IP40		
<b>For models:</b>	BAVARIA2000, KTS1900, KTS2400, WBA, WKT1000, WKT1200, WKTS		

 <p>1</p>			
<b>Part No.</b>	347918	<b>Ref. No.</b>	3124197
<b>description</b>	momentary push switch mounting measurements 30x22mm white 1NO 250V 16A rinsing cold connection male faston 6.3mm ambient temperature max. 85/55°C protection IP40		
<b>For models:</b>	GR64, GR65, GR66-1, GSR36, GSR36E, GSR36E-McDonalds, GSR36-Mc-Donalds		

 <p>1</p>			
<b>Part No.</b>	347917	<b>Ref. No.</b>	3124163
<b>description</b>	momentary push switch mounting measurements 30x22mm white 1NO/1NC/indicator light 250V 12A programme II connection male faston 4.8mm/6.3mm ambient temperature max. 85°C protection IP40		
<b>For models:</b>	BAVARIA2000, KTS1900, KTS2400, WBA, WKT1200, WKTS		

 <p>1</p>			
<b>Part No.</b>	347646	<b>Ref. No.</b>	3124162
<b>description</b>	momentary push switch mounting measurements 30x22mm white/blue 1NO/1NC/indicator light 250V 12A programme I connection male faston 4.8mm ambient temperature max. 85°C protection IP40		
<b>For models:</b>	BAVARIA2000, KTS1900, KTS2400, WBA, WKT1200, WKTS		

 <p>1</p>			
<b>Part No.</b>	347647	<b>Ref. No.</b>	3124186
<b>description</b>	push switch mounting measurements 30x22mm green/blue 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 85/55°C protection IP40		
<b>For models:</b>	GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS100-1, GS41-1, GS41-4, GS41-4S, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		



1

<b>Part No.</b>	347915 <sup>1</sup>	<b>Ref. No.</b>	3124202
<b>description</b>	push switch mounting measurements 30x22mm white 2NO 250V 16A illuminated drain pump connection male faston 6.3mm ambient temperature max. 85/55°C protection IP40		
<b>For models:</b>	GR64, GR65, GR66, GR66-1		

<sup>1</sup>illuminated

1

<b>Part No.</b>	347914	<b>Ref. No.</b>	3124205
<b>description</b>	push switch mounting measurements 30x22mm white 2NO/2NC/indicator light 250V 12A manual rinsing connection male faston 4.8mm/6.3mm ambient temperature max. 85°C protection IP40		
<b>For models:</b>	GR64, GR65, GR66-1, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

## accessories

## blank elements



1

<b>Part No.</b>	345312	<b>Ref. No.</b>	3124187
<b>description</b>	dummy element internal size 30x22mm		
<b>For models:</b>	GR62-2, GR62-3, GR64, GR65, GR66-1, GS41-5, GS501, GS502, GS515, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, WKTS		

## microswitches

## lever actuated



1

<b>Part No.</b>	345211	<b>Ref. No.</b>	62000224
<b>description</b>	microswitch with lever 250V 10A 1CO connection male faston 6.3mm ambient temperature max. 85°C lever length 49mm		
<b>For models:</b>	GS23H, GS23S		

## pin-plunger actuated

## miscellaneous



1

<b>Part No.</b>	345965	<b>Ref. No.</b>	5519024
<b>description</b>	microswitch 250V 10A 1CO connection male faston 6.3mm ambient temperature max. 85°C with plunger		
<b>For models:</b>	GS23, GS25, GS27, GS28, GS4		



1

<b>Part No.</b>	345966	<b>Ref. No.</b>	5519007
<b>description</b>	microswitch 250V 10A 1CO connection male faston 6.3mm ambient temperature max. 85°C with plunger		
<b>For models:</b>	GS10, GS10-2, GS12, GS22, GS32, GS34, GS7, GS8, GS9		

## non-standard



1

<b>Part No.</b>	345992	<b>Ref. No.</b>	62001349
<b>description</b>	microswitch 1CO 1-pole		
<b>For models:</b>	GS24		

## position switches

## miscellaneous




1


<b>Part No.</b>	348033	<b>Ref. No.</b>	3124104 3124216 80003235
<b>description</b>	position switch with roller 1NO/1CO L 65mm W 30mm H 30mm SCHMERSAL		
<b>For models:</b>	BAVARIA2000, GKTS2600, GM170, GM85, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GS100, GS100-1, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS64, GS65, GS70, GS71, GS72, GS80, GS81, GS90, WBA, WKTS		



float switches



1



<b>Part No.</b>	345446	<b>Ref. No.</b>	3113163 3126032 3126034 3126041 3126047 5528255 5528292
<b>description</b>	float switch thread M14x2 1NO or 1NC $\phi$ 17.5mm L 114mm mounting $\phi$ 15mm 250V 0.13A male faston 6.3mm cable length 230mm kit		
<b>For models:</b>	GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS14, GS14E, GS15, GS15E, GS202, GS215, GS24, GS29, GS29B, GS302, GS310, GS315, GS402, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72, GSR36, GSR36E, GSR36E-McDonalds, GSR36-Mc-Donalds, KTS1900, KTS2400, MTF, MTR, STR, WKT1000, WKT1200, WKTS		

accessories




1


<b>Part No.</b>	694619	<b>Ref. No.</b>	60003989
<b>description</b>	nut for float switch thread M14x2 $\phi$ 27mm plastic		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-Mc-Donalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR, WKT1000, WKT1200		

magnetic switches


32x15mm



1




<b>Part No.</b>	347186	<b>Ref. No.</b>	3124272
<b>description</b>	magnetic switch L 32mm W 15mm 1NO 175V 0.25A P max. 3W connection cable length 1350mm		
<b>For models:</b>	MTF, MTR, STR		




1

<b>Part No.</b>	347374	<b>Ref. No.</b>	3124229
<b>description</b>	magnetic switch L 32mm W 15mm 1NO 200V 0.5A connection coded plug cable length 400mm 10W		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		





1





<b>Part No.</b>	345968	<b>Ref. No.</b>	3124224
<b>description</b>	magnetic switch L 32mm W 15mm 1NO 250V 1A P max. 100W connection coded plug cable length 1000mm		
<b>For models:</b>	GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		




			
1			
<b>Part No.</b>	348028	<b>Ref. No.</b>	3124228
<b>description</b>	magnetic switch L 32mm W 15mm 250V 1A connection male faston		
<b>For models:</b>	AirCon, GS501, GS502, GS515		


<b>80x20mm</b>			
			
1			
<b>Part No.</b>	347644	<b>Ref. No.</b>	3124190 3124199 3124221
<b>description</b>	magnetic switch L 80mm W 20mm 1NO 180-265V 0.5A P max. 10W connection male faston 6.3mm cable length 550mm		
<b>For models:</b>	GR64, GR65, GR66, GR66-1, GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

			
1			
<b>Part No.</b>	347912	<b>Ref. No.</b>	3124111
<b>description</b>	magnetic switch L 80mm W 20mm 1NO 250V 1A P max. 100W connection cable cable length 7000mm		
<b>For models:</b>	Eckfoerderer-WKT(S)-90-180, GR1210, GR1220, GR1230, KTS1900, KTS2400, WKTS		


<b>ø 6mm</b>			
			
1			
<b>Part No.</b>	347584 <sup>1</sup>	<b>Ref. No.</b>	30000364 3124295 3124297
<b>description</b>	magnetic switch 200V 0.5A P max. 100W probe L 26mm 1NO connection coded plug cable length 700mm		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		


			
1			
<b>Part No.</b>	348027	<b>Ref. No.</b>	3124240
<b>description</b>	magnetic switch 250V 1A 1NO connection cable 50W L 30mm nominal 1A		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		

<b>ø 8mm</b>			
			
1			
<b>Part No.</b>	347430	<b>Ref. No.</b>	3124134
<b>description</b>	magnetic switch 12V 1A P max. 10W probe L 50mm 1NO connection cable cable length 2500mm		
<b>For models:</b>	BAVARIA2000, KTS1900, KTS2400, WKT1000, WKT1200, WKTS		

<b>miscellaneous</b>			
			
1			
<b>Part No.</b>	347921	<b>Ref. No.</b>	83000408
<b>description</b>	magnetic switch 12V 0.07A P max. 1W 1NO connection plug L 32mm L1 24mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		





accessories			
magnets			
			
1			
<b>Part No.</b>	519475	<b>Ref. No.</b>	3124191
<b>description</b>	magnet ø 10mm L 10mm Hmm Wmm		
<b>For models:</b>	Eckfoerderer-WKT(S)-90-180, GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400		


			
1			
<b>Part No.</b>	347154	<b>Ref. No.</b>	61005155 61006243
<b>description</b>	magnet ø 3mm L 40mm H 12.5mm W 15mm hole distance 33mm M3 hole ø 3mm		
<b>For models:</b>	AirCon, GS501, GS502, GS515, GS630-McDonalds, MTF, MTR, STR		

## control equipment

### MOELLER/EATON


push buttons - signal lamps			
			
1			
<b>Part No.</b>	348029	<b>Ref. No.</b>	3124206
<b>description</b>	push button mounting measurements ø22mm silver green lens momentary		


accessories			
			
1			
<b>Part No.</b>	348030	<b>Ref. No.</b>	3124006 3124208
<b>description</b>	protective cover ED ø 30mm transparent for push-button H 13mm		
<b>For models:</b>	GM170, GM85, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR63, GR63-1, GS10, GS100, GS12, GS22, GS32, GS34, GS40, GS405, GS41, GS41-3, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS80, GS81, GS9, GS90		


switches (complete)			
push/momentary push switches			
			
1			
<b>Part No.</b>	347920 <sup>1</sup>	<b>Ref. No.</b>	67000553
<b>description</b>	momentary push switch mounting measurements ø22mm green illuminated, 80-264V 2NO protection cap momentary		
<b>For models:</b>	GM170, GM85		


<sup>1</sup>with rubber cap

### SCHLEGEL

push buttons			
			
1			
<b>Part No.</b>	360612	<b>Ref. No.</b>	3124080 3124088
<b>description</b>	momentary switch unit mounting measurements ø16/24x24mm type momentary anthracite/transparent square		
<b>For models:</b>	GS12, GS34		

			
1			
<b>Part No.</b>	360616	<b>Ref. No.</b>	3124077
<b>description</b>	momentary switch unit mounting measurements ø16/24x24mm type momentary green START square		
<b>For models:</b>	GS12, GS34		

			
1			
<b>Part No.</b>	360615	<b>Ref. No.</b>	3124078
<b>description</b>	momentary switch unit mounting measurements ø16/24x24mm type momentary white 1 square		
<b>For models:</b>	GS12, GS34		





			
1			
<b>Part No.</b>	360611	<b>Ref. No.</b>	3124079
<b>description</b>	momentary switch unit mounting measurements ø16/24x24mm type momentary white 2 square		
<b>For models:</b>	GS12, GS34		



## signal element



1

<b>Part No.</b>	360617	<b>Ref. No.</b>	3108036
<b>description</b>	signal lamp mounting measurements $\phi 16/24 \times 24$ mm 27x27 black/clear square socket T5.5K		
<b>For models:</b>	GS12, GS34		
<b>accessories for</b>	360617		
	<b>Part No.</b>	359590	<b>Ref. No.</b> —
	light bulb socket T5.5K 24V 3W $\phi$ 5.5mm L 22mm clear		
	<b>Part No.</b>	359591	<b>Ref. No.</b> —
	light bulb socket T5.5K 48V 3W $\phi$ 5.5mm L 22mm clear		
	<b>Part No.</b>	359592	<b>Ref. No.</b> —
	light bulb socket T5.5K 12V 3W $\phi$ 5.5mm L 22mm clear		
	<b>Part No.</b>	359593	<b>Ref. No.</b> —
	light bulb socket T5.5K 60V 0.02A		

## switch blocks



1

<b>Part No.</b>	359194	<b>Ref. No.</b>	3124082
<b>description</b>	contact block latching 1NC/1NO connection male faston 2.8mm illuminable socket T5.5K type AFL		
<b>For models:</b>	GS12, GS34		



1

<b>Part No.</b>	360614	<b>Ref. No.</b>	3124081
<b>description</b>	contact block latching 2NO/2NC connection male faston 2.8mm illuminated socket T5.5K		
<b>For models:</b>	GS12, GS34		



1

<b>Part No.</b>	360613	<b>Ref. No.</b>	3124083
<b>description</b>	contact block momentary 1NC/1NO connection male faston 2.8mm illuminated socket T5.5K		
<b>For models:</b>	GS12, GS34		

## lamps

## indicator lights

## lamps

## light bulbs



1

<b>Part No.</b>	361928	<b>Ref. No.</b>	3108037
<b>description</b>	light bulb socket T5.5K 12V 20mA		
<b>For models:</b>	GS12, GS34		



1

<b>Part No.</b>	361927	<b>Ref. No.</b>	3108034
<b>description</b>	light bulb socket T5.5K 48V 0.02A		
<b>For models:</b>	GS10-2, GS12, GS34		

## indicator lights (complete)

## 30x22mm



1


<b>Part No.</b>	359409	<b>Ref. No.</b>	3108017
<b>description</b>	indicator light mounting measurements 30x22mm 230V white connection male faston 6.3mm with protecting cover		
<b>For models:</b>	GS23, GS23H, GS25, GS27, GS4		




1

<b>Part No.</b>	359406	<b>Ref. No.</b>	3108064
<b>description</b>	indicator light mounting measurements 30x22mm 230V white connection male faston 6.3mm programme		
<b>For models:</b>	GS100-1, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS72		




			
1			
<b>Part No.</b>	359407	<b>Ref. No.</b>	3108033 3108051 3108054 3108116
<b>description</b>	indicator light mounting measurements 30x22mm 230V white connection male faston 6.3mm temp.-resist. 85°C temperature type Marquardt 1667..		
<b>For models:</b>	BAVARIA2000, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS23, GS23S, GS24, GS27, GS27B, GS28, GS29, GS29B, GS34, GS41-5, GS42, GS501, GS502, GS515, GS8, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, WBA, WKT1200, WKTS		


			
1			
<b>Part No.</b>	361927	<b>Ref. No.</b>	3108034
<b>description</b>	light bulb socket T5.5K 48V 0.02A		
<b>For models:</b>	GS10-2, GS12, GS34		

LED

indicator lamps

mounting diameter 8mm


			
1			
<b>Part No.</b>	360650	<b>Ref. No.</b>	3108111
<b>description</b>	indicator light LED mounting ø 8mm 12VDC red connection F2.8x0.8		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

			
1			
<b>Part No.</b>	360651	<b>Ref. No.</b>	3108112
<b>description</b>	indicator light LED mounting ø 8mm 12VDC yellow connection F2.8x0.8		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

screw-on/push-on fit


light bulbs


for indicator lights


			
1			
<b>Part No.</b>	361928	<b>Ref. No.</b>	3108037
<b>description</b>	light bulb socket T5.5K 12V 20mA		
<b>For models:</b>	GS12, GS34		

timers


programme timers

			
1			
<b>Part No.</b>	360235	<b>Ref. No.</b>	3105119 3105122
<b>description</b>	timer AKO-DIEHL 422		
<b>For models:</b>	GS100-1, GS12, GS23, GS27, GS28, GS34, GS41-1, GS41-4, GS41-4S, GS72		

			
1			
<b>Part No.</b>	360237	<b>Ref. No.</b>	3105142 3105145 3105146 5528272
<b>description</b>	timer AKO-DIEHL 514 chambers 6 operation time 230V shaft ømm shaft Lmm voltage AC		
<b>For models:</b>	GS501, GS502, GS515		


			
1			
<b>Part No.</b>	360461	<b>Ref. No.</b>	3105144
<b>description</b>	timer AKO-DIEHL 514 GS 501 from serial no.430572 engines 1 chambers 3 180-265V 50/60Hz manuf. no. 3105144 run-time 30s		
<b>For models:</b>	GS501, GS502, GS515		




1

<b>Part No.</b>	360317	<b>Ref. No.</b>	3105106
<b>description</b>	timer AKO-DIEHL operation time 5min		
<b>For models:</b>	GR62, GR62-1, GS10, GS22, GS32, GS405, GS41, GS41-3, GS62, GS63, GS64, GS65, GS7, GS71, GS8, GS9		



1

<b>Part No.</b>	360236	<b>Ref. No.</b>	3105100
<b>description</b>	timer AKO-DIEHL P10100 250V shaft $\varnothing$ 6x4.6mm shaft L 10mm		
<b>For models:</b>	GS10, GS100, GS10-2, GS12, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS27B, GS32, GS34, GS4, GS40, GS405, GS41, GS61, GS7, GS70, GS71, GS80, GS81, GS9, GS90		




1

<b>Part No.</b>	360238	<b>Ref. No.</b>	3105130 3105131
<b>description</b>	timer EPS 1.1 V2.1 electronic engines chambers operation time 230V		
<b>For models:</b>	GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS14, GS14E, GS15, GS15E, GS23S, GS24, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, WKT1000		

## contactors


## ABB

## power contactors




1

<b>Part No.</b>	380101	<b>Ref. No.</b>	3104154
<b>description</b>	power contactor resistive load 20A 230VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type B6-30-01 / B7-30-01		
<b>For models:</b>	GS202, GS215, GS24, GS302, GS310, GS315, GS402, GS630-McDonalds, GS8, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, STR, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds, WKT1200, WKTS		



1


<b>Part No.</b>	381258	<b>Ref. No.</b>	3104057 3104161
<b>description</b>	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type A9-30-01		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1200, GR1221, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR63, GR63-1, GS10, GS100, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS29, GS29B, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS72, GS80, GS81, GS9, GS90, GSR36, GSR36E...(Other models you can see in the webshop)		

1

<b>Part No.</b>	381259	<b>Ref. No.</b>	30000861 3104058 3104059 3104162
<b>description</b>	power contactor resistive load 30A 100-250VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type AF16-30-01-13		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1321, GR1410, GR1420, GR1430, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS10, GS100-1, GS12, GS14, GS14E, GS15, GS15E, GS22, GS29, GS29B, GS32, GS34, GS405, GS41, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS62, GS63, GS64, GS640, GS640-McDonalds, GS65, GS650, GS650-McDonalds, GS660, GS7, GS71...(Other models you can see in the webshop)		

auxiliary contactors




1

<b>Part No.</b>	381256	<b>Ref. No.</b>	3104114
<b>description</b>	auxiliary contactor 230VAC AC1 10A type CA2SK11P7 connection screw contacts 1NO/1NC		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-WKT(S)-90-180, GKTS2600, GR64, GR65, GR66, GR66-1, GS100-1, GS41-1, GS41-4, GS41-4S, GS72, WKT1000, WKT1200, WKTS		

GENERAL ELECTRIC (AEG)


power contactors



1

<b>Part No.</b>	381260	<b>Ref. No.</b>	3104068
<b>description</b>	power contactor resistive load 16A 230VAC (AC3/400V) 6A/3kW main contacts 3NO auxiliary contacts 1NC connection male faston 6.3mm type type AEG LS0701F		
<b>For models:</b>	GKTS2600, GM170, GM85, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1410, GR1420, GR1430, GR62, GR62-1, GR63, GR63-1, GS23, GS25, GS27, GS27B, GS28, GS4		

relays  
plug-in/print relays




1

<b>Part No.</b>	381270	<b>Ref. No.</b>	3104158
<b>description</b>	print relay 230VAC 1CO at 250V 16A connection 8 pins raster size 5mm		
<b>For models:</b>	GS501, GS502, GS515, KTS1900, KTS2400, WKT1200, WKTS		


TELEMECANIQUE (Schneider Electric)

power contactors



1

<b>Part No.</b>	381257	<b>Ref. No.</b>	3104128
<b>description</b>	power contactor resistive load 20A 230VAC (AC3/400V) 5A/2.2kW main contacts 2NO connection screw connection type LC1SGC200P7		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>Part No.</b>	381271	<b>Ref. No.</b>	3104159 3104196
<b>description</b>	print relay 250VAC 2CO at 250V 8A connection pins raster size 5mm		
<b>For models:</b>	GS501, GS502, GS515, KTS1900, KTS2400, MTF, MTR, WKTS		



## relay sockets



1

<b>Part No.</b>	381272	<b>Ref. No.</b>	3104157
<b>description</b>	relay socket 300V voltage AC		
<b>For models:</b>	GS501, GS502, GS515, KTS1900, KTS2400, MTF, MTR, WKT1200, WKTS		

## time relays

## time relays



1

<b>Part No.</b>	380363	<b>Ref. No.</b>	3104141
<b>description</b>	time relay DOLD CD7839.71 time range 1-10s 220-240VAC 4A 1CO connection grip connection		
<b>For models:</b>	GS29B		



1

<b>Part No.</b>	380630	<b>Ref. No.</b>	3104150
<b>description</b>	time relay DOLD CD7839.71 time range 15-300s 220-240VAC 4A 1CO connection grip connection		
<b>For models:</b>	GM170, GM85, GR64, GR65, GR66-1, GS14, GS14E, GS15, GS15E, GS29, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		



1

<b>Part No.</b>	380364	<b>Ref. No.</b>	3104120
<b>description</b>	time relay DOLD IK7815.71/200 time range 1-10s 220-240VAC 10A 1CO connection grip connection		
<b>For models:</b>	GKTS2600, GS100-1, GS41-1, GS41-4, GS41-4S, GS72, KTS1900, KTS2400		



1

<b>Part No.</b>	380631	<b>Ref. No.</b>	3104117
<b>description</b>	time relay DOLD IK7816.81/200 time range 1-10s 220-240VAC 10A 1CO		
<b>For models:</b>	GS23H, GS23S, GS24, GS28		

## miscellaneous



1

<b>Part No.</b>	380632	<b>Ref. No.</b>	3104139
<b>description</b>	coupling relay 230V		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-WKT(S)-90-180, GR64, GR65, GR66, GR66-1, GS14, GS14E, GS15, GS15E, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

## transformers

## encapsulated transformers

## multiple connections



1

<b>Part No.</b>	403471	<b>Ref. No.</b>	3115020
<b>description</b>	transformer primary 230V secondary 18V 22VA secondary DCA H 60mm L 95mm W 40mm 50/60Hz		
<b>For models:</b>	GR64, GR65, GR66-1, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

## probes

## producer-specific probes

## probes




1

<b>Part No.</b>	400666	<b>Ref. No.</b>	3125051
<b>description</b>	temperature probe NTC 12kOhm cable PVC probe -40 up to +110°C cable -10 up to 100°C connection 2-wire thread probe ø7x45mm cable length 1.7m		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		





1

<b>Part No.</b>	403310	<b>Ref. No.</b>	61006359
<b>description</b>	temperature probe NTC 12kOhm cable rubber probe -40 up to +110°C cable -10 up to 100°C connection coded plug thread probe ø13x15mm cable length 1.8m		
<b>For models:</b>	STR		



1

<b>Part No.</b>	403311	<b>Ref. No.</b>	71002590
<b>description</b>	temperature probe NTC 12kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection 2-wire thread M10x1 probe ø8.5x22mm cable length 4.5m		
<b>For models:</b>	MTF, MTR		




1

<b>Part No.</b>	402202	<b>Ref. No.</b>	3125036 70004624
<b>description</b>	temperature probe PTC 2kOhm cable probe -50 up to +150°C cable °C connection male faston 2.8mm thread M10 probe ø8x140mm cable lengthm		
<b>For models:</b>	WKTS		


electronics

PCBs




1

<b>Part No.</b>	400663	<b>Ref. No.</b>	3124222
<b>description</b>	control PCB dishwasher GS 202/215/302		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, STR		




1

<b>Part No.</b>	400664	<b>Ref. No.</b>	3105139 3105140 3105141
<b>description</b>	control PCB dishwasher GS 202/215/302 WPS004		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		



1

<b>Part No.</b>	401848	<b>Ref. No.</b>	3105155
<b>description</b>	control PCB MTR/MTS WPS004Slave		
<b>For models:</b>	MTF, MTR		



1


<b>Part No.</b>	400658	<b>Ref. No.</b>	3113082 3113108 5528253
<b>description</b>	PCB		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29B		




1

<b>Part No.</b>	402814	<b>Ref. No.</b>	3113180
<b>description</b>	PCB dishwasher GS 202/215/302 for softstart type WSA4		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		





			
1			
<b>Part No.</b>	400667	<b>Ref. No.</b>	3113164
<b>description</b>	PCB dishwasher GS 202/215/302 level control		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		


			
1			
<b>Part No.</b>	402931	<b>Ref. No.</b>	3113165
<b>description</b>	PCB dishwasher GS501/502/515 L 80mm W 40mm level control		
<b>For models:</b>	GS501, GS502, GS515		

## keypads

### front foils

			
1			
<b>Part No.</b>	403745	<b>Ref. No.</b>	61006610
<b>description</b>	front foil dishwasher L 126mm W 35mm		
<b>For models:</b>	GS502, GS515		

			
1			
<b>Part No.</b>	403744	<b>Ref. No.</b>	3124291
<b>description</b>	front foil dishwasher UC L 268mm W 60mm		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

			
1			
<b>Part No.</b>	694712	<b>Ref. No.</b>	3124223
<b>description</b>	keypad foil dishwasher GS202/215/302/310/315 L 180mm W 50mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		

## solenoid valves

### solenoid valves (water)

#### MÜLLER

medium temperature: 90°C  
duty cycle: 100%



1			
<b>Part No.</b>	374044	<b>Ref. No.</b>	3106038
<b>description</b>	solenoid valve single angled 230VAC inlet 3/4" outlet 14.5mm DN10 t.max. 90°C duty cycle 100% MÜLLER		

#### spare parts and accessories

##### spare parts sets



1			
<b>Part No.</b>	371011	<b>Ref. No.</b>	3106047 3106048 3106049 3106073
<b>description</b>	spare parts kit membrane with long star star high 8mm MÜLLER		
<b>For models:</b>	GM170, GM85, GR1200, GR1400, GR1410, GR1420, GR1430, GS12, GS25, GS29, GS34, GS4, GS72, H52, WKTS, ZU22		

#### solenoid coils



1			
<b>Part No.</b>	371017	<b>Ref. No.</b>	3106046 3106108
<b>description</b>	solenoid coil MÜLLER 230VAC connection male faston 6.3mm		
<b>For models:</b>	GR1200, GR1400, GR1410, GR1420, GR1430, GS12, GS25, GS29, GS34, GS4, GS72, H52, WKTS		


#### reducers


##### inlet side



1			
<b>Part No.</b>	371202	<b>Ref. No.</b>	3106104
<b>description</b>	reducer MÜLLER type MR04 flow rate 10l/min mounting measurements 19mm nominal flow at 4bar pressure range 0 up to 10bar approval KTW tolerance ±15% white		
<b>For models:</b>	WKTS		




filters			
			
1			
<b>Part No.</b>	371122	<b>Ref. No.</b>	3106118
<b>description</b>	solenoid valve filter ø 19mm H 10mm suitable for MÜLLER		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GS100-1, GS12, GS23H, GS28, GS29, GS41-3, WKTS, ZU22		


miscellaneous			
			
1			
<b>Part No.</b>	371009	<b>Ref. No.</b>	3106117
<b>description</b>	compression spring for solenoid coil		
<b>For models:</b>	GS29, GS72, WKTS, ZU22		


**ROBERTSHAW/INVENSYS**


medium temperature: 90°C 90°C 60°C  
 ambient temperature: 60°C 25°C 60°C  
 duty cycle: 40% 100% 100%


			
1			
<b>Part No.</b>	374045	<b>Ref. No.</b>	3106043 3106116 3106182
<b>description</b>	solenoid valve double straight 230VAC inlet 3/4" outlet 13.5mm DN10 EATON (INVENSYS)		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1200, GR1210, GR1220, GR1230, GR1320, GR1400, GR62, GR62-1, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS24, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS72, GS8, GS80, GS81... (Other models you can see in the webshop)		


**solenoid valves with reducers**

single			
			
1			
<b>Part No.</b>	374046	<b>Ref. No.</b>	3106044 3106180
<b>description</b>	solenoid valve single straight 230VAC inlet 3/4" outlet 13.5mm input 15l/min t.max. 90°C EATON (INVENSYS) plastic flow regulating valve inlet grey		
<b>For models:</b>	GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1321, GR1400, GR1410, GR1420, GR1430, GS100-1, GS14, GS14E, GS15, GS15E, GS23, GS23H, GS23S, GS24, GS25, GS27, GS27B, GS28, GS29, GS29B, GS4, GS41-5, GS501, GS502, GS515, GS62, GS63, GS64, GS640, GS640-McDonalds, GS65, GS650, GS650-McDonalds, GS660, GS72, STR, WKTS		


			
1			
<b>Part No.</b>	374047	<b>Ref. No.</b>	3106215
<b>description</b>	solenoid valve single straight 230VAC inlet 3/4" outlet 13.5mm input 5.5l/min t.max. 90°C EATON (INVENSYS) plastic flow regulating valve inlet yellow		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		

			
1			
<b>Part No.</b>	374048	<b>Ref. No.</b>	3106174
<b>description</b>	solenoid valve single straight 230VAC inlet 3/4" outlet 13.5mm input 5l/min DN10 t.max. 90°C EATON (INVENSYS) plastic		
<b>For models:</b>	GR66-1, GS14, GS14E, GS15, GS15E, GS29, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

			
1			
<b>Part No.</b>	370739	<b>Ref. No.</b>	3106179
<b>description</b>	solenoid valve single straight 230VAC inlet 3/4" outlet 14.5mm Invensys plastic flow regulating valve inlet orange		
<b>For models:</b>	GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, WKTS		

			
1			
<b>Part No.</b>	374049	<b>Ref. No.</b>	3106214
<b>description</b>	solenoid valve single straight 230VAC inlet 3/4" outlet 14mm input 15l/min plastic		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		

**with coded terminal**

			
1			
<b>Part No.</b>	370671	<b>Ref. No.</b>	3106250
<b>description</b>	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 EATON (INVENSYS) plastic flow regulating valve inlet violet		
<b>For models:</b>	GS630-McDonalds, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		



various



1

<b>Part No.</b>	370596	<b>Ref. No.</b>	83000403 83000460
<b>description</b>	solenoid valve 230VAC plastic		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

metal

ASCO

spare parts and accessories

kits



1

<b>Part No.</b>	371118	<b>Ref. No.</b>	3106085 3106115
<b>description</b>	spare parts kit type D size 3/4"		
<b>For models:</b>	GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GS62, GS63, GS64, GS65, WBA, WKTS		

drain valves



1

<b>Part No.</b>	370629	<b>Ref. No.</b>	3106045 3106053 5519091
<b>description</b>	drain solenoid valve 230V single inlet 46mm outlet 1½" ETmm t.max. 95°C DN 40mm		
<b>For models:</b>	GM170, GM85, GR1410, GR1420, GR1430, GR63, GR63-1, GR64, GR65, GR66, GR66-1, WBA		

Solenoid valve - accessories

filters



1

<b>Part No.</b>	371122	<b>Ref. No.</b>	3106118
<b>description</b>	solenoid valve filter ø 19mm H 10mm suitable for MÜLLER		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GS100-1, GS12, GS23H, GS28, GS29, GS41-3, WKTS, ZU22		



1

<b>Part No.</b>	370467	<b>Ref. No.</b>	3106186
<b>description</b>	solenoid valve filter suitable for ELBI		
<b>For models:</b>	GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS10, GS10-2, GS14, GS14E, GS15, GS15E, GS202, GS215, GS22, GS23S, GS24, GS29, GS29B, GS302, GS310, GS315, GS32, GS402, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS7, GS72, GS8, GS81, GS9, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, RoMatik, RoMatik150, UC-L, UC-L-McDonalds...(Other models you can see in the webshop)		



1

<b>Part No.</b>	370619	<b>Ref. No.</b>	83000402
<b>description</b>	repair kit plug type coded plug 220-240V voltage AC for regeneration valve		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		




pressure switches

for warewashing


ø 45mm with male faston 6.3mm

with connection vertical




1

<b>Part No.</b>	543019	<b>Ref. No.</b>	3126020
<b>description</b>	pressure control pressure range 100/60mbar connection 6mm ø 45mm pressure connection vertical half-round warewashing		
<b>For models:</b>	GR62-2, GR62-3, GS10-2, GS12, GS34, GS8		




1

<b>Part No.</b>	543017	<b>Ref. No.</b>	3126003 3126008 3126021 3126023
<b>description</b>	pressure control pressure range 105/75mbar connection 6mm ø 45mm pressure connection vertical warewashing		
<b>For models:</b>	GR1200, GR1400, GR62, GR62-1, GS10, GS100, GS100-1, GS22, GS32, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS80, GS81, GS9, GS90, WBA, WKT1000, WKT1200, WKTS		




1

<b>Part No.</b>	543018	<b>Ref. No.</b>	3126035
<b>description</b>	pressure control pressure range 120/60mbar connection 6mm ø 45mm pressure connection vertical half-round warewashing		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, WKTS		




1

<b>Part No.</b>	543020	<b>Ref. No.</b>	3126018 3126028 80003155
<b>description</b>	pressure control pressure range 160/80mbar connection 6mm ø 45mm pressure connection vertical half-round warewashing		
<b>For models:</b>	GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR64, GR65, GS501, GS502, GS515, GS72, KTS1900, KTS2400, WBA		



1

<b>Part No.</b>	543016	<b>Ref. No.</b>	3126009 3126019
<b>description</b>	pressure control pressure range 55/35mbar connection 6mm ø 45mm pressure connection vertical half-round warewashing		
<b>For models:</b>	GS12, GS23, GS23H, GS23S, GS25, GS27, GS27B, GS34, GS4, KTS1900, KTS2400, WKTS		



1

<b>Part No.</b>	543021	<b>Ref. No.</b>	3126029
<b>description</b>	pressure control pressure range 85/55mbar connection 6mm ø 54mm pressure connection vertical warewashing		
<b>For models:</b>	BAVARIA2000, GS24, GS29, GS29B		

pressure transmitters



1

<b>Part No.</b>	541149	<b>Ref. No.</b>	3126044
<b>description</b>	pressure transmitter pressure range 0-30mbar output voltage 0.5-3.5VDC input voltage 5VDC max 200mbar		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, MTF, MTR, STR, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		





## flow meters and flow sensors

### flow meters

#### miscellaneous



1

<b>Part No.</b>	502056	<b>Ref. No.</b>	60003512
<b>description</b>	flow meter set WSE suitable for WINTERHALTER		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS640, GS650, GS660		

## motors

### gear motors

#### for dishwashers



1

<b>Part No.</b>	600041	<b>Ref. No.</b>	3116062 3116079 61006607
<b>description</b>	gear motor type 404988 12W 24V voltage DCHz phase 28rpm shaft ø 7.5mm L 160mm W 100mm H 80mm for dishwasher		
<b>For models:</b>	GR64, GR65, GR66-1, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		



1

<b>Part No.</b>	500930	<b>Ref. No.</b>	3116070
<b>description</b>	gear motor type S01-M1C6/4 90/120W 230/400V 50/60Hz 3 phase shaft ø 14mm L 265mm W 120mm H 175mm for dishwasher		
<b>For models:</b>	Eckfoerderer-MTR-STR-180, Eckfoerderer-MTR-STR-90, Eckfoerderer-WKT(S)-90-180, WKT1200, WKTS		

## pumps

### wash and rinse pumps

#### ATB

#### pumps




1


<b>Part No.</b>	501458	<b>Ref. No.</b>	5514023 5514076 5514190
<b>description</b>	pump inlet ø outlet ø type AF90S/2F-12 230/400V 50Hz 3 phase 2kW 2.7HP L 330mm rotation direction left without pump casing		
<b>For models:</b>	GR63, GR63-1, GS62, GS63, GS64, GS65		

#### FIR

#### pumps







1

<b>Part No.</b>	499327	<b>Ref. No.</b>	3102549
<b>description</b>	pump inlet ø 30mm outlet ø 35mm type 5215.4150 200-254/346-440V 50Hz 3 phase		
<b>For models:</b>	MTF, MTR		
<b>spare parts for</b>	499327		
	<b>Part No.</b>	521079	<b>Ref. No.</b> 3102528
	fanwheel cover ø 155mm H 70mm plastic		




1

<b>Part No.</b>	500549	<b>Ref. No.</b>	3102065
<b>description</b>	pump inlet ø 45mm outlet ø 40mm type 2220 230V 50Hz 1 phase 0.73kW 1HP L 235mm rotation direction right capacitor 16µF FIR		
<b>For models:</b>	GS10, GS22, GS32, GS7, GS9		
<b>spare parts for</b>	500549		
	<b>Part No.</b>	<b>Ref. No.</b>	—
	365021		
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
	<b>Part No.</b>	<b>Ref. No.</b>	—
	502007		
	pump cover gasket		
	<b>Part No.</b>	<b>Ref. No.</b>	3102200
	502014		
	pump cover FIR inlet ø 45mm outlet ø 40mm		
	<b>Part No.</b>	<b>Ref. No.</b>	—
	510529		
	impellor ø 103mm H 30mm shaft intake ø 9/8mm rotation direction right blades 6		
	<b>Part No.</b>	<b>Ref. No.</b>	—
	510692		
	mechanical shaft seal for shaft ø 11mm slide ring ext. ø 24mm slide ring H 13mm counter ring mounting ø 26mm height counter ring 8mm counter ring int. ø 14mm		



1

<b>Part No.</b>	500550	<b>Ref. No.</b>	3102260
<b>description</b>	pump inlet ø 45mm outlet ø 40mm type 3983 230V 50Hz 1 phase 0.37kW 0.5HP L 210mm rotation direction right capacitor 12.5µF FIR		
<b>For models:</b>	GS24		
<b>spare parts for</b>	500550		
	<b>Part No.</b>	<b>Ref. No.</b>	3102200
	502014		
	pump cover FIR inlet ø 45mm outlet ø 40mm		



1



<b>Part No.</b>	501461	<b>Ref. No.</b>	3102014 3102015 3102276
<b>description</b>	pump inlet ø 45mm outlet ø 40mm type 3911.1421 230V 50Hz 1 phase 0.55kW 0.75HP L 205mm rotation direction right capacitor 12.5µF FIR		
<b>For models:</b>	GS23, GS25, GS27, GS27B, GS28, GS29, GS29B, GS4		





1



<b>Part No.</b>	499277	<b>Ref. No.</b>	3102363
<b>description</b>	pump inlet ø 45mm outlet ø 40mm type 4261/1 230V 50Hz 1 phase 0.55kW L 210mm rotation direction right capacitor 12.5µF WINTERHALTER		
<b>For models:</b>	GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		








<b>Part No.</b>	500278	<b>Ref. No.</b>	5514011 5514085
<b>description</b>	pump inlet ø 57mm outlet ø 49mm type AF90L/2C-12 400V 50Hz 3 phase 2.7kW 3.7HP L 400mm rotation direction right FIR inlet ø 57mm outlet ø 49mm		
<b>For models:</b>	GR1200, GR1400, GR62, GR62-1, GR62-2, GR62-3, GS100, GS100-1, GS40, GS405, GS41, GS61, GS62, GS63, GS64, GS65, GS70, GS71, GS72, GS80, GS81, GS90		
<b>spare parts for</b>	500278		
	<b>Part No.</b>	507558	<b>Ref. No.</b> —
	mechanical shaft seal for shaft ø 7mm height counter ring 5mm ID ø 6.75mm ED ø 20mm mounting ø counter ring 18.5 / slide ring 20mm		
	<b>Part No.</b>	510683	<b>Ref. No.</b> —
	O-ring EPDM thickness 3mm ID ø 79mm Qty 1 pcs		



<b>Part No.</b>	501457	<b>Ref. No.</b>	3102470
<b>description</b>	pump inlet ø 63mm outlet ø 53mm type 1204 230/400V 50Hz 3 phase 1.5kW 2HP L 328mm rotation direction left FIR		
<b>For models:</b>	GS501, GS502, GS515		
<b>spare parts for</b>	501457		
	<b>Part No.</b>	502013	<b>Ref. No.</b> 3102204
	pump cover FIR inlet ø 63mm outlet ø 53mm supporting pressure 1/2" turn direction left ø 185mm ID ø 150mm inner height 37mm		
	<b>Part No.</b>	510604	<b>Ref. No.</b> —
	impellor ø 118mm H 34mm M8R rotation direction left		





<b>spare parts for</b>	501457		
	<b>Part No.</b>	510693	<b>Ref. No.</b> —
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	<b>Part No.</b>	524416	<b>Ref. No.</b> 3102209
	pump cover gasket thickness 4x4mm Qty 1 pcs		



<b>Part No.</b>	501463	<b>Ref. No.</b>	3102019 3102028 3102086 3102087 3102263 3102268 3102269 3102270 3102364 3102411
<b>description</b>	pump inlet ø 63mm outlet ø 53mm type 1241.2780 230/400V 50Hz 3 phase 1.1kW 1.5HP L 335mm rotation direction left FIR		
<b>For models:</b>	GM170, GM85, GS10, GS10-2, GS12, GS22, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS61, GS7, GS70, GS71, GS9, KTS1900, KTS2400, MTF, MTR, STR, WBA, WKT1200, WKTS		
<b>spare parts for</b>	501463		
	<b>Part No.</b>	502013	<b>Ref. No.</b> 3102204
	pump cover FIR inlet ø 63mm outlet ø 53mm supporting pressure 1/2" turn direction left ø 185mm ID ø 150mm inner height 37mm		
	<b>Part No.</b>	510523	<b>Ref. No.</b> —
	fan wheel ø 142mm shaft intake ø 15mm blades 12		
	<b>Part No.</b>	510612	<b>Ref. No.</b> —
	impellor ø 110mm H 34mm M8R		
	<b>Part No.</b>	510693	<b>Ref. No.</b> —
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	<b>Part No.</b>	524416	<b>Ref. No.</b> 3102209
	pump cover gasket thickness 4x4mm Qty 1 pcs		








1

<b>Part No.</b>	501459	<b>Ref. No.</b>	3102089 3102265 3102419
<b>description</b>	pump inlet $\varnothing$ 63mm outlet $\varnothing$ 53mm type 1241/1 230/240V 50Hz 1 phase 1.1kW 1.5HP L 330mm rotation direction left capacitor 31.5 $\mu$ F FIR		
<b>For models:</b>	GM170, GM85, GS10, GS10-2, GS12, GS22, GS32, GS41-1, GS41-4, GS41-4S, GS41-5, GS501, GS502, GS515, GS7, GS9		
<b>spare parts for</b>	501459		
	<b>Part No.</b>	365016	<b>Ref. No.</b> —
	operating capacitor capacity 31.5 $\mu$ F 400V tolerance 5%Hz ambient temperature max. -25 to +85°C $\varnothing$ 45mm L 95mm M8 plastic connection male faston 6.3mm protection		
	<b>Part No.</b>	502013	<b>Ref. No.</b> 3102204
	pump cover FIR inlet $\varnothing$ 63mm outlet $\varnothing$ 53mm supporting pressure 1/2" turn direction left $\varnothing$ 185mm ID $\varnothing$ 150mm inner height 37mm		
	<b>Part No.</b>	510612	<b>Ref. No.</b> —
	impellor $\varnothing$ 110mm H 34mm M8R		
	<b>Part No.</b>	510693	<b>Ref. No.</b> —
	mechanical shaft seal for shaft $\varnothing$ 12mm slide ringext. $\varnothing$ 24mm slide ring H 15.5mm slide ring int. $\varnothing$ 11mm counter ring mounting $\varnothing$ 24mm height counter ring 8mm counter ring int. $\varnothing$ 13.5mm		
	<b>Part No.</b>	524416	<b>Ref. No.</b> 3102209
	pump cover gasket thickness 4x4mm Qty 1 pcs		






1

<b>Part No.</b>	501462	<b>Ref. No.</b>	3102090 3102091 3102277
<b>description</b>	pump inlet $\varnothing$ 63mm outlet $\varnothing$ 53mm type 2204/D 230V 50Hz 1 phase 0.73kW 1HP L 260mm rotation direction left capacitor 20 $\mu$ F FIR		
<b>For models:</b>	BAVARIA2000, GS14, GS14E, GS15, GS15E, GS501, GS502, GS515, GS8		
<b>spare parts for</b>	501462		
	<b>Part No.</b>	365019	<b>Ref. No.</b> —
	operating capacitor capacity 20 $\mu$ F 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C $\varnothing$ 39.5mm L 70mm M8 plastic connection male faston 6.3mm 16.10.25. protection		
	<b>Part No.</b>	502013	<b>Ref. No.</b> 3102204
	pump cover FIR inlet $\varnothing$ 63mm outlet $\varnothing$ 53mm supporting pressure 1/2" turn direction left $\varnothing$ 185mm ID $\varnothing$ 150mm inner height 37mm		
	<b>Part No.</b>	510693	<b>Ref. No.</b> —
	mechanical shaft seal for shaft $\varnothing$ 12mm slide ringext. $\varnothing$ 24mm slide ring H 15.5mm slide ring int. $\varnothing$ 11mm counter ring mounting $\varnothing$ 24mm height counter ring 8mm counter ring int. $\varnothing$ 13.5mm		
	<b>Part No.</b>	521219	<b>Ref. No.</b> 3102231
	impellor $\varnothing$ 106mm H 27mm thread M8R shaft $\varnothing$ 28mm shaft length 10mm seat $\varnothing$ 12mm blades 6		
	<b>Part No.</b>	524416	<b>Ref. No.</b> 3102209
	pump cover gasket thickness 4x4mm Qty 1 pcs		









1 electric components



<b>1</b>			
<b>Part No.</b>	499108	<b>Ref. No.</b>	3102392 3102573
<b>description</b>	pump inlet $\varnothing$ 63mm outlet $\varnothing$ 53mm type 4205.2703 230/400V 50Hz 3 phase 1.38kW 1.85HP L 330mm rotation direction left FIR		
<b>For models:</b>	GR64, GR65, GS640, GS640-McDonalds, GS650, GS650-McDonalds, MTF, MTR, WKTS		
<b>spare parts for</b>	499108		
	<b>Part No.</b>	502013	<b>Ref. No.</b> 3102204
	pump cover FIR inlet $\varnothing$ 63mm outlet $\varnothing$ 53mm supporting pressure 1/2" turn direction left $\varnothing$ 185mm ID $\varnothing$ 150mm inner height 37mm		
	<b>Part No.</b>	502122	<b>Ref. No.</b> 3102407
	impellor $\varnothing$ 119mm H 33mm M8R		
	<b>Part No.</b>	510693	<b>Ref. No.</b> —
	mechanical shaft seal for shaft $\varnothing$ 12mm slide ring ext. $\varnothing$ 24mm slide ring H 15.5mm slide ring int. $\varnothing$ 11mm counter ring mounting $\varnothing$ 24mm height counter ring 8mm counter ring int. $\varnothing$ 13.5mm		







<b>1</b>			
<b>Part No.</b>	501460	<b>Ref. No.</b>	3102037 3102040 3102332
<b>description</b>	pump outlet $\varnothing$ 27mm type 4186.1500 230V 50Hz 1 phase 0.25kW 0.33HP L 170mm rotation direction right capacitor 12.5 $\mu$ F FIR outlet $\varnothing$ 27mm		
<b>For models:</b>	GS23, GS23H, GS23S, GS25, GS27, GS4, GS40, GS61, GS70		
<b>spare parts for</b>	501460		
	<b>Part No.</b>	502012	<b>Ref. No.</b> 3102215
	pump cover bottom part for wash pump		
	<b>Part No.</b>	502015	<b>Ref. No.</b> 3102217
	impellor $\varnothing$ 86mm H 22mm shaft intake $\varnothing$ 9/8mm		

<b>spare parts for</b>	501460		
	<b>Part No.</b>	503147	<b>Ref. No.</b> 3102216
	pump cover gasket thickness 3.53mm ID $\varnothing$ 148.8mm Qty 1 pcs		
	<b>Part No.</b>	510695	<b>Ref. No.</b> —
	mechanical shaft seal height counter ring 5.5mm ID $\varnothing$ 11mm		
<b>accessories for</b>	501460		
	<b>Part No.</b>	365014	<b>Ref. No.</b> —
	operating capacitor capacity 12.5 $\mu$ F 450V tolerance 5%Hz ambient temperature max. -25 to +85°C $\varnothing$ 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
	<b>Part No.</b>	521730	<b>Ref. No.</b> 2707024
	flange gasket EPDM thickness 5mm ID $\varnothing$ 155mm Qty 1 pcs		

## HANNING





### pumps




<b>1</b>			
<b>Part No.</b>	500279	<b>Ref. No.</b>	3102051 3102288 3102444 3102477
<b>description</b>	pump inlet $\varnothing$ 28mm outlet $\varnothing$ 26mm type UP60-357 220/240V 50Hz 1 phase 0.25kW 0.34HP L 190mm rotation direction left capacitor 5 $\mu$ F HANNING		
<b>For models:</b>	BAVARIA2000, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, STR, WKT1000, WKT1200, WKTS		
<b>spare parts for</b>	500279		
	<b>Part No.</b>	365017	<b>Ref. No.</b> —
	operating capacitor capacity 5 $\mu$ F 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C $\varnothing$ 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	<b>Part No.</b>	507558	<b>Ref. No.</b> —
	mechanical shaft seal for shaft $\varnothing$ 7mm height counter ring 5mm ID $\varnothing$ 6.75mm ED $\varnothing$ 20mm mounting $\varnothing$ counter ring 18.5/slide ring 20mm		
	<b>Part No.</b>	524695	<b>Ref. No.</b> 3102466
	impellor $\varnothing$ 72mm H 24mm rotation direction left thread M6L suitable for HANNING blades 6		
	<b>Part No.</b>	532644	<b>Ref. No.</b> 4004023
	O-ring EPDM thickness 3mm ID $\varnothing$ 78mm Qty 1 pcs		





1

<b>Part No.</b>	500571	<b>Ref. No.</b>	3102461 3102539 3102561 3102589
<b>description</b>	pump inlet $\varnothing$ 28mm outlet $\varnothing$ 26mm type UP60-442 200/240V 50/60Hz 1 phase 0.2/0.3kW 0.19HP L 190mm rotation direction left capacitor 5 $\mu$ F auxiliary pressure connection 12mm supporting pressure closed HANNING p max 1bar Qmax. 160l/min		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS630-McDonalds, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-Mc-Donalds		
<b>spare parts for</b>	500571		
	<b>Part No.</b>	365131	<b>Ref. No.</b> —
	capacitor capacity 5 $\mu$ F 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C $\varnothing$ 30mm L 60mm M8 aluminium connection male faston 6.3mm protection		
	<b>Part No.</b>	507558	<b>Ref. No.</b> —
	mechanical shaft seal for shaft $\varnothing$ 7mm height counter ring 5mm ID $\varnothing$ 6.75mm ED $\varnothing$ 20mm mounting $\varnothing$ counter ring 18.5/slide ring 20mm		
	<b>Part No.</b>	524695	<b>Ref. No.</b> 3102466
	impellor $\varnothing$ 72mm H 24mm rotation direction left thread M6L suitable for HANNING blades 6		
	<b>Part No.</b>	532644	<b>Ref. No.</b> 4004023
	O-ring EPDM thickness 3mm ID $\varnothing$ 78mm Qty 1 pcs		

wash pump motors





1

<b>Part No.</b>	499278	<b>Ref. No.</b>	30000167 WP60-149 + Zubeh+r
<b>description</b>	pump kit 620W 200V 50Hz 3 phase connection coded plug WINTERHALTER L 155mm type WP60-149 shaft $\varnothing$ 12mm		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		
<b>spare parts for</b>	499278		
	<b>Part No.</b>	502060	<b>Ref. No.</b> 60003591
	gasket set for drain unit		
	<b>Part No.</b>	502065	<b>Ref. No.</b> 60003593
	impellor set $\varnothing$ 75mm		



1


<b>Part No.</b>	500975	<b>Ref. No.</b>	3102481 60003595
<b>description</b>	pump motor type WP60-122 670/730W 220/240V 50/60Hz 1 phase capacitor 10 $\mu$ F		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		
<b>spare parts for</b>	500975		
	<b>Part No.</b>	502065	<b>Ref. No.</b> 60003593
	impellor set $\varnothing$ 75mm		
	<b>Part No.</b>	502083	<b>Ref. No.</b> 60003592
	impellor set $\varnothing$ 92mm		

booster pumps I



1

<b>Part No.</b>	499274	<b>Ref. No.</b>	3102385
<b>description</b>	pump inlet $\varnothing$ 11.5 outlet $\varnothing$ 11.5 type PMP45DX 230V 50Hz 1 phase 0.4kW L 235mm rotation direction right LGB		
<b>For models:</b>	WKTS		



1


<b>Part No.</b>	501520	<b>Ref. No.</b>	30000836
<b>description</b>	pump inlet $\varnothing$ 6mm outlet $\varnothing$ 6mm type C042206 220/240V 50/60Hz 1 phase 0.33kW L 130mm capacitor 7 $\mu$ F RPM		



1 electric components

drain pumps

HANNING



<b>Part No.</b>	501466	<b>Ref. No.</b>	3102010 3102050
<b>description</b>	drain pump inlet ø 24mm outlet ø 24mm 230V 70W 50Hz HANNING type BE22B3-725		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS23S, GS24, GS25, GS29, GS29B, GS4, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		



<b>Part No.</b>	499275	<b>Ref. No.</b>	5528111
<b>description</b>	drain pump kit inlet ø 24mm outlet ø 24mm 220-240V 70W 50Hz HANNING type BE22B3-725		
<b>For models:</b>	GS8		



<b>Part No.</b>	499276	<b>Ref. No.</b>	5528159
<b>description</b>	drain pump kit inlet ø 24mm outlet ø 24mm 220-240V 70W 50Hz HANNING type BE22B3-725		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B		



<b>Part No.</b>	500547	<b>Ref. No.</b>	30012591 3102480
<b>description</b>	drain pump without lid inlet ømm outlet ømm 230V 65W 50Hz HANNING type BE20B2-095		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

miscellaneous




<b>Part No.</b>	501588	<b>Ref. No.</b>	3102410
<b>description</b>	drain pump inlet ø 24mm outlet ø 24mm 230V 170W 50/60Hz		
<b>For models:</b>	GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, MTF, MTR, STR		

condensators & interference suppression filters

operating capacitors

plastic



<b>Part No.</b>	365202	<b>Ref. No.</b>	3113099
<b>description</b>	operating capacitor capacity 5µF 450V with plastic sheathing		
<b>For models:</b>	BAVARIA2000, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS14, GS14E, GS15, GS15E, GS202, GS215, GS24, GS29, GS29B, GS302, GS310, GS315, GS402, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, STR, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL...(Other models you can see in the webshop)		



metal



1			
<b>Part No.</b>	365201	<b>Ref. No.</b>	3113120
<b>description</b>	operating capacitor capacity 10µF 450V with metal case tolerance 5% 50/60Hz ambient temperature max. 46°C ø 35mm L 77mm M8x1.25 aluminium connection male faston 6.3mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		

filters

interference suppression filters



1			
<b>Part No.</b>	365163	<b>Ref. No.</b>	3113072
<b>description</b>			
<b>For models:</b>	GR1221, GR1231, GR1321, GR62-2, GR62-3, GR66, GS100-1, GS41-5, GS42, GS72, WKT1000, WKT1200, WKTS		



1			
<b>Part No.</b>	365136	<b>Ref. No.</b>	3113112
<b>description</b>	interference suppression filter 250V 16A		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29B		



1			
<b>Part No.</b>	365164	<b>Ref. No.</b>	3113073
<b>description</b>	interference suppression filter type 56057000060 250VHz conductor 1 with E connection cable 100mm L 42mm ø 14mm Hmm Wmm plastic Qty 1 pcs 31.13.073		
<b>For models:</b>	GR62-2, GR62-3, GR66, GS100-1, GS41-5, GS42, GS72, WKT1000, WKT1200, WKTS		



1			
<b>Part No.</b>	365149	<b>Ref. No.</b>	3113114
<b>description</b>	interference suppression filter type K.0526015-3.3k 250V connection male faston 6.3mm cable length 100mm capacity 0.15µF 3.3KOhm		
<b>For models:</b>	GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, STR, WKT1200		



1			
<b>Part No.</b>	365162	<b>Ref. No.</b>	3113071
<b>description</b>	interference suppression filter type K0201020 250V 50Hz conductor 2 with E connection cable 150mm L 35mm ø 20mm Hmm Wmm plastic Qty 1 pcs		
<b>For models:</b>	GR62-2, GR62-3, GR66, GS23S, GS24, GS41-1, GS41-4, GS41-4S, GS6		



1			
<b>Part No.</b>	365144	<b>Ref. No.</b>	3113077 3113078
<b>description</b>	interference suppression filter type K042202754 275V 50-60Hz conductor 2 with E connection cable 150mm L 35mm ø 25mm Hmm Wmm plastic Qty 1 pcs		
<b>For models:</b>	GR64, GR65, GR66-1, GS14, GS14E, GS15, GS15E, GS202, GS215, GS24, GS29, GS29B, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR		

fuses

fine fuses



1			
<b>Part No.</b>	358696	<b>Ref. No.</b>	3111123
<b>description</b>	fine fuse size ø5x20mm 4A medium lag rated 250V Qty 10 pcs		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, MTF, MTR, STR, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		



1			
<b>Part No.</b>	358697	<b>Ref. No.</b>	3111043
<b>description</b>	fine fuse size ø5x20mm 6.3A medium lag rated 250V Qty 10 pcs		
<b>For models:</b>	AirCon, BAVARIA2000, GKTS2600, GM170, GM85, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS27B, GS28, GS29, GS29B, GS32, GS34, GS4, GS40... (Other models you can see in the webshop)		





1			
<b>Part No.</b>	358608	<b>Ref. No.</b>	3111093
<b>description</b>	fine fuse size ø5x20mm 10A slow-acting rated 250V Qty 10 pcs		
<b>For models:</b>	GR1210, GR1220, GR1230, GR1410, GR1420, GR1430, GS10, GS100, GS22, GS32, GS405, GS41, GS62, GS63, GS64, GS65, GS7, GS71, GS80, GS9, GS90		







fine fuse holders

			
1			
<b>Part No.</b>	698511	<b>Ref. No.</b>	3111048
<b>description</b>	screw cap suitable fuse ø 15.2mm mounting ømm thread M9x1 6.3A rated 250V connection		
<b>For models:</b>	GM170, GM85, GS10, GS100, GS22, GS25, GS32, GS4, GS40, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS80, GS9, GS90, H52		

			
1			
<b>Part No.</b>	550468	<b>Ref. No.</b>	3109063
<b>description</b>	fuse holder suitable fuse ø5x20mm 6.3A rated 600V		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1200, GR1221, GR1231, GR1321, GR1400, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS23, GS23H, GS23S, GS24, GS27, GS27B, GS28, GS29, GS29B, GS302, GS310, GS315, GS34, GS402, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515...(Other models you can see in the webshop)		

			
1			
<b>Part No.</b>	403055	<b>Ref. No.</b>	60003355 61005025 65005010 70300408 82000120
<b>description</b>	connection cable for differential pressure transmitter L 0.38m		
<b>For models:</b>	GS215, GS302, GS310, GS315, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, STR		

terminals and connectors


<b>not insulated</b>			
<b>female fastons with piggyback</b>			
			
1			
<b>Part No.</b>	550047	<b>Ref. No.</b>	3112018
<b>description</b>	double male faston size 6.3x0.8mmmm <sup>2</sup> brass t.max. 110°C Qty 100 pcs		
<b>For models:</b>	GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, WKT1200		

terminals

<b>connection terminals with screw connection</b>			
			
1			
<b>Part No.</b>	347166	<b>Ref. No.</b>	3109227
<b>description</b>	connection terminal 4-pole max. 65A max 600V cross section 10mm <sup>2</sup>		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, MTF, MTR, STR, WKT1200		


equipment-specific units


for coffee grinders

<b>grinding burrs</b>			
<b>screws</b>			
			
1			
<b>Part No.</b>	560365	<b>Ref. No.</b>	2010010 2010310
<b>description</b>	flat-headed bolt thread M4 thread L 8mm SS DIN 7985/ISO 7045 Qty 1 pcs intake Phillips head ø 8mm head thickness 3mm		
<b>For models:</b>	BAVARIA2000, DuoMatik, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR63, GR63-1, GS10, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23H, GS23S, GS24, GS29, GS29B, GS32, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS630-McDonalds, GS7, GS72, GS8, GS9, KTS1900, KTS2400, MTF, MTR, STR, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds, WKT1000, WKTS		


electric accessories

cables

<b>cable harnesses</b>			
			
1			
<b>Part No.</b>	699222	<b>Ref. No.</b>	70007782
<b>description</b>	cable harness 6-pole L 1700mm		
<b>For models:</b>	MTF, MTR		

			
1			
<b>Part No.</b>	551059	<b>Ref. No.</b>	60003185
<b>description</b>	cable harness for softener		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		

miscellaneous

			
1			
<b>Part No.</b>	403267	<b>Ref. No.</b>	60003178
<b>description</b>	connecting cable L 1530m connection coded plug		
<b>For models:</b>	GS202, GS402		



support for filter holder



<b>Part No.</b>	527727	<b>Ref. No.</b>	2101310
-----------------	--------	-----------------	---------

**description** nut thread M5 H 5mm SS WS 8 Qty 1 pcs

**For models:** GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-Mc-Donalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds, WKTS

for dishwashers

drain and intake components

WINTERHALTER

drain /intake bodies



<b>Part No.</b>	502170	<b>Ref. No.</b>	62001497
-----------------	--------	-----------------	----------

**description** adapter thread 1 1/2" ø 50mm L 100mm for drain assembly

**For models:** GS24, GS29, GS29B, STR



<b>Part No.</b>	504394	<b>Ref. No.</b>	61004974
-----------------	--------	-----------------	----------

**description** cap for drain unit thread 3/4" H 24mm

**For models:** GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-Mc-Donalds, GS660, MTF, MTR



<b>Part No.</b>	517763	<b>Ref. No.</b>	2904247
-----------------	--------	-----------------	---------

**description** connection angle L 63mm thread 1 1/4" brass

**For models:** GS25, GS28, GS4, GS42



<b>Part No.</b>	502128	<b>Ref. No.</b>	61004905 61006178
-----------------	--------	-----------------	----------------------

**description** drain fitting ED ø 41mm H 69mm ID ø 71mm

**For models:** GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-Mc-Donalds, GS660, MTF, MTR, STR



<b>Part No.</b>	517689	<b>Ref. No.</b>	60001604 62001805
-----------------	--------	-----------------	----------------------

**description** drain fitting ED ø 87mm ID ø 35mm hose ø 40mm

**For models:** GS14, GS14E, GS15, GS15E, GS29, GS29B, GSR36, GSR36E, GSR36E-Mc-Donalds, GSR36-McDonalds



<b>Part No.</b>	502124	<b>Ref. No.</b>	62001146 62003153
-----------------	--------	-----------------	----------------------

**description** drain fitting hose ø DN40mm with gasket

**For models:** GS24



<b>Part No.</b>	517536	<b>Ref. No.</b>	2904270
-----------------	--------	-----------------	---------

**description** drain fitting kit ED ø 121mm H 92mm

**For models:** Drain-set



<b>Part No.</b>	517540	<b>Ref. No.</b>	2904201 2904202
-----------------	--------	-----------------	--------------------

**description** drain fitting thread 1 1/4" ED ø 55mm ID ø 34mm

**For models:** GS10, GS100, GS100-1, GS22, GS23, GS25, GS27, GS27B, GS32, GS4, GS40, GS405, GS41, GS41-3, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS80, GS9



<b>Part No.</b>	517539	<b>Ref. No.</b>	2904228
-----------------	--------	-----------------	---------

**description** drain fitting thread 1 1/4" ED ø 64mm ID ø 34mm L 62mm WS 45

**For models:** GS28, GS42



<b>Part No.</b>	517538	<b>Ref. No.</b>	2904223 2904224
-----------------	--------	-----------------	--------------------

**description** drain fitting thread 1 1/2" ED ø 70mm ID ø 39mm

**For models:** GR1200, GR1400, GS90, WKT1200



<b>Part No.</b>	524541	<b>Ref. No.</b>	2904212
-----------------	--------	-----------------	---------

**description** drain fitting with gasket and nut thread 1 1/2" ED ø 70mm ID ø 37mm L 43mm WS 60

**For models:** GS62, GS63, GS64, GS65, KTS1900, KTS2400, WBA, WKTS



<b>Part No.</b>	524844	<b>Ref. No.</b>	61005185
<b>description</b>	drain unit complete ED ø 49mm H 120mm ID ø 41mm		
<b>For models:</b>	GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, MTF, MTR		



<b>Part No.</b>	502162	<b>Ref. No.</b>	61005186
<b>description</b>	drain unit H 88mm hose ø 16/24mm		
<b>For models:</b>	GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, MTF, MTR, STR		



<b>Part No.</b>	502195	<b>Ref. No.</b>	3501080
<b>description</b>	drain unit thread 1 1/2" ED ø 40mm ID ø 33mm hose ø 21mm		
<b>For models:</b>	BAVARIA2000, GR1200, GR1400, GR62, GR62-1, GR62-2, GR62-3, GS10, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23S, GS24, GS29, GS29B, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS72, GS8, GS81, GS9, GS90, GSR36, GSR36E, GSR36E-McDonalds...(Other models you can see in the webshop)		



<b>Part No.</b>	502164	<b>Ref. No.</b>	2701027
<b>description</b>	gasket ED ø 45mm ID ø 23mm for drain assembly		
<b>For models:</b>	GS24, GS29, GS29B		



<b>Part No.</b>	504416	<b>Ref. No.</b>	62001749
<b>description</b>	gasket ED ø 83.5mm ID ø 52mm rubber hole distance 34mm thickness 2mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, WKTS		



<b>Part No.</b>	502060	<b>Ref. No.</b>	60003591
<b>description</b>	gasket set for drain unit		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		



<b>Part No.</b>	502127	<b>Ref. No.</b>	3501155 5531001
<b>description</b>	inlet tap complete		
<b>For models:</b>	GKTS2600, GR1200, GR1221, GR1231, GR1321, GR1400, GR62, GR62-1, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS10, GS12, GS14, GS14E, GS15, GS15E, GS22, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS72, GS81, GS9, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds...(Other models you can see in the webshop)		



<b>Part No.</b>	502136	<b>Ref. No.</b>	61002211 61006592
<b>description</b>	inlet valve thread 1 1/4" ED ø 55mm H 43mm hose ø 38mm		
<b>For models:</b>	BAVARIA2000, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, WKT1000		



<b>Part No.</b>	517807	<b>Ref. No.</b>	60004467
<b>description</b>	intake body ED ø 95mm H 22mm ID ø 89mm		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		



<b>Part No.</b>	524473	<b>Ref. No.</b>	61005268
<b>description</b>	nut with gasket H 16mm for drain assembly		
<b>For models:</b>	GS501, GS502, GS515, MTF, MTR		




<b>Part No.</b>	532604	<b>Ref. No.</b>	2707075
<b>description</b>	O-ring EPDM thickness 3.53mm ID ø 91.67mm Qty 1 pcs		
<b>For models:</b>	GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, MTF, MTR, STR		




<b>Part No.</b>	532542	<b>Ref. No.</b>	2707008
<b>description</b>	O-ring EPDM thickness 4.5mm ID ø 29.5mm Qty 1 pcs		
<b>For models:</b>	GR64, GR65, GR66-1, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR, WKTS		





			
1			
<b>Part No.</b>	502243	<b>Ref. No.</b>	62003437
<b>description</b>	pipe clamp for drain unit ø 175mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		


			
1			
<b>Part No.</b>	511964	<b>Ref. No.</b>	30000169
<b>description</b>	pump sump		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		


			
1			
<b>Part No.</b>	502059	<b>Ref. No.</b>	60003597
<b>description</b>	pump sump lower		
<b>For models:</b>	GS202, GS215, GS402		


			
1			
<b>Part No.</b>	502082	<b>Ref. No.</b>	60003620
<b>description</b>	pump sump lower/upper		
<b>For models:</b>	GS202, GS302, GS310, GS315, GS402		


			
1			
<b>Part No.</b>	502160	<b>Ref. No.</b>	60003259
<b>description</b>	screen ED ø 137mm H 49mm for drain unit		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		


			
1			
<b>Part No.</b>	517413	<b>Ref. No.</b>	62003346
<b>description</b>	water inlet kit ED ø 70mm upper ID ø 41mm H 50mm		
<b>For models:</b>	GS202, GS215, GS402		

filters			
			
1			
<b>Part No.</b>	519468	<b>Ref. No.</b>	60003039
<b>description</b>	filter H 110mm L 135mm W 65mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		


			
1			
<b>Part No.</b>	502231	<b>Ref. No.</b>	61005181 61006262
<b>description</b>	filter with handle H 105mm L 280mm W 100mm plastic rectangular		
<b>For models:</b>	GR64, GR65, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, WKTS		


			
1			
<b>Part No.</b>	517529	<b>Ref. No.</b>	61003085
<b>description</b>	flat filter for dishwasher H 19mm L 510mm W 225mm SS		
<b>For models:</b>	GS100-1, GS41-1, GS41-4, GS41-4S, GS42, WKT1000		


			
1			
<b>Part No.</b>	517530	<b>Ref. No.</b>	61004703
<b>description</b>	flat filter for dishwasher H 29mm L 545mm W 293mm SS		
<b>For models:</b>	GR64, GR65, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds		


			
1			
<b>Part No.</b>	502121	<b>Ref. No.</b>	62001881 620018812 62001943
<b>description</b>	flat filter H 11mm L 300mm W 110mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B		





			
1			
<b>Part No.</b>	502126	<b>Ref. No.</b>	62001882 620018882
<b>description</b>	flat filter H 18mm L 300mm W 127mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B		

			
1			
<b>Part No.</b>	502173	<b>Ref. No.</b>	62003282 62003614
<b>description</b>	flat filter H 18mm L 437mm W 201mm		
<b>For models:</b>	GS202, GS402		


			
1			
<b>Part No.</b>	502210	<b>Ref. No.</b>	62001214
<b>description</b>	flat filter H 31mm L 334mm W 300mm		
<b>For models:</b>	GS24		


			
1			
<b>Part No.</b>	502108	<b>Ref. No.</b>	61004907
<b>description</b>	flat filter H 45mm L 273mm W 291mm		
<b>For models:</b>	GS501, GS502, GS515		


			
1			
<b>Part No.</b>	502066	<b>Ref. No.</b>	60003414 60003435 60004142
<b>description</b>	flat filter L 550mm W 240mm		
<b>For models:</b>	GS215, GS302, GS310, GS315		


			
1			
<b>Part No.</b>	517827	<b>Ref. No.</b>	61007009
<b>description</b>	intake filter for dishwasher		

			
1			
<b>Part No.</b>	517541	<b>Ref. No.</b>	5513004
<b>description</b>	intake filter for dishwasher ø 226mm H 113mm SS		
<b>For models:</b>	GR1200, GR1400, GR62, GR62-1, GR62-2, GR62-3, GS100, GS100-1, GS40, GS405, GS41, GS61, GS62, GS63, GS64, GS65, GS70, GS71, GS72, GS80, GS81		

			
1			
<b>Part No.</b>	502151	<b>Ref. No.</b>	62001956
<b>description</b>	intake filter ø 72mm for dishwasher		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B, GS501, GS502, GS515, KTS1900, KTS2400, MTF, MTR, STR, WKT1200		


			
1			
<b>Part No.</b>	524910	<b>Ref. No.</b>	60004466
<b>description</b>	round filters ø 138mm H 63.5mm		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

			
1			
<b>Part No.</b>	524646	<b>Ref. No.</b>	61004701 65005555
<b>description</b>	screen for drain unit ø 70mm H 24mm		
<b>For models:</b>	GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, MTF, MTR, STR		

1


<b>Part No.</b>	507573	<b>Ref. No.</b>	60004463
<b>description</b>	screen ø 100mm H 151mm overall height 172mm		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		




1

<b>Part No.</b>	517806	<b>Ref. No.</b>	61006875
<b>description</b>	strainer insert ø 180mm H 95mm		

overflow pipes




1

<b>Part No.</b>	517755	<b>Ref. No.</b>	70004632
<b>description</b>	base part kit ø 87mm ID ø 35mm H 34mm for overflow pipe		
<b>For models:</b>	WKTS		
<b>spare parts for</b>	517755		
	<b>Part No.</b>	<b>Ref. No.</b>	<b>517754</b>
		<b>Ref. No.</b>	70003386
	base part ø 87mm ID ø 35mm H 34mm for overflow pipe		




1

<b>Part No.</b>	517754	<b>Ref. No.</b>	70003386
<b>description</b>	base part ø 87mm ID ø 35mm H 34mm for overflow pipe		
<b>For models:</b>	WKTS		




1

<b>Part No.</b>	517741	<b>Ref. No.</b>	2904215 2904231
<b>description</b>	overflow pipe L 113mm ø 37mm plastic ID ø 32mm		
<b>For models:</b>	GS10, GS22, GS23, GS23H, GS23S, GS25, GS27, GS32, GS4, GS7, GS9		




1

<b>Part No.</b>	507452	<b>Ref. No.</b>	62001147
<b>description</b>	overflow pipe L 131mm ø 25mm		
<b>For models:</b>	GS24		




1

<b>Part No.</b>	502152	<b>Ref. No.</b>	2904232 62002648
<b>description</b>	overflow pipe L 165mm ø 37mm		
<b>For models:</b>	GS23, GS25, GS27, GS27B, GS28, GS29, GS29B, GS4, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		




1

<b>Part No.</b>	517688	<b>Ref. No.</b>	62002768
<b>description</b>	overflow pipe L 165mm ø 37mm plastic ID ø 31mm		
<b>For models:</b>	GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		



1

<b>Part No.</b>	502235	<b>Ref. No.</b>	2904203 2904250
<b>description</b>	overflow pipe L 185mm ø 37mm total length 225mm		
<b>For models:</b>	GS10, GS12, GS14, GS14E, GS15, GS15E, GS22, GS32, GS34, GS7, GS9		



1

<b>Part No.</b>	502135	<b>Ref. No.</b>	61004192
<b>description</b>	overflow pipe L 220mm ø 37mm plastic		



1



<b>Part No.</b>	517740	<b>Ref. No.</b>	2904204 2904258
<b>description</b>	overflow pipe L 240mm ø 37mm		
<b>For models:</b>	GS100, GS100-1, GS40, GS405, GS41, GS61, GS62, GS63, GS64, GS65, GS70, GS71, GS80		

1



<b>Part No.</b>	517687	<b>Ref. No.</b>	2904251 65003719
<b>description</b>	overflow pipe L 258mm ø 37mm plastic ID ø 31mm		
<b>For models:</b>	GR62, GR62-1, GR62-2, GR62-3, GS12, GS34		

1



<b>Part No.</b>	502207	<b>Ref. No.</b>	61002517
<b>description</b>	overflow pipe L 290mm ø 37mm total length 320mm		
<b>For models:</b>	GS72		

1



<b>Part No.</b>	502159	<b>Ref. No.</b>	61004900
<b>description</b>	overflow pipe L 390mm ø 37mm		
<b>For models:</b>	GS501, GS502, GS515		

1



<b>Part No.</b>	502192	<b>Ref. No.</b>	2904229 2904506
<b>description</b>	screen L 185mm ø 59mm ID ø 54mm for overflow pipe		
<b>For models:</b>	GR62-2, GR62-3, GS10-2, GS12, GS23H, GS23S, GS28, GS34, GS42, GS8		

## containers

## container lids



1

<b>Part No.</b>	502138	<b>Ref. No.</b>	60004894 83000407 83000496
<b>description</b>	lid for salt tank suitable for WINTERHALTER with gasket		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

## dosing containers




1

<b>Part No.</b>	502156	<b>Ref. No.</b>	62001212 62001292
<b>description</b>	cleaner container L 300mm W 47mm H 190mm 1.8l		
<b>For models:</b>	GS23S, GS24, GS29, GS29B		

1



<b>Part No.</b>	502176	<b>Ref. No.</b>	60003647 60003746
<b>description</b>	cleaner container suitable for WINTERHALTER		
<b>For models:</b>	GS202, GS402		

1


<b>Part No.</b>	502080	<b>Ref. No.</b>	60003646 60003747
<b>description</b>	container for detergent and rinse aid		
<b>For models:</b>	GS215, GS302, GS310, GS315		



1


<b>Part No.</b>	524633	<b>Ref. No.</b>	30000117
<b>description</b>	dosing container L 525mm W 170mm H 44mm detergent/rinse aid		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-XL, UC-XL-McDonalds		

accessories



1

<b>Part No.</b>	504415	<b>Ref. No.</b>	60003330
<b>description</b>	sticker detergent white L 65mm W 28mm		
<b>For models:</b>	ESP166, GS202, GS215, GS302, GS310, GS315, GS402, KSP16, SP166L, SP166Z		




1

<b>Part No.</b>	504414	<b>Ref. No.</b>	60003310
<b>description</b>	sticker rinse aid blue L 65mm W 28mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, KSP16, SP166L, SP166Z		

boilers

boilers for dishwashers



1

<b>Part No.</b>	502052	<b>Ref. No.</b>	5512031 5512032
<b>description</b>	boiler		
<b>For models:</b>	BAVARIA2000, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66-1, GS10, GS100, GS100-1, GS22, GS32, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS7, GS70, GS71, GS72, GS80, GS81, GS9, GS90, WKT1000, WKTS		



1


<b>Part No.</b>	502194	<b>Ref. No.</b>	61006113
<b>description</b>	boiler ø 199mm L 376mm flange 3 hole flange		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>Part No.</b>	502096	<b>Ref. No.</b>	61005193
<b>description</b>	boiler ø 200mm L 375mm		
<b>For models:</b>	GS501, GS502, GS515		

accessories



1

<b>Part No.</b>	502117	<b>Ref. No.</b>	5509054
<b>description</b>	connecting fitting for boiler U-shape ø 12mm		
<b>For models:</b>	GR62, GR62-1, GR62-2, GR62-3, GR64, GR65, GR66-1, GS10, GS100, GS100-1, GS22, GS32, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS62, GS63, GS64, GS640, GS640-McDonalds, GS65, GS650, GS650-McDonalds, GS660, GS7, GS71, GS72, GS80, GS81, GS9, KTS1900, KTS2400, WKT1000, WKT1200, WKTS		





<b>Part No.</b>	517828	<b>Ref. No.</b>	30000116
<b>description</b>	connecting fitting for boiler with gasket and nut hose ø DN13mm		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-XL, UC-XL-McDonalds		



<b>Part No.</b>	502129	<b>Ref. No.</b>	5509055
<b>description</b>	supply tube for boiler L-shape ø 12mm		
<b>For models:</b>	GR62-2, GR62-3, GR66, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS29, GS34, GS8, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

## gaskets



<b>Part No.</b>	517829	<b>Ref. No.</b>	2710022
<b>description</b>	shaft sealing 9.7 ED ø 18mm H 6mm		
<b>For models:</b>	GR64, GR65, GR66-1, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

## flow controllers



<b>Part No.</b>	521043	<b>Ref. No.</b>	3205006 3205035 70001753 70010787 70011176
<b>description</b>	flow controller flow rate 2-8l/min brass hose ø 14mm operation p max 10bar t.max. 100°C L 180mm EPDM		
<b>For models:</b>	BAVARIA2000, MTF, MTR, STR, WBA, WKT1200, WKTS		



<b>Part No.</b>	503172	<b>Ref. No.</b>	30000272
<b>description</b>	flow controller flow rate up to 3.5l/min brass hose ø 3/4"mm t.max. 100°C L 80mm		



<b>Part No.</b>	521050	<b>Ref. No.</b>	30000213 3205015 3205034
<b>description</b>	flow controller kit flow rate 1-3.5l/min brass hose ø 14mm operation p max 10bar t.max. 100°C L 180mm EPDM hose length 2000mm		
<b>For models:</b>	MTF, MTR		

## softener cartridges

## complete




<b>Part No.</b>	502067	<b>Ref. No.</b>	83000420
<b>description</b>	softener		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

<b>accessories for</b>	502067		
	<b>Part No.</b>	502138	<b>Ref. No.</b>
			60004894 83000407 83000496
	<b>Part No.</b>	524637	<b>Ref. No.</b>
			60003376

## accessories



<b>Part No.</b>	551059	<b>Ref. No.</b>	60003185
<b>description</b>	cable harness for softener		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		

1

<b>Part No.</b>	524637	<b>Ref. No.</b>	60003376
<b>description</b>	ring spanner for softener lid WS 61 L 195mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		


housing and bezels

fastening angles



1


<b>Part No.</b>	524689	<b>Ref. No.</b>	60003351 60003660
<b>description</b>	fixing plate for electronics plastic L 356mm W 280mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, STR		



1


<b>Part No.</b>	502198	<b>Ref. No.</b>	60003688
<b>description</b>	fixing plate plastic L 170mm W 110mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515		

fascias




1

<b>Part No.</b>	504417	<b>Ref. No.</b>	60001695
<b>description</b>	bezel dishwasher GS 41/4 silver/blue suitable for WINTERHALTER L 521mm W 25mm		
<b>For models:</b>	GS41-1, GS41-4, GS41-4S		



1

<b>Part No.</b>	697989	<b>Ref. No.</b>	61002069 61002160
<b>description</b>	front panel for dishwasher W 530mm H 112mm suitable for WINTERHALTER plastic		
<b>For models:</b>	BAVARIA2000, GS41-1, GS41-4, GS41-4S, WKT1000		



1

<b>Part No.</b>	502185	<b>Ref. No.</b>	5519100 60001802
<b>description</b>	switch panel GS14/15 L 598mm W 30mm H 57mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E		




1

<b>Part No.</b>	502153	<b>Ref. No.</b>	5519101
<b>description</b>	switch panel GS24 L 455mm H 60mm		
<b>For models:</b>	GS23S, GS24		



1

<b>Part No.</b>	502154	<b>Ref. No.</b>	5519078 62001803
<b>description</b>	switch panel GS29 L 600mm H 60mm		
<b>For models:</b>	GS29, GS29B		



1

<b>Part No.</b>	502186	<b>Ref. No.</b>	61004233
<b>description</b>	switch panel L 253mm W 14mm H 73mm		
<b>For models:</b>	GR64, GR65, GR66-1, GS41-5, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		



## housings



1


<b>Part No.</b>	502234	<b>Ref. No.</b>	60001720
<b>description</b>	housing for switch box plastic L 350mm W 180mm H 58mm		
<b>For models:</b>	GS10-2, GS14, GS14E, GS15, GS15E, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		



1


<b>Part No.</b>	502233	<b>Ref. No.</b>	62001659
<b>description</b>	lid for switch box plastic L 355mm W 180mm H 50mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS28, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

## miscellaneous



1

<b>Part No.</b>	502147	<b>Ref. No.</b>	62001802
<b>description</b>	bezel		
<b>For models:</b>	GS29, GS29B		



1

<b>Part No.</b>	502148	<b>Ref. No.</b>	62001381 62001761
<b>description</b>	cover for dishwasher L 428mm W 185mm		
<b>For models:</b>	GS23S, GS24		



1

<b>Part No.</b>	502180	<b>Ref. No.</b>	2208502
<b>description</b>	gasket ID $\varnothing$ 4.3mm ED $\varnothing$ 9mm thickness 2.7mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS28, GS29, GS29B, ZU22		



1

<b>Part No.</b>	504419	<b>Ref. No.</b>	65004668
<b>description</b>	guide bar plastic L 745mm W 33.75mm ID $\varnothing$ 39mm		
<b>For models:</b>	GR64, GR65, GS640, GS640-McDonalds, GS650, GS650-McDonalds		




1

<b>Part No.</b>	502088	<b>Ref. No.</b>	60003778
<b>description</b>	lever with screw for front panel		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		





1

<b>Part No.</b>	502068	<b>Ref. No.</b>	60003643
<b>description</b>	magnet holder		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		

1

<b>Part No.</b>	502090	<b>Ref. No.</b>	60003952
<b>description</b>	magnet holder with magnet for front panel		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		
<b>accessories for</b>	502090		
	<b>Part No.</b>	524519	<b>Ref. No.</b> 60003658
	screw for magnet holder plastic L 37mm W 28mm thread M12x1.75		




1

<b>Part No.</b>	502174	<b>Ref. No.</b>	2113006
<b>description</b>	nut for magnet holder thread M8		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		





1

<b>Part No.</b>	502094	<b>Ref. No.</b>	61005849
<b>description</b>	pipe for cable L 650mm		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>Part No.</b>	524519	<b>Ref. No.</b>	60003658
<b>description</b>	screw for magnet holder plastic L 37mm W 28mm thread M12x1.75		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		
<b>accessories for</b>	524519		
	<b>Part No.</b>	502090	<b>Ref. No.</b> 60003952
	magnet holder with magnet for front panel		



1


<b>Part No.</b>	502092	<b>Ref. No.</b>	60003350
<b>description</b>	support for display		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, STR		

model name plates



1

<b>Part No.</b>	502244	<b>Ref. No.</b>	2803410 62003678
<b>description</b>	sign for dishwasher „winterhalter GS 215“ L 127mm W 35mm thickness 0.18mm		
<b>For models:</b>	GS215		




1

<b>Part No.</b>	502245	<b>Ref. No.</b>	2803399 60004381
<b>description</b>	sign for dishwasher „winterhalter GS 302“ L 127mm W 35mm thickness 0.18mm		
<b>For models:</b>	GS215, GS302, GS310, GS315		

hood mechanics for dishwashers

springs



1

<b>Part No.</b>	502199	<b>Ref. No.</b>	61006636
<b>description</b>	tension spring set $\varnothing$ 37mm total length 745mm wire gauge $\varnothing$ 6.2mm L1 1001mm L2 1570mm Qty 2 pcs		
<b>For models:</b>	GS502, GS515		



## hood handles



1

<b>Part No.</b>	502061	<b>Ref. No.</b>	61005204 61008983
<b>description</b>	hood handle		
<b>For models:</b>	GS501, GS502, GS515		

## rollers



1

<b>Part No.</b>	502107	<b>Ref. No.</b>	61005202
<b>description</b>	roller kit hood mechanics $\varnothing$ 40mm hole $\varnothing$ 14mm W 19mm		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>Part No.</b>	524474	<b>Ref. No.</b>	61005206
<b>description</b>	roller set $\varnothing$ 40mm H 19mm for hood guide hole $\varnothing$ 14mm		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>Part No.</b>	502071	<b>Ref. No.</b>	61005333
<b>description</b>	roller set $\varnothing$ 40mm H 19mm for hood linkage		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>Part No.</b>	502072	<b>Ref. No.</b>	61005203
<b>description</b>	roller set $\varnothing$ 43mm H 21mm for hood linkage		
<b>For models:</b>	GS501, GS502, GS515		

## miscellaneous



1

<b>Part No.</b>	698555	<b>Ref. No.</b>	4006004
<b>description</b>	buffer ED $\varnothing$ 20mm L 25mm thread M6x18 for GS72		
<b>For models:</b>	GS100, GS100-1, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS61, GS70, GS71, GS72, GS80, GS81		



1

<b>Part No.</b>	524537	<b>Ref. No.</b>	61004866
<b>description</b>	plug for hood mechanics plastic		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>Part No.</b>	524542	<b>Ref. No.</b>	61005256
<b>description</b>	rubber pad for basket holder L 40mm W 40mm H 4.5mm		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>Part No.</b>	502091	<b>Ref. No.</b>	61005559
<b>description</b>	rubber pad L 63mm H 17.5mm W 63mm		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>Part No.</b>	502179	<b>Ref. No.</b>	5528192 62001246 62002546
<b>description</b>	set for hood mechanics		
<b>For models:</b>	GS24, GS29, GS29B		



1

<b>Part No.</b>	524521	<b>Ref. No.</b>	61005048 61009030
<b>description</b>	snap-in brake for hood mechanics L 121mm H 14mm W 15mm		
<b>For models:</b>	GS501, GS502, GS515		



basket guides

basket holders



<b>Part No.</b>	971145	<b>Ref. No.</b>	61005519 61006030
<b>description</b>	basket support L 610m W 576mm H 72mm mounted		
<b>For models:</b>	GS501, GS502, GS515		



<b>Part No.</b>	699223	<b>Ref. No.</b>	70300162
<b>description</b>	profile L 115m W 20mm H 9mm		
<b>For models:</b>	STR		

actuators



<b>Part No.</b>	698556	<b>Ref. No.</b>	70010601
<b>description</b>	mixer coupling for basket transport L 64mm W 35mm H 4mm		
<b>For models:</b>	MTR, STR		


miscellaneous



<b>Part No.</b>	524542	<b>Ref. No.</b>	61005256
<b>description</b>	rubber pad for basket holder L 40mm W 40mm H 4.5mm		
<b>For models:</b>	GS501, GS502, GS515		

air traps


air traps




<b>Part No.</b>	511442	<b>Ref. No.</b>	3501073 5504024
<b>description</b>	air trap		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS14, GS14E, GS15, GS15E, GS22, GS23, GS25, GS27, GS27B, GS28, GS29, GS29B, GS32, GS4, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502...(Other models you can see in the webshop)		



<b>Part No.</b>	511443	<b>Ref. No.</b>	3501152 5504030
<b>description</b>	air trap		
<b>For models:</b>	GS10-2, GS12, GS24, GS29, GS34, GS8, KTS1900, KTS2400, WKT1200, WKTS		



<b>Part No.</b>	698508	<b>Ref. No.</b>	4007024
<b>description</b>	air trap L 140mm ø 33mm plastic		
<b>For models:</b>	GM170, GM85		




<b>Part No.</b>	502062	<b>Ref. No.</b>	30000114 60003525
<b>description</b>	air trap L 75mm thread 3/4" hose ø 6mm		
<b>For models:</b>	GR62-2, GR62-3, GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

mechanics for flight type dishwashers




<b>Part No.</b>	524543	<b>Ref. No.</b>	70200382
<b>description</b>	connector single DIN/ISO splitting links 1 L 57mm internal width 17mm rollerømm plastic		
<b>For models:</b>	KTS1900, KTS2400, WKT1000		





			
1			
<b>Part No.</b>	524849	<b>Ref. No.</b>	70006550
<b>description</b>	guide for transport system L 100mm W 20mm H 9mm hole ø 3.5mm suitable for WINTERHALTER		
<b>For models:</b>	MTR		

## backflow preventers


## backflow preventers


			
1			
<b>Part No.</b>	502196	<b>Ref. No.</b>	3501194 62001221
<b>description</b>	backflow preventer connection 3/8" hose ø 13mm		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR64, GR65, GR66, GS14, GS14E, GS15, GS15E, GS23H, GS23S, GS24, GS28, GS29, GS29B, GS41-5, GS42, GS501, GS502, GS515, KTS1900, KTS2400, MTF, MTR, WKT1000, WKT1200, WKTS		

			
1			
<b>Part No.</b>	502123	<b>Ref. No.</b>	3501193
<b>description</b>	backflow preventer hose ø 13mm		
<b>For models:</b>	GKTS2600, GR1221, GR1231, GR1321, GR63, GR63-1, GR64, GR65, GR66-1, GS100-1, GS10-2, GS12, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS62, GS63, GS64, GS640, GS640-McDonalds, GS65, GS650, GS650-McDonalds, GS660, GS71, GS72, GS8, GS81, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, WKTS		


			
1			
<b>Part No.</b>	502104	<b>Ref. No.</b>	60003514
<b>description</b>	backflow preventer kit		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS630-McDonalds, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		
<b>spare parts for</b>	502104		
	<b>Part No.</b>	532058	<b>Ref. No.</b>
			2707005 2707026 2707066 2707067 2707087
O-ring EPDM thickness 2.62mm ID ø 23.81mm Qty 10 pcs			


			
1			
<b>Part No.</b>	502120	<b>Ref. No.</b>	60003846
<b>description</b>	backflow preventer kit		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, STR		

			
1			
<b>Part No.</b>	524874	<b>Ref. No.</b>	60004391
<b>description</b>	backflow preventer kit		
<b>For models:</b>	GS215, GS302, GS310, GS315		

			
1			
<b>Part No.</b>	502183	<b>Ref. No.</b>	60003511 62003680
<b>description</b>	conversion kit for back flow restrictor		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, STR		

## accessories


			
1			
<b>Part No.</b>	524639	<b>Ref. No.</b>	61005911
<b>description</b>	extension for back flow restrictor H 21mm WS 36 plastic		
<b>For models:</b>	GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, STR		

1


<b>Part No.</b>	502181	<b>Ref. No.</b>	61004545 70000188
<b>description</b>	set for back flow restrictor		
<b>For models:</b>	BAVARIA2000, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR64, GR65, GR66, GS14, GS14E, GS15, GS15E, GS23H, GS23S, GS24, GS28, GS29, GS29B, GS41-5, GS42, GS501, GS502, GS515, KTS1900, KTS2400, MTF, MTR, WKT1000, WKT1200, WKTS		

miscellaneous




1

<b>Part No.</b>	524523	<b>Ref. No.</b>	70200383
<b>description</b>	bolt for dishwasher L 30mm D1 ø 6mm D2 ø 8mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, MTF, MTR, STR, WKT1000		



1

<b>Part No.</b>	504411	<b>Ref. No.</b>	3126036
<b>description</b>	gasket H 14mm D1 ø 26mm D2 ø 19mm ID ø 16mm		
<b>For models:</b>	GR64, GR65, GR66, GR66-1, GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS640, GS650, GS660, GS72, GSR36, GSR36E, KTS1900, KTS2400, WKT1000, WKT1200, WKTS		



1

<b>Part No.</b>	524545	<b>Ref. No.</b>	2907220 2907300
<b>description</b>	olive for boiler L 10mm D1 ø 15mm D2 ø 12mm		
<b>For models:</b>	BAVARIA2000, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS12, GS14, GS14E, GS15, GS15E, GS22, GS24, GS27B, GS29, GS32, GS40, GS405, GS41, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS61, GS62, GS63, GS64, GS640, GS640-McDonalds, GS65, GS650, GS650-McDonalds, GS660, GS7, GS70, GS71, GS72, GS80, GS9, GS90, GSR36...(Other models you can see in the webshop)		




1

<b>Part No.</b>	524647	<b>Ref. No.</b>	61004430 61005339
<b>description</b>	water inlet for tank kit plastic for WINTERHALTER		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR62, GR62-1, GR63, GR63-1, GS10-2, GS41-3, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS8, GS81, MTF, MTR, STR, WKT1000, WKT1200, WKTS		

door mechanics


bolts



1

<b>Part No.</b>	502206	<b>Ref. No.</b>	60003147
<b>description</b>	door bolt ø 7mm L 17mm thread M5 stainless steel		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		

bushes




1

<b>Part No.</b>	699221	<b>Ref. No.</b>	70006549
<b>description</b>	bush ED ø 15mm ID ø 5mm L 9.5mm		
<b>For models:</b>	MTR		


springs

sheet springs



1


<b>Part No.</b>	518137	<b>Ref. No.</b>	60003216 60003743
<b>description</b>	sheet spring repair set mounting pos. left/right L 73mm W 9mm		
<b>For models:</b>	GS202, GS215, GS402		



1

<b>Part No.</b>	518138	<b>Ref. No.</b>	62003595
<b>description</b>	sheet spring repair set mounting pos. right/left L 77mm W 9mm		
<b>For models:</b>	GS202, GS215, GS402		

torsion springs



1

<b>Part No.</b>	502166	<b>Ref. No.</b>	62001189
<b>description</b>	torsion spring ø 18mm L2 65mm wire gauge ø 3mm mounting pos. right L1 18mm L3 65mm Qty 1 pcs		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		





1



<b>Part No.</b>	502163	<b>Ref. No.</b>	62001190
<b>description</b>	torsion spring $\varnothing$ 18mm L2 70mm wire gauge $\varnothing$ 3mm mounting pos. left L1 10mm L3 70mm Qty 1 pcs		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

## sliding plates

1



<b>Part No.</b>	524694	<b>Ref. No.</b>	60003569
<b>description</b>	sliding plate mounting pos. left/right plastic for container L 50mm W 28mm H 12.5mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		

## rollers

1



<b>Part No.</b>	502130	<b>Ref. No.</b>	5528193
<b>description</b>	roller set with spring mounting pos. left/right		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B		

## hinges

1



<b>Part No.</b>	502172	<b>Ref. No.</b>	62001433
<b>description</b>	bush for door spring $\varnothing$ 20/11.5mm L 8mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

1



<b>Part No.</b>	518135	<b>Ref. No.</b>	60003994
<b>description</b>	door hinge mounting pos. left kit for dishwasher L 160mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		

1



<b>Part No.</b>	518136	<b>Ref. No.</b>	60003995
<b>description</b>	door hinge mounting pos. right kit for dishwasher L 160mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		

1



<b>Part No.</b>	501439	<b>Ref. No.</b>	62003596
<b>description</b>	door hinge set		
<b>For models:</b>	GS202, GS402		

1



<b>Part No.</b>	519526	<b>Ref. No.</b>	3501151
<b>description</b>	door hinge WINTERHALTER		
<b>For models:</b>	GS10-2, GS12, GS34, GS8		

1



<b>Part No.</b>	502208	<b>Ref. No.</b>	62001837
<b>description</b>	hinge mounting pos. left complete		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B		


1




<b>Part No.</b>	502197	<b>Ref. No.</b>	62001836
<b>description</b>	hinge mounting pos. right complete		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B		




door seals




<b>Part No.</b>	519581	<b>Ref. No.</b>	62001618
<b>description</b>	door seal L 1000mm W 10mm silicone		
<b>For models:</b>	GR62-2, GR62-3, GR64, GR65, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GS8, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400		



<b>Part No.</b>	901498	<b>Ref. No.</b>	30000316 62003065
<b>description</b>	door seal L 433mm W 368mm Qty 1 for dishwasher suitable for WINTERHALTER silicone		
<b>For models:</b>	GS202, GS402		



<b>Part No.</b>	901497	<b>Ref. No.</b>	30000318 62003754
<b>description</b>	door seal L 435mm W 370mm for dishwasher suitable for WINTERHALTER silicone		
<b>For models:</b>	UC-S		



<b>Part No.</b>	519476	<b>Ref. No.</b>	30008733 60002704
<b>description</b>	door seal L 550mm W 445mm silicone long side open		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B		




<b>Part No.</b>	901151	<b>Ref. No.</b>	30000317 60003066 62003066
<b>description</b>	door seal L 565mm W 480mm H 6mm suitable for WINTERHALTER		
<b>For models:</b>	GS215, GS302, GS310, GS315		



<b>Part No.</b>	504368	<b>Ref. No.</b>	30000319 60004475
<b>description</b>	door seal L 576mm W 463mm Qty 1 for dishwasher suitable for WINTERHALTER silicone		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-XL, UC-XL-McDonalds		

locks



<b>Part No.</b>	511693	<b>Ref. No.</b>	70003998
<b>description</b>	snap lock L 65mm W 29.5mm H 32mm mounting distance 47mm for dishwasher plastic		
<b>For models:</b>	WKTS		



## miscellaneous



1

<b>Part No.</b>	502171	<b>Ref. No.</b>	62001191
<b>description</b>	bearing for door spring plastic $\varnothing$ 20/11.5mm L 14mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		




1

<b>Part No.</b>	502251	<b>Ref. No.</b>	5528222
<b>description</b>	conversion kit for door mechanism		
<b>For models:</b>	GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		



1

<b>Part No.</b>	502212	<b>Ref. No.</b>	60003998
<b>description</b>	repair kit for door mechanism ED $\varnothing$ 9mm H 12mm L 75mm W 42mm thread M5 wire gauge $\varnothing$ 1.5mm shaft diameter 6mm		
<b>For models:</b>	GS302, GS310, GS315, GS630-McDonalds, UC-L, UC-L-McDonalds, UCM, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		



1

<b>Part No.</b>	502165	<b>Ref. No.</b>	5528168
<b>description</b>	repair kit for door mechanism GS24		
<b>For models:</b>	GS24		



1

<b>Part No.</b>	694608	<b>Ref. No.</b>	2019303
<b>description</b>	spigot for door latch L 36mm thread M5		
<b>For models:</b>	GS10, GS10-2, GS12, GS22, GS23, GS25, GS27, GS27B, GS28, GS32, GS34, GS4, GS7, GS8, GS9		

## screw connections



1

<b>Part No.</b>	524475	<b>Ref. No.</b>	70005097
<b>description</b>	bolt thread M5 H 15mm WS 3 Qty 1 pcs with internal thread with retaining ring		
<b>For models:</b>	GS302, GS310, GS315, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, MTF, MTR		



1

<b>Part No.</b>	699224	<b>Ref. No.</b>	60004612
<b>description</b>	nut H 8.5mm WS 32 $\varnothing$ 26.2mm		
<b>For models:</b>	GS630-McDonalds, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

## curtains

## curtains

1

<b>Part No.</b>	533187	<b>Ref. No.</b>	70200336 70200635
<b>description</b>	curtain short warewashing for wash area		
<b>For models:</b>	WKT1000		


1

<b>Part No.</b>	533185	<b>Ref. No.</b>	70200289 70200439
<b>description</b>	curtain W 566mm H 300mm warewashing for outlet		
<b>For models:</b>	WKT1000		




1

<b>Part No.</b>	533189	<b>Ref. No.</b>	72000667
<b>description</b>	curtain W 566mm H 515mm warewashing for inlet		
<b>For models:</b>	BAVARIA2000		



1

<b>Part No.</b>	524843	<b>Ref. No.</b>	70008043 70008044
<b>description</b>	curtain W 645mm H 360mm complete with rod ABS plastic thickness 1.3mm warewashing		
<b>For models:</b>	MTF, MTR, STR		



1

<b>Part No.</b>	533186	<b>Ref. No.</b>	70200291 70200430
<b>description</b>	curtain W 566mm H 555mm warewashing for inlet		
<b>For models:</b>	WKT1000		



1

<b>Part No.</b>	502229	<b>Ref. No.</b>	70002272 70002277
<b>description</b>	curtain W 650mm H 335mm thickness 1.5mm WKT 1200/WKTS		
<b>For models:</b>	WKT1200, WKTS		



1

<b>Part No.</b>	533180	<b>Ref. No.</b>	70003557 70003561
<b>description</b>	curtain W 610mm H 480mm warewashing		
<b>For models:</b>	WKTS		



1

<b>Part No.</b>	533181	<b>Ref. No.</b>	70003097 70003098
<b>description</b>	curtain W 650mm H 350mm warewashing		
<b>For models:</b>	WKTS		





1


<b>Part No.</b>	533188	<b>Ref. No.</b>	70200343 70200431
<b>description</b>	curtain W 640mm H 486mm warewashing for wash area		
<b>For models:</b>	WKT1000		




1




## washing and rinsing systems







			
1			
<b>Part No.</b>	524846	<b>Ref. No.</b>	62001155
<b>description</b>	adjusting ring for wash distributor thickness 20mm ED ø 58mm ID ø 34mm		
<b>For models:</b>	GS24		

			
1			
<b>Part No.</b>	502064	<b>Ref. No.</b>	2805501
<b>description</b>	ball socket left		
<b>For models:</b>	GR64, GR65, GR66, GR66-1, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

			
1			
<b>Part No.</b>	502063	<b>Ref. No.</b>	2805500
<b>description</b>	ball socket right		
<b>For models:</b>	GR64, GR65, GR66, GR66-1, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		


			
1			
<b>Part No.</b>	502209	<b>Ref. No.</b>	60000401 60004438
<b>description</b>	bearing for wash arm mounting pos. lower ø 18mm H 87mm		

			
1			
<b>Part No.</b>	502254	<b>Ref. No.</b>	60004437 60005360
<b>description</b>	bearing for wash arm mounting pos. upper ø 18mm H 65mm		


			
1			
<b>Part No.</b>	502241	<b>Ref. No.</b>	2907500
<b>description</b>	bush for rinse arm ID ø 10.4mm ED ø 14.5mm		
<b>For models:</b>	GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS22, GS32, GS40, GS405, GS41, GS41-3, GS42, GS61, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS7, GS70, GS71, GS72, GS80, GS9, GS90, WBA, WKTS		


			
1			
<b>Part No.</b>	504396	<b>Ref. No.</b>	61004880
<b>description</b>	bush for wash arm H 39mm D1 ø 49mm D2 ø 43mm ID ø 35mm Qty 1 pcs		
<b>For models:</b>	GS501, GS502, GS515		


			
1			
<b>Part No.</b>	502146	<b>Ref. No.</b>	3501199 61002023
<b>description</b>	bush for wash arm support ø 49mm H 29mm		
<b>For models:</b>	GKTS2600, GR1221, GR1231, GR1321, GR62-2, GR62-3, GS100-1, GS14, GS14E, GS15, GS15E, GS23S, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, GS81, KTS1900, KTS2400, WKT1000		


			
1			
<b>Part No.</b>	502116	<b>Ref. No.</b>	65004835
<b>description</b>	bushing ID ø 12mm thread 3/4"		
<b>For models:</b>	GR64, GR65, GR66, GR66-1, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		




			
1			
<b>Part No.</b>	502236	<b>Ref. No.</b>	61002024 70002095
<b>description</b>	connecting piece for wash arm mounting pos. upper ø 48mm H 70mm plastic		
<b>For models:</b>	GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, WKT1200		


			
1			
<b>Part No.</b>	524693	<b>Ref. No.</b>	61002391
<b>description</b>	connecting piece for wash arm ø 49mm ID ø 34mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS72, WKT1000		

			
1			
<b>Part No.</b>	517550	<b>Ref. No.</b>	61006076
<b>description</b>	disc for wash arm support ED ø 28mm H 2mm WS 22 hole ø 4mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515		


			
1			
<b>Part No.</b>	524470	<b>Ref. No.</b>	3501150
<b>description</b>	elbow for wash distributor thread 3/4" ø 30mm L 90mm		
<b>For models:</b>	GS10-2, GS12, GS34, GS42, GS8, KTS1900, KTS2400, WKT1200		


			
1			
<b>Part No.</b>	502102	<b>Ref. No.</b>	60002534 60002786
<b>description</b>	elbow ø 40mm L 154mm complete		
<b>For models:</b>	MTF, MTR, WKTS		


			
1			
<b>Part No.</b>	502101	<b>Ref. No.</b>	3501149
<b>description</b>	elbow thread 3/4" L 140mm long W 51mm		
<b>For models:</b>	GS10-2, GS12, GS34, GS42, GS8, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400		

			
1			
<b>Part No.</b>	502049	<b>Ref. No.</b>	60001555
<b>description</b>	end cap		
<b>For models:</b>	GS630-McDonalds, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		


			
1			
<b>Part No.</b>	502238	<b>Ref. No.</b>	65002080
<b>description</b>	end cap for wash arm L 48mm		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1221, GR1231, GR1321, GR62-2, GR62-3, WKT1000, WKT1200		


			
1			
<b>Part No.</b>	517758	<b>Ref. No.</b>	62001156
<b>description</b>	end cap for wash distributor thickness 20mm ED ø 58mm ID ø 40.5mm		
<b>For models:</b>	GS24		


			
1			
<b>Part No.</b>	524540	<b>Ref. No.</b>	70003085
<b>description</b>	extension for wash arm support ø 31mm L 96mm WS 32		
<b>For models:</b>	MTR, STR, WKTS		


			
1			
<b>Part No.</b>	502125	<b>Ref. No.</b>	3501003 5506012
<b>description</b>	extension thread 1 1/4" L 131mm		
<b>For models:</b>	GKTS2600, GM170, GM85, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR62, GR62-1, GR62-2, GR62-3, GS10, GS22, GS32, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS9, GS90, WBA, WKT1000, WKT1200, WKTS		





 <p>1</p>			
<b>Part No.</b>	524648	<b>Ref. No.</b>	3501019 5506041
<b>description</b>	extension thread 3/4" IT - 3/4" ET WS 32 for wash distributor		
<b>For models:</b>	GR62, GR62-1, GR62-2, GR62-3, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS61, GS62, GS63, GS64, GS65, GS70, GS71, GS90, WBA, WKT1000, WKTS		


 <p>1</p>			
<b>Part No.</b>	502193	<b>Ref. No.</b>	3501035
<b>description</b>	mediamat		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100-1, GS12, GS14, GS14E, GS15, GS15E, GS22, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71...(Other models you can see in the webshop)		



 <p>1</p>			
<b>Part No.</b>	502119	<b>Ref. No.</b>	2906227 60002474
<b>description</b>	hose connector angled thread 3/4" L 47mm connection 14mm		
<b>For models:</b>	BAVARIA2000, GR62-2, GR62-3, GR66, GS14, GS14E, GS15, GS15E, GS23, GS23S, GS25, GS27, GS27B, GS28, GS4, GS41-1, GS41-4, GS41-4S, GS41-5, GS501, GS502, GS515, GS72, GSR36, GSR36E, GSR36E-Mc-Donalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, STR, WKT1000, WKT1200, WKTS		


 <p>1</p>			
<b>Part No.</b>	502081	<b>Ref. No.</b>	5527040
<b>description</b>	mediamat complete		
<b>For models:</b>	GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100-1, GS12, GS14, GS14E, GS15, GS15E, GS22, GS32, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS7, GS71, GS72, GS9, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, WKT1000, WKT1200, WKTS		

 <p>1</p>			
<b>Part No.</b>	502131	<b>Ref. No.</b>	2906222 60002453 70010393
<b>description</b>	hose connector straight thread 3/4"		
<b>For models:</b>	GR62-2, GR62-3, GR64, GR65, GR66-1, GS14, GS14E, GS15, GS15E, GS29, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR, WKT1200, WKTS		

 <p>1</p>			
<b>Part No.</b>	524471	<b>Ref. No.</b>	61005184
<b>description</b>	mediamat H 230mm warewashing plastic hole ø 5mm		
<b>For models:</b>	GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-Mc-Donalds, GS660, MTF, MTR, STR, WKT1000, WKT1200, WKTS		

 <p>1</p>			
<b>Part No.</b>	502086	<b>Ref. No.</b>	62003345
<b>description</b>	manifold kit		
<b>For models:</b>	GS202, GS215, GS402		

 <p>1</p>				
<b>Part No.</b>	502282	<b>Ref. No.</b>	30000113	
<b>description</b>	mediamat thread 3/4" ET			
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds			
<b>spare parts for</b>	502282			
	<b>Part No.</b>	699224	<b>Ref. No.</b>	60004612
	 nut H 8.5mm WS 32 ø 26.2mm			

 <p>1</p>			
<b>Part No.</b>	507455	<b>Ref. No.</b>	62001391
<b>description</b>	manifold plastic L 72mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS24, GS29, GS630-McDonalds, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		





1



<b>Part No.</b>	502054	<b>Ref. No.</b>	60003513
<b>description</b>	mediamat kit		
<b>For models:</b>	GS202, GS302, GS310, GS315, GS402		

1



<b>Part No.</b>	502137	<b>Ref. No.</b>	60001810
<b>description</b>	nozzle holder for wash arm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E		

1



<b>Part No.</b>	524641	<b>Ref. No.</b>	65005484
<b>description</b>	nut for wash arm mounting pos. upper/lower $\varnothing$ 31mm H 32.5mm plastic with ring		
<b>For models:</b>	GR64, GR65, GR66-1, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

1



<b>Part No.</b>	502114	<b>Ref. No.</b>	60003518
<b>description</b>	opposite support for wash arm support mounting pos. lower		
<b>For models:</b>	GS302, GS310, GS315		

1



<b>Part No.</b>	502118	<b>Ref. No.</b>	60002652
<b>description</b>	retaining ring $\varnothing$ 49mm		
<b>For models:</b>	GS501, GS502, GS515, MTF, MTR, STR, WKTS		

1



<b>Part No.</b>	502069	<b>Ref. No.</b>	2707058 61005781 70003122 70009122
<b>description</b>	ring for wash arm $\varnothing$ 32mm ID $\varnothing$ 26mm thickness 5mm		
<b>For models:</b>	GR64, GR65, GR66-1, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR, WKTS		

1



<b>Part No.</b>	502257	<b>Ref. No.</b>	60004872
<b>description</b>	ring nut for wash arm mounting pos. lower H 33.5mm D1 $\varnothing$ 51mm D2 $\varnothing$ 60.5mm ID $\varnothing$ 46mm		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

1



<b>Part No.</b>	502296	<b>Ref. No.</b>	61007025
<b>description</b>	ring nut for wash arm mounting pos. lower ID $\varnothing$ 18.8mm		

1



<b>Part No.</b>	502255	<b>Ref. No.</b>	60004870
<b>description</b>	ring nut for wash arm mounting pos. upper $\varnothing$ 62mm H 21mm		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

1



<b>Part No.</b>	523078	<b>Ref. No.</b>	70009068
<b>description</b>	rinse arm mounting pos. upper/lower L 590mm nozzles 2 complete with nozzle thread 1/2" $\varnothing$ 12mm		
<b>For models:</b>	MTF, MTR		

1







<b>Part No.</b>	502103	<b>Ref. No.</b>	61006067
<b>description</b>	rinse arm support mounting pos. lower kit L 320mm hose $\varnothing$ 13mm		
<b>For models:</b>	GS501, GS502, GS515		


1




<b>Part No.</b>	524634	<b>Ref. No.</b>	61005287 61006333
<b>description</b>	rinse hose $\varnothing$ 19/20mm L 1100mm EPDM		
<b>For models:</b>	GS501, GS502, GS515		




 <p>1</p>			
<b>Part No.</b>	502039	<b>Ref. No.</b>	62001176
<b>description</b>	rinse jet holder		
<b>For models:</b>	GS24, GS29, GS29B		
<b>accessories for</b>	502039		
 <p>Part No. 502029 Ref. No. 62001174</p> <p>union nut</p>			
 <p>Part No. 502040 Ref. No. 2910307 65002755</p> <p>swirl H 16mm ø 6.5mm H1 4.5mm</p>			
 <p>Part No. 502041 Ref. No. 2910308 65002754</p> <p>rinse jet</p>			


 <p>1</p>			
<b>Part No.</b>	502237	<b>Ref. No.</b>	61006066
<b>description</b>	rinse pipe mounting pos. upper ø 12mm L 375mm		
<b>For models:</b>	GS501, GS502, GS515		


 <p>1</p>			
<b>Part No.</b>	502141	<b>Ref. No.</b>	61005681 62002813
<b>description</b>	screw cap for wash arm ø 24mm H 12mm thread M10		
<b>For models:</b>	GR64, GR65, GR66-1, GS14, GS14E, GS15, GS15E, GS29, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		


 <p>1</p>			
<b>Part No.</b>	502256	<b>Ref. No.</b>	30000112
<b>description</b>	screw connection		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		
<b>spare parts for</b>	502256		
 <p>Part No. 502209 Ref. No. 60000401 60004438</p> <p>bearing for wash arm mounting pos. lower ø 18mm H 87mm</p>			
 <p>Part No. 502257 Ref. No. 60004872</p> <p>ring nut for wash arm mounting pos. lower H 33.5mm D1 ø 51mm D2 ø 60.5mm ID ø 46mm</p>			

 <p>1</p>			
<b>Part No.</b>	524636	<b>Ref. No.</b>	30000111
<b>description</b>	screw connection for wash arm mounting pos. upper ø 62mm H 21mm plastic with rinse arm shaft		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		
<b>spare parts for</b>	524636		
 <p>Part No. 502254 Ref. No. 60004437 60005360</p> <p>bearing for wash arm mounting pos. upper ø 18mm H 65mm</p>			
 <p>Part No. 502255 Ref. No. 60004870</p> <p>ring nut for wash arm mounting pos. upper ø 62mm H 21mm</p>			


 <p>1</p>			
<b>Part No.</b>	524472	<b>Ref. No.</b>	61005191
<b>description</b>	screw connection for wash arm ø 32mm L 54mm		
<b>For models:</b>	GS501, GS502, GS515		


 <p>1</p>			
<b>Part No.</b>	524696	<b>Ref. No.</b>	61002392 61004061
<b>description</b>	screw connection for wash arm ø 33mm thread 3/4" plastic L 53mm		
<b>For models:</b>	BAVARIA2000, GS14, GS14E, GS15, GS15E, GS72, WKT1000, WKT1200		


 <p>1</p>			
<b>Part No.</b>	524911	<b>Ref. No.</b>	60003043 60003517
<b>description</b>	screw connection wash arm support thread M12x1.75 ø 16mm L 44.5mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		


 <p>1</p>			
<b>Part No.</b>	507454	<b>Ref. No.</b>	60003021
<b>description</b>	sealing ring for wash arm ø 57.8mm ID ø 53.4mm thickness 2mm		
<b>For models:</b>	GS202, GS302, GS310, GS315, GS402, GS501, GS502, GS515		





			
1			
<b>Part No.</b>	524873	<b>Ref. No.</b>	60004276
<b>description</b>	sealing ring for wash distributor ø 33mm ID ø 29mm thickness 2.4mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		

			
1			
<b>Part No.</b>	524640	<b>Ref. No.</b>	60002540
<b>description</b>	setting disc for wash arm ID ø 32mm ED ø 40mm thickness 5mm plastic		
<b>For models:</b>	GR64, GR65, GR66-1, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		


			
1			
<b>Part No.</b>	512515	<b>Ref. No.</b>	61008019
<b>description</b>	slide ring ED ø 22.5mm ID ø 18mm thickness 0.5mm		


			
1			
<b>Part No.</b>	502070	<b>Ref. No.</b>	61004885
<b>description</b>	spring for wash arm support		
<b>For models:</b>	GS501, GS502, GS515		


			
1			
<b>Part No.</b>	502145	<b>Ref. No.</b>	3501004 5506013
<b>description</b>	union nut thread 1 3/4"		
<b>For models:</b>	BAVARIA2000, GKTS2600, GM170, GM85, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR62, GR62-1, GR62-2, GR62-3, GS10, GS10-2, GS12, GS22, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS8, GS9, GS90, KTS1900, KTS2400, WBA, WKT1000, WKT1200, WKTS		


			
1			
<b>Part No.</b>	517697	<b>Ref. No.</b>	60003616
<b>description</b>	wash arm bearing mounting pos. upper hole ø 8mm ø 16mm H 42mm thread M12x1.75		
<b>For models:</b>	GS202, GS302, GS310, GS315, GS402, GS501, GS502, GS515		

			
1			
<b>Part No.</b>	502205	<b>Ref. No.</b>	62001159
<b>description</b>	wash arm boss bottom part mounting pos. lower ø 10mm L 30mm W 26.5mm H 35mm		
<b>For models:</b>	GS23S, GS24		


			
1			
<b>Part No.</b>	502133	<b>Ref. No.</b>	60002999
<b>description</b>	wash arm support		
<b>For models:</b>	GS215, GS302, GS310, GS315		


			
1			
<b>Part No.</b>	524539	<b>Ref. No.</b>	65002079
<b>description</b>	wash arm support mounting pos. upper/lower ø 38mm L 70mm		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1221, GR1231, GR1321, GR62-2, GR62-3, KTS1900, KTS2400, WKT1000, WKT1200		


			
1			
<b>Part No.</b>	524476	<b>Ref. No.</b>	61004969
<b>description</b>	wash arm support ø 36mm L 45mm		
<b>For models:</b>	GS501, GS502, GS515, MTF, MTR		


			
1			
<b>Part No.</b>	502111	<b>Ref. No.</b>	60001845 60002855
<b>description</b>	wash distributor complete		
<b>For models:</b>	GS14, GS14E, GS15, GS15E		





 <p>1</p>			
<b>Part No.</b>	502113	<b>Ref. No.</b>	60001848 60002856
<b>description</b>	wash distributor complete		
<b>For models:</b>	GS14, GS14E, GS15, GS15E		


 <p>1</p>			
<b>Part No.</b>	502112	<b>Ref. No.</b>	62001810 62002887
<b>description</b>	wash distributor mounting pos. lower L 175mm		
<b>For models:</b>	GR64, GR65, GR66-1, GS29, GS41-5, GS42, GS501, GS502, GS515, GS72, WKT1200		


 <p>1</p>			
<b>Part No.</b>	502184	<b>Ref. No.</b>	61005187
<b>description</b>	wash distributor mounting pos. lower ø 49.5mm L 506mm plastic		
<b>For models:</b>	GS501, GS502, GS515		


 <p>1</p>			
<b>Part No.</b>	502182	<b>Ref. No.</b>	3501018 3501106
<b>description</b>	wash distributor mounting pos. lower ø 50mm L 205mm		
<b>For models:</b>	GR62, GR62-1, GR62-2, GR62-3, GS10-2, GS12, GS34, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS62, GS63, GS64, GS65, GS71, GS8, GS90, KTS1900, KTS2400, WBA, WKT1000, WKT1200, WKTS		


 <p>1</p>			
<b>Part No.</b>	524909	<b>Ref. No.</b>	65004095 65004825
<b>description</b>	wash distributor mounting pos. lower ø 50mm L 535mm plastic		
<b>For models:</b>	GR64, GR65, GS640, GS640-McDonalds, GS650, GS650-McDonalds		


 <p>1</p>			
<b>Part No.</b>	502261	<b>Ref. No.</b>	70004625
<b>description</b>	wash distributor mounting pos. upper L 455mm		
<b>For models:</b>	WKTS		

 <p>1</p>			
<b>Part No.</b>	524691	<b>Ref. No.</b>	65004824
<b>description</b>	wash distributor mounting pos. upper ø 49mm L 534mm plastic		
<b>For models:</b>	GR64, GR65, GS640, GS640-McDonalds, GS650, GS650-McDonalds		

 <p>1</p>			
<b>Part No.</b>	517749	<b>Ref. No.</b>	3501017 5506045
<b>description</b>	wash distributor mounting pos. upper ø 50mm L 345mm plastic thread 1 1/4"		
<b>For models:</b>	GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR62, GR62-1, GR62-2, GR62-3, GS405, GS41, GS62, GS63, GS64, GS65, GS71, GS90, WBA, WKT1000, WKT1200, WKTS		

 <p>1</p>			
<b>Part No.</b>	502232	<b>Ref. No.</b>	61004837 61005189
<b>description</b>	wash distributor mounting pos. upper ø 50mm plastic		
<b>For models:</b>	GS501, GS502, GS515		

 <p>1</p>			
<b>Part No.</b>	524520	<b>Ref. No.</b>	61003694
<b>description</b>	wash distributor mounting pos. upper ø 51mm L 294mm plastic		
<b>For models:</b>	GS42		

 <p>1</p>			
<b>Part No.</b>	519474	<b>Ref. No.</b>	62001172
<b>description</b>	wash distributor mounting pos. upper suitable for WINTERHALTER model GS24		
<b>For models:</b>	GS24		



1

<b>Part No.</b>	524841	<b>Ref. No.</b>	65004822
<b>description</b>	wash distributor ø 49mm L 468mm plastic		
<b>For models:</b>	GR66-1, GS660		



1

<b>Part No.</b>	502167	<b>Ref. No.</b>	61005278
<b>description</b>	wash jet for dishwasher		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>Part No.</b>	519473	<b>Ref. No.</b>	60003519
<b>description</b>	wash pipe suitable for WINTERHALTER model GS 310		
<b>For models:</b>	GS302, GS310, GS315		

## washing and rinsing systems (sorted by producer)

## WINTERHALTER



1

<b>Part No.</b>	502157	<b>Ref. No.</b>	61005052
<b>description</b>	wash arm L 565mm nozzles 6 mounting pos. upper/lower		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>Part No.</b>	502097	<b>Ref. No.</b>	30002022 71001453
<b>description</b>	wash arm L 570mm nozzles 6 mounting pos. upper/lower		
<b>For models:</b>	MTF, MTR, STR		



1

<b>Part No.</b>	502098	<b>Ref. No.</b>	61005611
<b>description</b>	wash arm L 580mm nozzles 6 mounting pos. lower		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>Part No.</b>	502053	<b>Ref. No.</b>	65004997
<b>description</b>	wash arm L 635mm nozzles 7 mounting pos. upper/lower		
<b>For models:</b>	GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		



1


<b>Part No.</b>	517748	<b>Ref. No.</b>	62003531
<b>description</b>	wash arm mounting pos. upper L 385mm nozzles 6		
<b>For models:</b>	GS202, GS402		








1


<b>Part No.</b>	502077	<b>Ref. No.</b>	60003520
<b>description</b>	wash arm nozzles 6		
<b>For models:</b>	GS302, GS310, GS315, GS501, GS502, GS515		





			
1			
<b>Part No.</b>	502248	<b>Ref. No.</b>	30002021 70003000 70005762
<b>description</b>	wash arm stationary L 472mm W 40mm H 40mm nozzles 5		
<b>For models:</b>	MTF, MTR, STR, WKTS		



			
1			
<b>Part No.</b>	502078	<b>Ref. No.</b>	62001807 620018072
<b>description</b>	wash arm L 470mm nozzles 5 mounting pos. right/left mounting ø 35mm		
<b>For models:</b>	GS29, GS29B		
<b>spare parts for</b>	502078		
	<b>Part No.</b>	502023	<b>Ref. No.</b> 62001808
	union nut		
	<b>Part No.</b>	502024	<b>Ref. No.</b> 62001809
	wash jet		
<b>accessories for</b>	502078		
	<b>Part No.</b>	502036	<b>Ref. No.</b> 2707049 2707053 5101286
	O-ring EPDM thickness 2.62mm ID ø 28.25mm Qty 1 pcs		


			
1			
<b>Part No.</b>	502055	<b>Ref. No.</b>	5507032 5507035
<b>description</b>	wash arm L 630mm nozzles 4 mounting pos. lower		
<b>For models:</b>	GR1410, GR1420, GR1430, GR63, GR63-1		


			
1			
<b>Part No.</b>	502034	<b>Ref. No.</b>	2804041
<b>description</b>	D-lock		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS25, GS27, GS27B, GS28, GS32, GS34, GS4, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42...(Other models you can see in the webshop)		

			
1			
<b>Part No.</b>	502139	<b>Ref. No.</b>	3501210
<b>description</b>	end piece for wash arm thread 1/2" L 37mm		
<b>For models:</b>	GS100-1, GS14, GS14E, GS15, GS15E, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, WKT1000		

			
1			
<b>Part No.</b>	502187	<b>Ref. No.</b>	2910532
<b>description</b>	union nut for wash jet H 18mm thread 1/2" WS 24		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GS62, GS63, GS64, GS65, H52, WBA		

			
1			
<b>Part No.</b>	502023	<b>Ref. No.</b>	62001808
<b>description</b>	union nut		
<b>For models:</b>	GR64, GR65, GR66, GR66-1, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, WKT1000, WKT1200, WKTS		
<b>accessories for</b>	502023		
	<b>Part No.</b>	502024	<b>Ref. No.</b> 62001809
	wash jet		

			
1			
<b>Part No.</b>	502211	<b>Ref. No.</b>	2910509
<b>description</b>	wash jet mounting pos. lower H 24mm ø 12/18mm		
<b>For models:</b>	GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1		

			
1			
<b>Part No.</b>	502024	<b>Ref. No.</b>	62001809
<b>description</b>	wash jet		
<b>For models:</b>	GS29, GS29B		



1



<b>Part No.</b>	502105	<b>Ref. No.</b>	60001846
<b>description</b>	wash arm L 470mm nozzles 5 mounting pos. upper/lower		
<b>For models:</b>	GS14, GS14E, GS15, GS15E		

1



<b>Part No.</b>	502190	<b>Ref. No.</b>	5507052 5507057
<b>description</b>	wash arm L 470mm nozzles 6 mounting pos. upper/lower		
<b>For models:</b>	GS10-2, GS12, GS8, GS81		

1



<b>Part No.</b>	502110	<b>Ref. No.</b>	61002795
<b>description</b>	wash arm L 540mm nozzles 6 mounting pos. lower		
<b>For models:</b>	GS72		

1



<b>Part No.</b>	502099	<b>Ref. No.</b>	61002557
<b>description</b>	wash arm L 550mm nozzles 6 mounting pos. upper		
<b>For models:</b>	GS100-1, GS41-1, GS41-4, GS41-4S, GS41-5, GS42		

1



<b>Part No.</b>	502095	<b>Ref. No.</b>	3501196 5005244 61001965
<b>description</b>	wash arm L 594mm nozzles 7 mounting pos. lower complete		
<b>For models:</b>	GS100-1, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, GS81, WKT1000		

1



<b>Part No.</b>	502034	<b>Ref. No.</b>	2804041
<b>description</b>	D-lock		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS25, GS27, GS27B, GS28, GS32, GS34, GS4, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42...(Other models you can see in the webshop)		

1



<b>Part No.</b>	502035	<b>Ref. No.</b>	2804042
<b>description</b>	D-lock		
<b>For models:</b>	GS10-2, GS12, GS34, GS8, GS81, WKTS		

1




<b>Part No.</b>	502139	<b>Ref. No.</b>	3501210
<b>description</b>	end piece for wash arm thread 1/2" L 37mm		
<b>For models:</b>	GS100-1, GS14, GS14E, GS15, GS15E, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, WKT1000		

1




<b>Part No.</b>	502025	<b>Ref. No.</b>	2910504 2910505 60002465 61003031 61003032
<b>description</b>	wash jet complete		
<b>For models:</b>	GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS34, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, GS8, GS81, WKT1000		


1

<b>Part No.</b>	502109	<b>Ref. No.</b>	5507002
<b>description</b>	wash arm L 570mm nozzles 6 mounting pos. intermediate rinsing, Mediamat		
<b>For models:</b>	WKTS		




1

<b>Part No.</b>	502034	<b>Ref. No.</b>	2804041
<b>description</b>	D-lock		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS25, GS27, GS27B, GS28, GS32, GS34, GS4, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42...(Other models you can see in the webshop)		




1

<b>Part No.</b>	502035	<b>Ref. No.</b>	2804042
<b>description</b>	D-lock		
<b>For models:</b>	GS10-2, GS12, GS34, GS8, GS81, WKTS		




1

<b>Part No.</b>	510203	<b>Ref. No.</b>	2910527
<b>description</b>	wash jet black/black hole ø 5mm thread 1/2"		
<b>For models:</b>	GS10, GS100, GS22, GS23, GS25, GS27, GS32, GS4, GS40, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS80, GS9, GS90, WBA, WKTS		




1

<b>Part No.</b>	502191	<b>Ref. No.</b>	70002382
<b>description</b>	wash arm L 550mm nozzles 6 mounting pos. upper/lower		
<b>For models:</b>	WKT1200		





1

<b>Part No.</b>	502201	<b>Ref. No.</b>	70002104
<b>description</b>	nozzle H 14mm ø 20.5mm slotted		
<b>For models:</b>	WKT1200		




1

<b>Part No.</b>	502023	<b>Ref. No.</b>	62001808
<b>description</b>	union nut		
<b>For models:</b>	GR64, GR65, GR66, GR66-1, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, WKT1000, WKT1200, WKTS		
<b>accessories for</b>	502023		
		<b>Part No.</b>	502024
		<b>Ref. No.</b>	62001809
	wash jet		





1

<b>Part No.</b>	517742	<b>Ref. No.</b>	65003911
<b>description</b>	wash arm mounting pos. upper/lower L 650mm nozzles 7		
<b>For models:</b>	GR64, GR65, GR66-1		



1

<b>Part No.</b>	502023	<b>Ref. No.</b>	62001808
<b>description</b>	union nut		
<b>For models:</b>	GR64, GR65, GR66, GR66-1, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, WKT1000, WKT1200, WKTS		
<b>accessories for</b>	502023		
		<b>Part No.</b>	502024
		<b>Ref. No.</b>	62001809
	wash jet		



1

<b>Part No.</b>	517764	<b>Ref. No.</b>	65003150
<b>description</b>	wash jet mounting pos. upper/lower H 16mm ø 20mm inclined		
<b>For models:</b>	GR64, GR65, GR66, GR66-1, GS41-1, GS41-4, GS41-4S		





1



<b>Part No.</b>	517745	<b>Ref. No.</b>	61002251
<b>description</b>	wash arm mounting pos. centre L 570mm nozzles 6		
<b>For models:</b>	GS72		

1



<b>Part No.</b>	517743	<b>Ref. No.</b>	5507051 5507054
<b>description</b>	wash arm mounting pos. lower L 540mm nozzles 6		
<b>For models:</b>	GS81		

1



<b>Part No.</b>	502032	<b>Ref. No.</b>	2804040
<b>description</b>	D-lock		
<b>For models:</b>	GR1200, GR1400, GR62, GR62-1, GS10, GS100, GS22, GS23, GS23H, GS25, GS27, GS27B, GS28, GS32, GS4, GS40, GS405, GS41, GS41-3, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS72, GS80, GS81, GS9, GS90, WBA, WKTS		

1



<b>Part No.</b>	502034	<b>Ref. No.</b>	2804041
<b>description</b>	D-lock		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS25, GS27, GS27B, GS28, GS32, GS34, GS4, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42...(Other models you can see in the webshop)		

1



<b>Part No.</b>	502025	<b>Ref. No.</b>	2910504 2910505 60002465 61003031 61003032
<b>description</b>	wash jet complete		
<b>For models:</b>	GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS34, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, GS8, GS81, WKT1000		

1



<b>Part No.</b>	517744	<b>Ref. No.</b>	5507008
<b>description</b>	wash arm mounting pos. lower L 565mm nozzles 6		
<b>For models:</b>	WBA, WKTS		

spare parts for 517744



<b>Part No.</b>	517759	<b>Ref. No.</b>	2910530
<b>description</b>	wash jet mounting pos. upper/lower thread 1/2" H 56mm ø 24mm		

1



<b>Part No.</b>	502032	<b>Ref. No.</b>	2804040
<b>description</b>	D-lock		
<b>For models:</b>	GR1200, GR1400, GR62, GR62-1, GS10, GS100, GS22, GS23, GS23H, GS25, GS27, GS27B, GS28, GS32, GS4, GS40, GS405, GS41, GS41-3, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS72, GS80, GS81, GS9, GS90, WBA, WKTS		

1




<b>Part No.</b>	502034	<b>Ref. No.</b>	2804041
<b>description</b>	D-lock		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS25, GS27, GS27B, GS28, GS32, GS34, GS4, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42...(Other models you can see in the webshop)		

1




<b>Part No.</b>	517759	<b>Ref. No.</b>	2910530
<b>description</b>	wash jet mounting pos. upper/lower thread 1/2" H 56mm ø 24mm		
<b>For models:</b>	GS62, GS63, GS64, GS65, WBA, WKTS		


1





<b>Part No.</b>	517746	<b>Ref. No.</b>	62001150 62001151
<b>description</b>	wash arm mounting pos. lower L 335mm nozzles 4		
<b>For models:</b>	GS24		





			
1			
<b>Part No.</b>	502027	<b>Ref. No.</b>	62001153
<b>description</b>	wash jet		
<b>For models:</b>	GS24		


			
1			
<b>Part No.</b>	517747	<b>Ref. No.</b>	5507006 5507050 5507056
<b>description</b>	wash arm mounting pos. lower L 355mm nozzles 4		
<b>For models:</b>	GS23, GS23H, GS25, GS27, GS4		


			
1			
<b>Part No.</b>	502032	<b>Ref. No.</b>	2804040
<b>description</b>	D-lock		
<b>For models:</b>	GR1200, GR1400, GR62, GR62-1, GS10, GS100, GS22, GS23, GS23H, GS25, GS27, GS27B, GS28, GS32, GS4, GS40, GS405, GS41, GS41-3, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS72, GS80, GS81, GS9, GS90, WBA, WKTS		


			
1			
<b>Part No.</b>	502034	<b>Ref. No.</b>	2804041
<b>description</b>	D-lock		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS25, GS27, GS27B, GS28, GS32, GS34, GS4, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42...(Other models you can see in the webshop)		


			
1			
<b>Part No.</b>	510203	<b>Ref. No.</b>	2910527
<b>description</b>	wash jet black/black hole ø 5mm thread 1/2"		
<b>For models:</b>	GS10, GS100, GS22, GS23, GS25, GS27, GS32, GS4, GS40, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS80, GS9, GS90, WBA, WKTS		


			
1			
<b>Part No.</b>	502018	<b>Ref. No.</b>	2910538
<b>description</b>	wash jet black/white hole ø 7mm thread 1/2"		
<b>For models:</b>	GR1200, GR1400, GS10, GS22, GS23, GS25, GS27, GS27B, GS28, GS32, GS4, GS7, GS9		


			
1			
<b>Part No.</b>	524650	<b>Ref. No.</b>	5507016 61000945
<b>description</b>	wash arm L 537mm nozzles 6 mounting pos. upper/lower H 50mm W 44mm complete with nozzle		
<b>For models:</b>	GS100, GS40, GS405, GS41, GS41-3, GS61, GS62, GS63, GS64, GS65, GS70, GS71, GS80, GS90		

			
1			
<b>Part No.</b>	502032	<b>Ref. No.</b>	2804040
<b>description</b>	D-lock		
<b>For models:</b>	GR1200, GR1400, GR62, GR62-1, GS10, GS100, GS22, GS23, GS23H, GS25, GS27, GS27B, GS28, GS32, GS4, GS40, GS405, GS41, GS41-3, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS72, GS80, GS81, GS9, GS90, WBA, WKTS		


			
1			
<b>Part No.</b>	502034	<b>Ref. No.</b>	2804041
<b>description</b>	D-lock		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS25, GS27, GS27B, GS28, GS32, GS34, GS4, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42...(Other models you can see in the webshop)		


			
1			
<b>Part No.</b>	510203	<b>Ref. No.</b>	2910527
<b>description</b>	wash jet black/black hole ø 5mm thread 1/2"		
<b>For models:</b>	GS10, GS100, GS22, GS23, GS25, GS27, GS32, GS4, GS40, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS80, GS9, GS90, WBA, WKTS		

			
1			
<b>Part No.</b>	502016	<b>Ref. No.</b>	2910528
<b>description</b>	wash jet black/grey hole ø 6mm thread 1/2"		
<b>For models:</b>	GS10, GS100, GS22, GS25, GS32, GS4, GS40, GS405, GS41, GS41-3, GS61, GS7, GS70, GS71, GS80, GS9		


			
1			
<b>Part No.</b>	502017	<b>Ref. No.</b>	2910522
<b>description</b>	wash jet grey/black hole ø 5mm thread 1/2"		
<b>For models:</b>	GS10, GS100, GS22, GS32, GS40, GS405, GS41, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS80, GS9, GS90		





			
1			
<b>Part No.</b>	510202	<b>Ref. No.</b>	2910520
<b>description</b>	wash jet grey/grey hole ø 6mm thread 1/2"		
<b>For models:</b>	GS10, GS100, GS22, GS32, GS40, GS405, GS41, GS41-3, GS61, GS7, GS70, GS71, GS80, GS9		


			
1			
<b>Part No.</b>	524630	<b>Ref. No.</b>	30002770 60004427
<b>description</b>	wash and rinse arm mounting pos. upper/lower w. jets 12 r. jets 8 H 38mm L 518mm W 184mm		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-XL, UC-XL-McDonalds		


			
1			
<b>Part No.</b>	502142	<b>Ref. No.</b>	62003015 62003539
<b>description</b>	wash arm L 385mm W 130mm nozzles 8 mounting pos. lower		
<b>For models:</b>	GS202, GS402		

			
1			
<b>Part No.</b>	502000	<b>Ref. No.</b>	60002994 60003803
<b>description</b>	wash arm L 458mm W 150mm nozzles 10 mounting pos. right/left		
<b>For models:</b>	GS215, GS302, GS310, GS315		


			
1			
<b>Part No.</b>	502271	<b>Ref. No.</b>	30002197
<b>description</b>	wash arm L 555mm W 185mm H 40mm nozzles 26		


			
1			
<b>Part No.</b>	524638	<b>Ref. No.</b>	60004854
<b>description</b>	end cap for wash arm ED ø 31mm thickness 7mm plastic		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		


			
1			
<b>Part No.</b>	502132	<b>Ref. No.</b>	60003802
<b>description</b>	end piece for wash arm mounting pos. left/right		
<b>For models:</b>	GS215, GS302, GS310, GS315		

			
1			
<b>Part No.</b>	524912	<b>Ref. No.</b>	62003538
<b>description</b>	end piece for wash arm mounting pos. right/left L 129mm H 30mm		
<b>For models:</b>	GS202, GS402		

			
1			
<b>Part No.</b>	502189	<b>Ref. No.</b>	62003347
<b>description</b>	rinse arm L 386mm nozzles 6 mounting ø 14mm mounting pos. upper/lower with 2 rinse arm shafts W 30mm		
<b>For models:</b>	GS202, GS402, MTF, MTR		


			
1			
<b>Part No.</b>	507453	<b>Ref. No.</b>	61006244
<b>description</b>	rinse arm L 495mm nozzles 7 mounting ø 14mm mounting pos. lower stainless steel		
<b>For models:</b>	GR66-1, GS501, GS502, GS515, GS660		

			
1			
<b>Part No.</b>	519446	<b>Ref. No.</b>	60003515
<b>description</b>	rinse arm L 500mm nozzles 7 mounting ø 13.5mm mounting pos. lower		
<b>For models:</b>	GS215, GS302, GS310, GS315, GS501, GS502, GS515, MTF, MTR		


1

<b>Part No.</b>	502230	<b>Ref. No.</b>	61004529 61005327 65005499
<b>description</b>	rinse arm L 560mm nozzles 9		
<b>For models:</b>	GR64, GR65, GR66-1, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		




1

<b>Part No.</b>	517534	<b>Ref. No.</b>	2910233 5510078
<b>description</b>	rinse arm L 460mm nozzles 6 thread 3/4"		
<b>For models:</b>	GR62, GR62-1, GS10-2, GS12, GS29, GS34, GS8		




1

<b>Part No.</b>	517701	<b>Ref. No.</b>	61006619
<b>description</b>	rinse arm mounting pos. lower L 495mm nozzles 7 with rinse arm shaft thread M12x1.75		
<b>For models:</b>	GS502, GS515		




1

<b>Part No.</b>	502158	<b>Ref. No.</b>	62002822 62002891
<b>description</b>	rinse arm L 460mm nozzles 7 mounting ø 14mm mounting pos. lower complete with nozzle		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29		



1

<b>Part No.</b>	524632	<b>Ref. No.</b>	61006612
<b>description</b>	rinse arm mounting pos. upper/lower L 495mm nozzles 7 mounting ø 14mm with 2 rinse arm shafts		
<b>For models:</b>	GS215, GS302, GS310, GS315, GS502, GS515		




1

<b>Part No.</b>	517535	<b>Ref. No.</b>	5510114
<b>description</b>	rinse arm L 460mm nozzles 7 mounting ø 14mm with holder		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29		



1

<b>Part No.</b>	524631	<b>Ref. No.</b>	65005462
<b>description</b>	rinse arm mounting pos. upper/lower L 560mm nozzles 9 mounting ø 14mm with rinse arm shaft		
<b>For models:</b>	GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		



1

<b>Part No.</b>	517514	<b>Ref. No.</b>	2910235 5510091
<b>description</b>	rinse arm L 530mm nozzles 8 thread M26x1.75		
<b>For models:</b>	GR62-2, GR62-3, GS100-1, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS72, GS81		



1



<b>Part No.</b>	517515	<b>Ref. No.</b>	62001958
<b>description</b>	rinse arm mounting pos. lower L 465mm nozzles 8 thread M26x1.75		
<b>For models:</b>	GR66, GS14, GS14E, GS15, GS15E, GS29		

1



<b>Part No.</b>	502175	<b>Ref. No.</b>	2910240
<b>description</b>	end cap for rinse arm with O-ring thread M11x1 ø 9.5mm suitable for WINTERHALTER		
<b>For models:</b>	GR62, GR62-1, GR62-2, GR62-3, GS10-2, GS29, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, GS8		

1



<b>Part No.</b>	502046	<b>Ref. No.</b>	2910312
<b>description</b>	rinse jet		
<b>For models:</b>	BAVARIA2000, GR62, GR62-1, GR62-2, GR62-3, GR66, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS23H, GS23S, GS24, GS28, GS29, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS72, GS8, MTF, MTR, STR, WBA, WKT1000, WKTS		

1



<b>Part No.</b>	502047	<b>Ref. No.</b>	62002811 62002820
<b>description</b>	rinse jet		
<b>For models:</b>	GR64, GR65, GR66-1, GS14, GS14E, GS15, GS15E, GS29, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		
<b>accessories for</b>	502047		



<b>Part No.</b>	502048	<b>Ref. No.</b>	62002812
<b>description</b>	union nut		

1



<b>Part No.</b>	502048	<b>Ref. No.</b>	62002812
<b>description</b>	union nut		
<b>For models:</b>	GR64, GR65, GR66-1, GS14, GS14E, GS15, GS15E, GS29, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		
<b>accessories for</b>	502048		



<b>Part No.</b>	502047	<b>Ref. No.</b>	62002811 62002820
<b>description</b>	rinse jet		

1



<b>Part No.</b>	517520	<b>Ref. No.</b>	5510112
<b>description</b>	rinse arm mounting pos. lower L 480mm W 410mm nozzles 4		
<b>For models:</b>	GS28		

1



<b>Part No.</b>	517516	<b>Ref. No.</b>	70200118 70200415
<b>description</b>	rinse arm mounting pos. lower L 610mm nozzles 3		
<b>For models:</b>	WKT1000		

1




<b>Part No.</b>	517519	<b>Ref. No.</b>	61002099 61004421
<b>description</b>	rinse arm mounting pos. upper L 580mm nozzles 4		
<b>For models:</b>	GS41-1, GS41-4, GS41-4S, GS41-5		

1




<b>Part No.</b>	524649	<b>Ref. No.</b>	5510015
<b>description</b>	rinse arm mounting pos. upper L 610mm nozzles 4 complete with nozzle thread M9x1.25		
<b>For models:</b>	GS40, GS405, GS41, GS41-3, GS61, GS62, GS63, GS64, GS65, GS70, GS71		


1

<b>Part No.</b>	517518	<b>Ref. No.</b>	61002301
<b>description</b>	rinse arm mounting pos. upper L 625mm nozzles 5		
<b>For models:</b>	GS72		





1

<b>Part No.</b>	524671	<b>Ref. No.</b>	70009067
<b>description</b>	rinse arm mounting pos. upper/lower L 590mm nozzles 3 complete with nozzle thread 1/2" ø 12mm		
<b>For models:</b>	MTF, MTR		




1

<b>Part No.</b>	524538	<b>Ref. No.</b>	70004644
<b>description</b>	rinse arm mounting pos. upper/lower L 590mm nozzles 4 complete with nozzle thread 1/2" ø 12mm		
<b>For models:</b>	WKTS		
<b>spare parts for</b>	524538		
		<b>Part No.</b>	524546
		<b>Ref. No.</b>	2910314
	rinse jet H 10mm thread 1/16" NPT WS 10		




1

<b>Part No.</b>	517517	<b>Ref. No.</b>	65002776
<b>description</b>	rinse arm mounting pos. upper/lower L 695mm nozzles 3		
<b>For models:</b>	GR63, GS62, GS63, GS64, GS65		



1


<b>Part No.</b>	502046	<b>Ref. No.</b>	2910312
<b>description</b>	rinse jet		
<b>For models:</b>	BAVARIA2000, GR62, GR62-1, GR62-2, GR62-3, GR66, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS23H, GS23S, GS24, GS28, GS29, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS72, GS8, MTF, MTR, STR, WBA, WKT1000, WKTS		



1


<b>Part No.</b>	524546	<b>Ref. No.</b>	2910314
<b>description</b>	rinse jet H 10mm thread 1/16" NPT WS 10		
<b>For models:</b>	WKTS		

miscellaneous





1

<b>Part No.</b>	502041	<b>Ref. No.</b>	2910308 65002754
<b>description</b>	rinse jet		
<b>For models:</b>	GS12, GS14, GS14E, GS15, GS15E, GS23, GS23H, GS24, GS27, GS27B, GS28, GS29, GS29B, GS630-McDonalds, GSR36, GSR36E, GSR36E-Mc-Donalds, GSR36-McDonalds, WKT1000		



1


<b>Part No.</b>	510204	<b>Ref. No.</b>	2910201 2910231 65002765
<b>description</b>	rinse jet		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS22, GS23, GS23S, GS25, GS27, GS32, GS34, GS4, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS61, GS62, GS63...(Other models you can see in the webshop)		
<b>accessories for</b>	510204		
		<b>Part No.</b>	510205
		<b>Ref. No.</b>	2910200 2910230 65002764
	swirl H 19mm ø 8mm H1 7mm		





1

<b>Part No.</b>	517525	<b>Ref. No.</b>	2910313
<b>description</b>	rinse jet H 9.6mm thread 1/16" NPT WS 10 code 5		
<b>For models:</b>	GKTS2600, KTS1900, KTS2400, WKT1200, WKTS		





 1			
<b>Part No.</b>	510206	<b>Ref. No.</b>	5510008
<b>description</b>	rinse jet holder		
<b>For models:</b>	GR1200, GR1400, GR62, GR62-1, GS10, GS100, GS100-1, GS10-2, GS12, GS22, GS27B, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS8, GS80, GS81, GS9, GS90, WBA		


 1			
<b>Part No.</b>	502040	<b>Ref. No.</b>	2910307 65002755
<b>description</b>	swirl H 16mm ø 6.5mm H1 4.5mm		
<b>For models:</b>	GS12, GS14, GS14E, GS15, GS15E, GS23, GS23H, GS24, GS27, GS27B, GS28, GS29, GS29B, GS630-McDonalds, GSR36, GSR36E, GSR36E-Mc-Donalds, GSR36-McDonalds, WKT1000		


 1			
<b>Part No.</b>	510205	<b>Ref. No.</b>	2910200 2910230 65002764
<b>description</b>	swirl H 19mm ø 8mm H1 7mm		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS22, GS23, GS23S, GS25, GS27, GS32, GS34, GS4, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS61, GS62, GS63...(Other models you can see in the webshop)		


 1			
<b>Part No.</b>	502029	<b>Ref. No.</b>	62001174
<b>description</b>	union nut		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GS630-McDonalds, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		
<b>accessories for</b>	502029		
	<b>Part No.</b>	502027	<b>Ref. No.</b> 62001153
	<b>description</b>	wash jet	
	<b>Part No.</b>	502028	<b>Ref. No.</b> 62001173
	<b>description</b>	wash jet complete	
	<b>Part No.</b>	502030	<b>Ref. No.</b> 2910515
	<b>description</b>	wash jet	
	<b>Part No.</b>	502040	<b>Ref. No.</b> 2910307 65002755
	<b>description</b>	swirl H 16mm ø 6.5mm H1 4.5mm	
	<b>Part No.</b>	502041	<b>Ref. No.</b> 2910308 65002754
	<b>description</b>	rinse jet	


 1			
<b>Part No.</b>	502026	<b>Ref. No.</b>	2910514
<b>description</b>	wash jet		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR62, GR62-1, GS23H, WKTS		


 1			
<b>Part No.</b>	502030	<b>Ref. No.</b>	2910515
<b>description</b>	wash jet		
<b>For models:</b>	GS28		

 1			
<b>Part No.</b>	502028	<b>Ref. No.</b>	62001173
<b>description</b>	wash jet complete		
<b>For models:</b>	GS24		


 1			
<b>Part No.</b>	517526	<b>Ref. No.</b>	70006984
<b>description</b>	wash jet for pre-rinsing H 104mm ø 14mm		
<b>For models:</b>	MTF, MTR		


 1			
<b>Part No.</b>	524522	<b>Ref. No.</b>	70003003
<b>description</b>	wash jet H 13mm ø 21mm		
<b>For models:</b>	WKTS		


 1			
<b>Part No.</b>	517695	<b>Ref. No.</b>	60001519
<b>description</b>	wash jet mounting pos. upper/lower H 13mm ø 20mm		
<b>For models:</b>	GR66, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400		


 1			
<b>Part No.</b>	501521	<b>Ref. No.</b>	62001154
<b>description</b>	wash arm mounting pos. lower thread ø 50mm L1 420mm		
<b>For models:</b>	GS24		




 <p>1</p>			
<b>Part No.</b>	517805	<b>Ref. No.</b>	30000199
<b>description</b>	wash arm support D1 ø 52mm D2 ø 15mm D3 ø 12mm		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		


 <p>1</p>			
<b>Part No.</b>	517756	<b>Ref. No.</b>	70004633
<b>description</b>	wash arm support mounting pos. lower ø 40mm H 140mm ID ø 33mm		
<b>For models:</b>	MTF, MTR, WKTS		

 <p>1</p>			
<b>Part No.</b>	502037	<b>Ref. No.</b>	3501198 61004059
<b>description</b>	wash arm support dimensions 38x34mm		
<b>For models:</b>	GKTS2600, GR1221, GR1231, GR1321, GR62-2, GR62-3, GS100-1, GS14, GS14E, GS15, GS15E, GS23S, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, GS81, KTS1900, KTS2400, WKT1000		


 <p>1</p>			
<b>Part No.</b>	517757	<b>Ref. No.</b>	62003406
<b>description</b>	wash arm support mounting pos. lower ø 77mm H 62mm ID ø 39mm		
<b>For models:</b>	GS202, GS402		


 <p>1</p>			
<b>Part No.</b>	517809	<b>Ref. No.</b>	62003020
<b>description</b>	wash arm support H 22mm L1 33mm W 36mm		
<b>For models:</b>	GS202, GS402		


 <p>1</p>			
<b>Part No.</b>	502058	<b>Ref. No.</b>	61005909 61006065
<b>description</b>	wash arm support mounting pos. upper set		
<b>For models:</b>	GS501, GS502, GS515		

 <p>1</p>			
<b>Part No.</b>	518667	<b>Ref. No.</b>	70011035
<b>description</b>	wash arm support H 30mm L1 105mm		

<b>Part No.</b>	502058	<b>Ref. No.</b>	61005909 61006065
<b>description</b>	wash arm support mounting pos. upper set		
<b>For models:</b>	GS501, GS502, GS515		
<b>spare parts for</b>	502058		
	<b>Part No.</b>	101503	<b>Ref. No.</b> 2707074
	O-ring EPDM thickness 2mm ID ø 32mm Qty 1 pcs		
	<b>Part No.</b>	507454	<b>Ref. No.</b> 60003021
	sealing ring for wash arm ø 57.8mm ID ø 53.4mm thickness 2mm		
	<b>Part No.</b>	532605	<b>Ref. No.</b> 2707072
	O-ring EPDM thickness 1.5mm ID ø 12mm Qty 1 pcs		


 <p>1</p>			
<b>Part No.</b>	517808	<b>Ref. No.</b>	62003287
<b>description</b>	wash arm support H 48mm L1 70mm W 58mm		
<b>For models:</b>	GS202, GS402		


 <p>1</p>			
<b>Part No.</b>	502150	<b>Ref. No.</b>	3501006 5506018
<b>description</b>	wash arm support mounting pos. upper thread 3/4"		
<b>For models:</b>	GR1200, GR1400, GR62, GR62-1, GS10, GS100, GS10-2, GS12, GS22, GS23, GS25, GS27, GS27B, GS32, GS34, GS4, GS40, GS405, GS41, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS8, GS80, GS9, GS90, WBA, WKTS		


 <p>1</p>			
<b>Part No.</b>	502161	<b>Ref. No.</b>	60003516
<b>description</b>	wash arm support mounting pos. lower		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		







			
1			
<b>Part No.</b>	502149	<b>Ref. No.</b>	61002263
<b>description</b>	wash arm support $\varnothing$ 25mm L 30mm		
<b>For models:</b>	BAVARIA2000, GS14, GS14E, GS15, GS15E, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS72, WKT1000		

			
1			
<b>Part No.</b>	502038	<b>Ref. No.</b>	61002270 61004060
<b>description</b>	wash arm support $\varnothing$ 38mm H 69.5mm thread 3/4"		
<b>For models:</b>	GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, WKT1200		

			
1			
<b>Part No.</b>	524847	<b>Ref. No.</b>	61002269
<b>description</b>	wash arm support $\varnothing$ 45mm H 28mm thread 3/4"		
<b>For models:</b>	GS72		

			
1			
<b>Part No.</b>	502204	<b>Ref. No.</b>	3501161
<b>description</b>	wash arm bearing hole $\varnothing$ 16mm H 24.5mm		
<b>For models:</b>	GR62, GR62-1, GR62-2, GR62-3, GR66, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS29, GS34, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS72, GS8, GS81		

## rinse arm shafts

			
1			
<b>Part No.</b>	502295	<b>Ref. No.</b>	61007023
<b>description</b>	rinse arm shaft for wash arm mounting pos. lower $\varnothing$ 18mm		

## handles and hand wheels

## handle rails


## WINTERHALTER

			
1			
<b>Part No.</b>	502155	<b>Ref. No.</b>	5515164 62001365
<b>description</b>	handle rail L 460mm W 52mm H 30mm suitable for GS24 blue hole distance 125mm Qty 1 pcs		
<b>For models:</b>	GS24		


			
1			
<b>Part No.</b>	502079	<b>Ref. No.</b>	5515163 62001804 620018041
<b>description</b>	handle rail L 600mm W 40mm H 30mm blue hole distance 155mm Qty 1 pcs		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B		

## handle rails

			
1			
<b>Part No.</b>	502155	<b>Ref. No.</b>	5515164 62001365
<b>description</b>	handle rail L 460mm W 52mm H 30mm suitable for GS24 blue hole distance 125mm Qty 1 pcs		
<b>For models:</b>	GS24		


			
1			
<b>Part No.</b>	502079	<b>Ref. No.</b>	5515163 62001804 620018041
<b>description</b>	handle rail L 600mm W 40mm H 30mm blue hole distance 155mm Qty 1 pcs		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B		

## accessories

			
1			
<b>Part No.</b>	502057	<b>Ref. No.</b>	62001948 62001953
<b>description</b>	gasket for handle rail L 595mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B		



bracket handles



1


<b>Part No.</b>	701049	<b>Ref. No.</b>	30000129
<b>description</b>	pull handle L 564mm H 55mm mounting distance 480mm thread M5 for dishwasher W 38mm kit		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-XL, UC-XL-McDonalds		



1

<b>Part No.</b>	502216	<b>Ref. No.</b>	60003522
<b>description</b>	pull handle L 590mm H 29mm mounting distance 510mm thread M5 with screws		
<b>For models:</b>	BAVARIA2000, GS215, GS302, GS310, GS315		

miscellaneous



1


<b>Part No.</b>	502061	<b>Ref. No.</b>	61005204 61008983
<b>description</b>	hood handle		
<b>For models:</b>	GS501, GS502, GS515		

locks

snap locks


producer-specific

WINTERHALTER



1

<b>Part No.</b>	511693	<b>Ref. No.</b>	70003998
<b>description</b>	snap lock L 65mm W 29.5mm H 32mm mounting distance 47mm for dishwasher plastic		
<b>For models:</b>	WKTS		



1

<b>Part No.</b>	701408	<b>Ref. No.</b>	70008012
<b>description</b>	snap lock L 68mm W 84mm complete		
<b>For models:</b>	MTF, MTR		

pullouts

rollers

rollers

accessories




1

<b>Part No.</b>	560133	<b>Ref. No.</b>	2101304
<b>description</b>	hexagonal nut thread M6 H 5mm WS 10 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS100-1, GS12, GS14, GS14E, GS15, GS15E, GS23S, GS24, GS28, GS40, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS501, GS502, GS515, GS61, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS70, GS72, Hydromat18, Hydromat25, KTS1900, KTS2400, MTF, STR, WKT1200, WKTS, ZU22		

equipment feet and end caps

screw-in feet



1

<b>Part No.</b>	696477	<b>Ref. No.</b>	60003097 60004274
<b>description</b>	equipment foot thread M8 thread L 67mm ø 24mm H 129mm WS 24 Qty 1 pcs		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

end caps and plugs

housing plugs



1

<b>Part No.</b>	692444	<b>Ref. No.</b>	2509322
<b>description</b>	plug ø 9mm H 16mm plastic Qty 1 pcs		
<b>For models:</b>	GS501, GS502, GS515		




## gaskets

## O-rings

## EPDM



<b>Part No.</b>	361304	<b>Ref. No.</b>	2707079
<b>description</b>	O-ring EPDM ID $\varnothing$ 11.11mm thickness 1.78mm Qty 1 pcs for type DIB3E/DIB5E		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-Mc-Donalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR, WKT1000, WKT1200		



<b>Part No.</b>	511695	<b>Ref. No.</b>	2707070
<b>description</b>	O-ring EPDM thickness 1.2mm ID $\varnothing$ 5mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GS202, GS215, GS302, GS310, GS315, GS402, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-Mc-Donalds		




<b>Part No.</b>	532605	<b>Ref. No.</b>	2707072
<b>description</b>	O-ring EPDM thickness 1.5mm ID $\varnothing$ 12mm Qty 1 pcs		
<b>For models:</b>	GS501, GS502, GS515		




<b>Part No.</b>	502033	<b>Ref. No.</b>	2707039
<b>description</b>	O-ring EPDM thickness 1.5mm ID $\varnothing$ 18mm Qty 1 pcs		
<b>For models:</b>	GR62, GR62-1, GS10, GS10-2, GS12, GS22, GS24, GS27B, GS28, GS32, GS34, GS40, GS405, GS41, GS41-3, GS61, GS7, GS70, GS71, GS72, GS8, GS81, GS9, WKTS		




<b>Part No.</b>	502168	<b>Ref. No.</b>	2707014
<b>description</b>	O-ring EPDM thickness 1.5mm ID $\varnothing$ 7mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GS23, GS25, GS27, GS4, GS41-1, GS41-4, GS41-4S, GS41-5, GS72, KTS1900, KTS2400, WKT1000, WKT1200, WKTS		




<b>Part No.</b>	528243	<b>Ref. No.</b>	5101278
<b>description</b>	O-ring EPDM thickness 1.78mm ID $\varnothing$ 15.6mm Qty 1 pcs		
<b>For models:</b>	DuoMatik		




<b>Part No.</b>	696735	<b>Ref. No.</b>	2707054
<b>description</b>	O-ring EPDM thickness 1mm ID $\varnothing$ 10mm Qty 1 pcs		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, MTF, MTR, STR		




<b>Part No.</b>	532662	<b>Ref. No.</b>	2707048
<b>description</b>	O-ring EPDM thickness 1mm ID $\varnothing$ 8mm Qty 1 pcs		
<b>For models:</b>	GS23S, GS24		




<b>Part No.</b>	532661	<b>Ref. No.</b>	30000723
<b>description</b>	O-ring EPDM thickness 2.5mm ID $\varnothing$ 10mm Qty 1 pcs		




<b>Part No.</b>	502134	<b>Ref. No.</b>	2707062
<b>description</b>	O-ring EPDM thickness 2.5mm ID $\varnothing$ 26mm Qty 1 pcs		
<b>For models:</b>	GR64, GR65, GR66, GR66-1, GS42, GS501, GS502, GS515, GS630-Mc-Donalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR, WKTS		




<b>Part No.</b>	532641	<b>Ref. No.</b>	2707006 2707035
<b>description</b>	O-ring EPDM thickness 2.5mm ID $\varnothing$ 42mm Qty 1 pcs		
<b>For models:</b>	GS24		


<b>Part No.</b>	528333	<b>Ref. No.</b>	2707010 2707019
<b>description</b>	O-ring EPDM thickness 2.62mm ID $\varnothing$ 13.1mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, ELT10, ELT10GS, GS42, GS72, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, H52, Mixing-battery, ZU22		




<b>Part No.</b>	527158	<b>Ref. No.</b>	2707080
<b>description</b>	O-ring EPDM thickness 2mm ID $\varnothing$ 10mm Qty 1 pcs		
<b>For models:</b>	GS202, GS302, GS310, GS315, GS402, GS501, GS502, GS515		




<b>Part No.</b>	504590	<b>Ref. No.</b>	2707077
<b>description</b>	O-ring EPDM thickness 2.62mm ID $\varnothing$ 18.72mm Qty 1 pcs		
<b>For models:</b>	MTF, MTR, STR, WKT1200, WKTS		




<b>Part No.</b>	510901	<b>Ref. No.</b>	30000251
<b>description</b>	O-ring EPDM thickness 2mm ID $\varnothing$ 13mm Qty 1 pcs		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		




<b>Part No.</b>	532058	<b>Ref. No.</b>	2707005 2707026 2707066 2707067 2707087
<b>description</b>	O-ring EPDM thickness 2.62mm ID $\varnothing$ 23.81mm Qty 10 pcs		
<b>For models:</b>	BAVARIA2000, GKTS2600, GM170, GM85, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66-1, GS10, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS22, GS28, GS29, GS302, GS310, GS315, GS32, GS34, GS40, GS402, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502...(Other models you can see in the webshop)		




<b>Part No.</b>	101503	<b>Ref. No.</b>	2707074
<b>description</b>	O-ring EPDM thickness 2mm ID $\varnothing$ 32mm Qty 1 pcs		
<b>For models:</b>	GS501, GS502, GS515		




<b>Part No.</b>	502036	<b>Ref. No.</b>	2707049 2707053 5101286
<b>description</b>	O-ring EPDM thickness 2.62mm ID $\varnothing$ 28.25mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, DuoMatik, GKTS2600, GR1221, GR1231, GR1321, GR62-2, GR62-3, GS100-1, GS14, GS14E, GS15, GS15E, GS23S, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS72, GS81, KTS1900, KTS2400, WKT1000, WKT1200		




<b>Part No.</b>	532642	<b>Ref. No.</b>	2707052
<b>description</b>	O-ring EPDM thickness 2mm ID $\varnothing$ 36mm Qty 1 pcs		
<b>For models:</b>	GS24		




<b>Part No.</b>	532047	<b>Ref. No.</b>	2707013
<b>description</b>	O-ring EPDM thickness 2.62mm ID $\varnothing$ 7.59mm Qty 10 pcs		
<b>For models:</b>	GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GS100-1, GS23S, GS24, GS40, GS42, GS61, GS62, GS63, GS64, GS65, GS70, KTS1900, KTS2400, WKT1000, WKT1200		




<b>Part No.</b>	361311	<b>Ref. No.</b>	2707012
<b>description</b>	O-ring EPDM thickness 2mm ID $\varnothing$ 6mm Qty 1 pcs for type N6		
<b>For models:</b>	BAVARIA2000, GS202, GS215, GS302, GS310, GS315, GS402, MTF, MTR, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		


<b>Part No.</b>	511322	<b>Ref. No.</b>	2707040
<b>description</b>	O-ring EPDM thickness 3.53mm ID ø 20.22mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1231, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS24, GS32, GS40, GS405, GS41, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS61, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS7, GS70, GS71, GS72, GS8, GS81, GS9, GS90, H52...(Other models you can see in the webshop)		




<b>Part No.</b>	528192	<b>Ref. No.</b>	2707064 2707086
<b>description</b>	O-ring EPDM thickness 3mm ID ø 56mm Qty 1 pcs		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		




<b>Part No.</b>	532604	<b>Ref. No.</b>	2707075
<b>description</b>	O-ring EPDM thickness 3.53mm ID ø 91.67mm Qty 1 pcs		
<b>For models:</b>	GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, MTF, MTR, STR		




<b>Part No.</b>	532644	<b>Ref. No.</b>	4004023
<b>description</b>	O-ring EPDM thickness 3mm ID ø 78mm Qty 1 pcs		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		




<b>Part No.</b>	528492	<b>Ref. No.</b>	2707068
<b>description</b>	O-ring EPDM thickness 3mm ID ø 17mm Qty 1 pcs		
<b>For models:</b>	GS202, GS302, GS310, GS315, GS402		




<b>Part No.</b>	510427	<b>Ref. No.</b>	5101427
<b>description</b>	O-ring EPDM thickness 3mm ID ø 83mm Qty 1 pcs		
<b>For models:</b>	RoMatik, RoMatik150		




<b>Part No.</b>	510563	<b>Ref. No.</b>	2707078
<b>description</b>	O-ring EPDM thickness 3mm ID ø 28mm Qty 1 pcs		
<b>For models:</b>	MTF, MTR, WKT1200, WKTS		




<b>Part No.</b>	532542	<b>Ref. No.</b>	2707008
<b>description</b>	O-ring EPDM thickness 4.5mm ID ø 29.5mm Qty 1 pcs		
<b>For models:</b>	GR64, GR65, GR66-1, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR, WKTS		




<b>Part No.</b>	502203	<b>Ref. No.</b>	2707007 2707043
<b>description</b>	O-ring EPDM thickness 3mm ID ø 51mm Qty 1 pcs		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100-1, GS12, GS14, GS14E, GS15, GS15E, GS22, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71...(Other models you can see in the webshop)		




<b>Part No.</b>	502031	<b>Ref. No.</b>	2707016
<b>description</b>	O-ring EPDM thickness 4mm ID ø 28mm Qty 1 pcs		
<b>For models:</b>	GR1200, GR1400, GR62, GR62-1, GS10, GS100, GS10-2, GS12, GS22, GS23, GS23H, GS25, GS27, GS27B, GS28, GS32, GS34, GS4, GS40, GS405, GS41, GS41-3, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS72, GS8, GS80, GS81, GS9, GS90, H52, WBA, WKTS		


<b>Part No.</b>	532643	<b>Ref. No.</b>	2707065
<b>description</b>	O-ring EPDM thickness 5mm ID ø 54mm Qty 1 pcs		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		



<b>Part No.</b>	532626	<b>Ref. No.</b>	2707092
<b>description</b>	O-ring EPDM thickness 6mm ID ø 34mm Qty 1 pcs		
<b>For models:</b>	GS630-McDonalds, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		




<b>Part No.</b>	532495	<b>Ref. No.</b>	2707015 2707037 2707069 2707088
<b>description</b>	O-ring EPDM thickness 7mm ID ø 43mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS27B, GS28, GS29, GS29B, GS32, GS34, GS4, GS40, GS405, GS41...(Other models you can see in the webshop)		



<b>Part No.</b>	503147	<b>Ref. No.</b>	3102216
<b>description</b>	pump cover gasket thickness 3.53mm ID ø 148.8mm Qty 1 pcs		
<b>For models:</b>	GS23, GS23H, GS23S, GS25, GS27, GS4		


### silicone




<b>Part No.</b>	510562	<b>Ref. No.</b>	2707071 2707085
<b>description</b>	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS630-McDonalds, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

## sealing washers


### fibre gaskets




<b>Part No.</b>	519125	<b>Ref. No.</b>	2703003
<b>description</b>	flat gasket FIBER ED ø 18mm ID ø 10mm thickness 1.5mm Qty 1 pcs equiv. no. 903400		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS23S, GS24, GS27, GS27B, GS28, GS29, GS29B, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42...(Other models you can see in the webshop)		



<b>Part No.</b>	502252	<b>Ref. No.</b>	2709033
<b>description</b>	flat gasket FIBER ED ø 18mm ID ø 11mm thickness 2mm Qty 1 pcs		





<b>Part No.</b>	508017	<b>Ref. No.</b>	2709009
<b>description</b>	flat gasket FIBER ED ø 24mm ID ø 17mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR66, GS10, GS100, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23H, GS23S, GS24, GS28, GS29, GS32, GS40, GS405, GS41, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS72, GS80, GS81, GS9, GS90, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, WKT1000...(Other models you can see in the webshop)		





<b>Part No.</b>	510417	<b>Ref. No.</b>	2704002 2709036
<b>description</b>	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS23S, GS24, GS27, GS27B, GS29, GS29B, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S...(Other models you can see in the webshop)		




			
1			
<b>Part No.</b>	521122	<b>Ref. No.</b>	2702011 2709011
<b>description</b>	flat gasket fibre ED ø 31mm ID ø 21.5mm thickness 2mm for thread 1/2" Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS27B, GS28, GS29, GS32, GS34, GS4, GS40, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42...(Other models you can see in the webshop)		



			
2			
<b>Part No.</b>	528134	<b>Ref. No.</b>	2702027 2709025
<b>description</b>	flat gasket fibre ED ø 34mm ID ø 27mm thickness 2mm for thread 3/4" Qty 1 pcs		
<b>For models:</b>	GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR66, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS29, GS29B, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS72, GS8, GS81, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, WKT1000		


			
1			
<b>Part No.</b>	506072	<b>Ref. No.</b>	2702023 2709021
<b>description</b>	flat gasket fibre ED ø 38mm ID ø 27mm thickness 2mm outflow for thread 1 1/4" Qty 1 pcs		
<b>For models:</b>	GS12, GS34		

			
1			
<b>Part No.</b>	502169	<b>Ref. No.</b>	2702010 2709010
<b>description</b>	gasket fibre ED ø 24mm ID ø 19.5mm thickness 1.5mm Qty 1 pcs		
<b>For models:</b>	GKTS2600, GM170, GM85, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS24, GS25, GS27, GS27B, GS28, GS32, GS34, GS4, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5...(Other models you can see in the webshop)		

rubber gaskets			
			
1			
<b>Part No.</b>	501001	<b>Ref. No.</b>	62001366
<b>description</b>	flat gasket rubber ED ø 24mm ID ø 17mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GR62-2, GR62-3, GR64, GR65, GR66, GS14, GS14E, GS15, GS15E, GS23S, GS24, GS29, GS29B, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, WKT1000, WKT1200, WKTS		

			
1			
<b>Part No.</b>	502144	<b>Ref. No.</b>	2701003
<b>description</b>	flat gasket rubber ED ø 36mm ID ø 26mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GKTS2600, GM170, GM85, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS22, GS24, GS28, GS29, GS29B, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS61...(Other models you can see in the webshop)		

			
1			
<b>Part No.</b>	504448	<b>Ref. No.</b>	2702001 2709002
<b>description</b>	flat gasket rubber ED ø 39mm ID ø 30mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	GKTS2600, GM170, GM85, GR1210, GR1220, GR1221, GR1230, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GS10, GS100, GS10-2, GS12, GS22, GS27B, GS28, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS8, GS80, GS9, GS90, KTS1900, KTS2400, WBA, WKT1000, WKT1200, WKTS		
<b>spare parts for</b>	504448		
	<b>Part No.</b>	517539	<b>Ref. No.</b> 2904228
drain fitting thread 1 1/4" ED ø 64mm ID ø 34mm L 62mm WS 45			

			
1			
<b>Part No.</b>	510878	<b>Ref. No.</b>	2701028
<b>description</b>	gasket rubber ED ø 23.5mm ID ø 14mm thickness 2.3mm Qty 1 pcs size 3/4"		
<b>For models:</b>	GR62-2, GR62-3, GS14, GS14E, GS15, GS15E, GS23S, GS29, GS41-1, GS41-4, GS41-4S, GS41-5, GS640, GS650, GS72, GSR36, GSR36E, MTF, MTR, STR, WKT1200, WKTS		



## plastic gaskets



<b>Part No.</b>	511659	<b>Ref. No.</b>	2704006
<b>description</b>	gasket plastic ED ø 27mm ID ø 21mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GR1200, GR1400, GS10, GS100, GS22, GS23, GS25, GS27, GS32, GS4, GS40, GS405, GS41, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS80, GS9, KTS1900, KTS2400, MTF, MTR, STR, WBA, WKT1000, WKT1200, WKTS		



<b>Part No.</b>	511694	<b>Ref. No.</b>	60004430
<b>description</b>	gasket plastic ED ø 52.2mm ID ø 48.4mm thickness 1.6mm for wash arm support Qty 1 pcs		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

## shaft gaskets

### v-rings



<b>Part No.</b>	697941	<b>Ref. No.</b>	2708003
<b>description</b>	V-ring ID ø 44mm ED ø 54mm thickness 9mm		
<b>For models:</b>	GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1		

## special gaskets


### door seals for dishwashers




<b>Part No.</b>	901498	<b>Ref. No.</b>	30000316 62003065
<b>description</b>	door seal L 433mm W 368mm Qty 1 for dishwasher suitable for WINTERHALTER silicone		
<b>For models:</b>	GS202, GS402		



<b>Part No.</b>	901497	<b>Ref. No.</b>	30000318 62003754
<b>description</b>	door seal L 435mm W 370mm for dishwasher suitable for WINTERHALTER silicone		
<b>For models:</b>	UC-S		



<b>Part No.</b>	519476	<b>Ref. No.</b>	30008733 60002704
<b>description</b>	door seal L 550mm W 445mm silicone long side open		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B		



<b>Part No.</b>	901151	<b>Ref. No.</b>	30000317 60003066 62003066
<b>description</b>	door seal L 565mm W 480mm H 6mm suitable for WINTERHALTER		
<b>For models:</b>	GS215, GS302, GS310, GS315		



<b>Part No.</b>	504368	<b>Ref. No.</b>	30000319 60004475
<b>description</b>	door seal L 576mm W 463mm Qty 1 for dishwasher suitable for WINTERHALTER silicone		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-XL, UC-XL-McDonalds		





1


<b>Part No.</b>	504408	<b>Ref. No.</b>	80003571
<b>description</b>	gasket set foam rubber		
<b>For models:</b>	GS502, GS515		

miscellaneous



1

<b>Part No.</b>	524848	<b>Ref. No.</b>	5101322
<b>description</b>	gasket suitable for WINTERHALTER for control head ED ø 14mm ID ø 9mm thickness 2.5mm		
<b>For models:</b>	DuoMatik		



1

<b>Part No.</b>	524915	<b>Ref. No.</b>	4007014
<b>description</b>	gasket suitable for WINTERHALTER for drain hose ED ø 60mm ID ø 35mm thickness 10mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS23, GS24, GS25, GS27, GS28, GS29, GS29B, GS4		

evaporators

accessories

miscellaneous




1

<b>Part No.</b>	801661	<b>Ref. No.</b>	3106221
<b>description</b>	fin comb for condensor/evaporator size inch 8"/9"/10"/12"/14"/15" seat ø 13mm thread M6x1.25 L 107mm WS 12		


springs

torsion springs



1


<b>Part No.</b>	502166	<b>Ref. No.</b>	62001189
<b>description</b>	torsion spring ø 18mm L2 65mm wire gauge ø 3mm mounting pos. right L1 18mm L3 65mm Qty 1 pcs		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		



1

<b>Part No.</b>	502163	<b>Ref. No.</b>	62001190
<b>description</b>	torsion spring ø 18mm L2 70mm wire gauge ø 3mm mounting pos. left L1 10mm L3 70mm Qty 1 pcs		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		


compression springs



1


<b>Part No.</b>	361649	<b>Ref. No.</b>	2804006
<b>description</b>	compression spring ø 7.6mm L 33mm wire gauge ø 0.75mm		
<b>For models:</b>	ELT10, ELT10GS, GS24, GS81		

miscellaneous



1


<b>Part No.</b>	502212	<b>Ref. No.</b>	60003998
<b>description</b>	repair kit for door mechanism ED ø 9mm H 12mm L 75mm W 42mm thread M5 wire gauge ø 1.5mm shaft diameter 6mm		
<b>For models:</b>	GS302, GS310, GS315, GS630-McDonalds, UC-L, UC-L-McDonalds, UCM, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		



1

<b>Part No.</b>	502242	<b>Ref. No.</b>	62001458 62002187
<b>description</b>	spring for catch shaft diametermm ømm L 76mm W 10mm Hmm wire gauge ø 0.5mm thickness 0.5mm aperture 5x15mm		
<b>For models:</b>	GS24, GS29, GS29B		


tension springs




1

<b>Part No.</b>	701127	<b>Ref. No.</b>	61004859 61006635
<b>description</b>	tension spring kit ø 32mm total length 565mm for hood		
<b>For models:</b>	GS501, GS502, GS515		



			
<b>Part No.</b>	502087	<b>Ref. No.</b>	60002782 60003697
<b>description</b>	tension spring ø 15mm total length 193mm wire gauge ø 1.6mm L1 14mm L2 165mm L3 14mm door mechanism		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS630-McDonalds, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		


			
<b>Part No.</b>	502199	<b>Ref. No.</b>	61006636
<b>description</b>	tension spring set ø 37mm total length 745mm wire gauge ø 6.2mm L1 1001mm L2 1570mm Qty 2 pcs		
<b>For models:</b>	GS502, GS515		

## dosing pumps

### peristaltic dosing pumps

#### ASF/THOMAS


##### spare parts

			
<b>Part No.</b>	361469	<b>Ref. No.</b>	3102157
<b>description</b>	roller assembly type SR25 2/4/6l/h		
<b>For models:</b>	SP80		

#### SAIER


##### built-in version

##### without control


			
<b>Part No.</b>	361830 <sup>1</sup>	<b>Ref. No.</b>	30000027 3102430 80002619
<b>description</b>	dosing pump without control 10l/h 230VAC detergent hose ø 6.3mm hose type PVC type DSP9911/10-E 65W intake lancette inclusive		
<b>For models:</b>	ESP166, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		

<sup>1</sup>with accessories

##### spare parts


			
<b>Part No.</b>	698513	<b>Ref. No.</b>	3102459
<b>description</b>	pump hose detergent hose ø 4,8x8mm L 140mm 4,8x8		
<b>For models:</b>	ESP166, ESP166C, SP166L, SP166Z, SP16K, SP70R		


### accessories

			
<b>Part No.</b>	361813	<b>Ref. No.</b>	3118089
<b>description</b>	housing for dosing pump		
<b>For models:</b>	KSP16		


### piston pumps

#### dosing pumps


			
<b>Part No.</b>	361597	<b>Ref. No.</b>	3102598
<b>description</b>	dosing pump type DB 115-230V rinse aid inlet 6mm outlet 6mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

			
<b>Part No.</b>	361596	<b>Ref. No.</b>	3102590 3102597
<b>description</b>	dosing pump type DT 115-230V detergent inlet 6mm outlet 6mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS502, GS515, GS630-McDonalds, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		



			
1			
<b>Part No.</b>	361235 <sup>1</sup>	<b>Ref. No.</b>	3107012 5525005 5528278 80000554 80000555
<b>description</b>	dosing pump type ELT 20 180-260V rinse aid/detergent inlet 6mm outlet 6mm WINTERHALTER		
<b>For models:</b>	ELT10, ELT10GS, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS27B, GS28, GS29, GS29B, GS32, GS34, GS4, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502...(Other models you can see in the webshop)		

<sup>1</sup>with accessories


			
2			
<b>Part No.</b>	361236	<b>Ref. No.</b>	3102450 3102453
<b>description</b>	dosing pump type MP28 rinse aid/detergent WINTERHALTER		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS640, GS650, GS660		


## membrane dosing pumps

### self-priming


LANG

### spare parts

			
1			
<b>Part No.</b>	361311	<b>Ref. No.</b>	2707012
<b>description</b>	O-ring EPDM thickness 2mm ID ø 6mm Qty 1 pcs for type N6		
<b>For models:</b>	BAVARIA2000, GS202, GS215, GS302, GS310, GS315, GS402, MTF, MTR, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		


<b>SEKO</b>			
spare parts			
			
1			
<b>Part No.</b>	361304	<b>Ref. No.</b>	2707079
<b>description</b>	O-ring EPDM ID ø 11.11mm thickness 1.78mm Qty 1 pcs for type DIB3E/DIB5E		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-Mc-Donalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR, WKT1000, WKT1200		


### self-priming with supporting pressure

<b>SEKO</b>			
			
1			
<b>Part No.</b>	361304	<b>Ref. No.</b>	2707079
<b>description</b>	O-ring EPDM ID ø 11.11mm thickness 1.78mm Qty 1 pcs for type DIB3E/DIB5E		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-Mc-Donalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR, WKT1000, WKT1200		

## accessories

### intake lances

			
1			
<b>Part No.</b>	361904	<b>Ref. No.</b>	30000011
<b>description</b>	intake lance kit L 425mm plastic tube ø 25mm hose ø 5/7mm cable length 3000mm rinse aid		
<b>For models:</b>	GS640-McDonalds, GS650-McDonalds, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

			
1			
<b>Part No.</b>	361889	<b>Ref. No.</b>	30000010
<b>description</b>	intake lance L 425mm tube ø 25mm hose ø 6x8mm cable length 3000mm for detergent		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		




hoses

supply hoses

stainless steel flexi hoses

universal hoses



<b>Part No.</b>	520007	<b>Ref. No.</b>	2901303 2901316 2901321
<b>description</b>	flex hose SS braid straight-curved DN15 connection 1: 3/4" connection 2: 3/4" L 2500mm approval operating p. 10bar test pressure 32bar burst p. 95bar		
<b>For models:</b>	GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS100-1, GS12, GS14, GS14E, GS15, GS15E, GS23H, GS23S, GS24, GS28, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, KTS1900, KTS2400, MonoMatik		


drain hoses



<b>Part No.</b>	530338	<b>Ref. No.</b>	4001039
<b>description</b>	drain hose DN19 L 1500mm A int. ø 19/23/40mm A ext. ø 45mm B int. ø 22mm B ext. ø 26mm outer hose ø 24mm		
<b>For models:</b>	GR62-2, GR62-3, GS14, GS14E, GS15, GS15E, GS23S, GS24, GS29, GS29B, GS42		



<b>Part No.</b>	530064	<b>Ref. No.</b>	4001045 60003738
<b>description</b>	drain hose DN19 L 1500mm straight ø inside 19/23/40mm straight ext. ø 24/28/46mm elbow ø inside 22mm elbow ext. ø 26mm outer hose ø 24mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS630-McDonalds, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		



<b>Part No.</b>	502100	<b>Ref. No.</b>	61006446
<b>description</b>	drain hose DN32 L 1500mm straight ø inside 33mm straight ext. ø 39mm elbow ø inside 40mm elbow ext. ø 44mm outer hose ø 38mm		
<b>For models:</b>	GS501, GS502, GS515		




<b>Part No.</b>	502143	<b>Ref. No.</b>	5528287 61005531
<b>description</b>	drain hose DN32 L 1600mm straight ø inside 33mm straight ext. ø 39mm elbow ø inside 40mm elbow ext. ø 43mm outer hose ø 40mm kit		
<b>For models:</b>	GS501, GS502, GS515		

industrial hoses

PVC hoses

PVC braided hoses



<b>Part No.</b>	570500	<b>Ref. No.</b>	4001015
<b>description</b>	PVC braided hose ID ø 16mm ED ø 23mm thickness 4mm operating p. 15bar		
<b>For models:</b>	GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GS10, GS22, GS32, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS7, GS9, GS90, MTF, MTR, WKT1000, WKT1200, WKTS		


extraction and pressure hoses



<b>Part No.</b>	530466	<b>Ref. No.</b>	4002009
<b>description</b>	universal hose ID ø 40mm ED ø 53mm L 1m operating p. 10bar burst p. 30bar temp.-resist. -30 up to +80°C		
<b>For models:</b>	GR66, GS23H, MTF, MTR, WKTS		



water and beverage technology



1

<b>Part No.</b>	530465	<b>Ref. No.</b>	4002006
<b>description</b>	universal hose ID $\varnothing$ 50mm ED $\varnothing$ 64mm L 1m operating p. 10bar burst p. 30bar temp.-resist. -30 up to +80°C		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR64, GR65, GR66-1, GS10, GS22, GS32, GS40, GS405, GS41, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS61, GS62, GS63, GS64, GS640, GS640-McDonalds, GS65, GS650, GS650-McDonalds, GS660, GS7, GS70, GS71, GS9, GS90, KTS1900, KTS2400, MTF, MTR, STR...(Other models you can see in the webshop)		




1

<b>Part No.</b>	518211	<b>Ref. No.</b>	4002007 5505026 5505032
<b>description</b>	formed hose straight Qty supplied by meter hose ext. $\varnothing$ 70mm hose int. $\varnothing$ 60mm dishwasher		
<b>For models:</b>	GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR66, GR66-1, GS100, GS100-1, GS40, GS405, GS41, GS61, GS62, GS63, GS64, GS65, GS660, GS70, GS71, GS72, GS80, GS81, GS90, KTS1900, KTS2400, WKT1000		

## formed hoses

### straight



1


<b>Part No.</b>	502247	<b>Ref. No.</b>	60003025 60004591
<b>description</b>	formed hose		
<b>For models:</b>	GS215, GS302, GS310, GS315, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-XL, UC-XL-McDonalds		

### form L



1

<b>Part No.</b>	517546	<b>Ref. No.</b>	70006835
<b>description</b>	formed hose end piece A ext. $\varnothing$ 25mm end piece A int. $\varnothing$ 22mm AD2 $\varnothing$ 17mm $\varnothing$ end piece B 13mm L 180mm EPDM warewashing L-shape		
<b>For models:</b>	MTF, MTR		



1

<b>Part No.</b>	503188	<b>Ref. No.</b>	60003155
<b>description</b>	formed hose hose ext. $\varnothing$ 20mm hose int. $\varnothing$ 13mm EPDM		
<b>For models:</b>	GS215, GS302, GS310, GS315		




1

<b>Part No.</b>	502246	<b>Ref. No.</b>	80001902
<b>description</b>	formed hose end piece A ext. $\varnothing$ 32mm end piece A int. $\varnothing$ 24mm AD2 $\varnothing$ 32mm $\varnothing$ end piece B 24mm L 150mm Qty 1 L-shape		
<b>For models:</b>	GR66, GS41-5, GS42, GS501, GS502, GS515, GS72, KTS1900, KTS2400, WKT1200, WKTS		



1

<b>Part No.</b>	502177	<b>Ref. No.</b>	61005530
<b>description</b>	formed hose hose ext. $\varnothing$ 57mm hose int. $\varnothing$ 49mm L 390mm black Qty 1		
<b>For models:</b>	GS501, GS502, GS515, STR		



1

<b>Part No.</b>	524840	<b>Ref. No.</b>	65005108
<b>description</b>	formed hose end piece A ext. $\varnothing$ 33mm end piece A int. $\varnothing$ 26mm AD2 $\varnothing$ 33mm $\varnothing$ end piece B 26mm L 620mm Qty 1 warewashing L-shape		
<b>For models:</b>	GR64, GR65, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		




1

<b>Part No.</b>	524692	<b>Ref. No.</b>	61005994
<b>description</b>	formed hose end piece A ext. ø 47mm end piece A int. ø 36mm AD2 ø 47mm ø end piece B 36mm L 215mm Qty 1 warewashing L-shape		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>Part No.</b>	699220	<b>Ref. No.</b>	65004103
<b>description</b>	formed hose end piece A ext. ø 76mm end piece A int. ø 61mm AD2 ø 74mm ø end piece B 59mm L 175mm EPDM Qty 1		
<b>For models:</b>	GR64, GR65, GS640, GS640-McDonalds, GS650, GS650-McDonalds, STR		



1

<b>Part No.</b>	502085	<b>Ref. No.</b>	61005703
<b>description</b>	formed hose L 150mm L hose ext. ø 33mm hose int. ø 25mm		
<b>For models:</b>	GS501, GS502, GS515		



1


<b>Part No.</b>	502084	<b>Ref. No.</b>	61004904
<b>description</b>	formed hose L 285mm L		
<b>For models:</b>	GS501, GS502, GS515		



1


<b>Part No.</b>	502089	<b>Ref. No.</b>	61004903
<b>description</b>	formed hose L-shape hose ext. ø 78mm hose int. ø 62mm		
<b>For models:</b>	GS501, GS502, GS515		

### with branch



1

<b>Part No.</b>	502115	<b>Ref. No.</b>	5528221 62001811
<b>description</b>	conversion kit		
<b>For models:</b>	GS29, GS29B		



1

<b>Part No.</b>	524842	<b>Ref. No.</b>	60003831
<b>description</b>	formed hose ext. ø 20/31 with piggyback L 560mm warewashing black Qty 1		
<b>For models:</b>	GS215, GS302, GS310, GS315		



1

<b>Part No.</b>	524634	<b>Ref. No.</b>	61005287 61006333
<b>description</b>	rinse hose ø 19/20mm L 1100mm EPDM		
<b>For models:</b>	GS501, GS502, GS515		



## form S



1			
<b>Part No.</b>	507456	<b>Ref. No.</b>	4003017
<b>description</b>	extraction hose hose ext. ø 80mm hose int. ø 60mm L 240mm rubber S-shape		
<b>For models:</b>	GS10, GS22, GS32, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS7, GS70, GS71, GS9		



1			
<b>Part No.</b>	524913	<b>Ref. No.</b>	60003158
<b>description</b>	formed hose hose ext. ø 14/17mm hose int. ø 10/13mm L 460mm EPDM S-shape		
<b>For models:</b>	GS215, GS302, GS310, GS315, GS501, GS502, GS515		



1			
<b>Part No.</b>	507457	<b>Ref. No.</b>	61003887
<b>description</b>	formed hose hose ext. ø 27mm hose int. ø 22mm S-shape		
<b>For models:</b>	GS42		



1			
<b>Part No.</b>	519495	<b>Ref. No.</b>	62002804
<b>description</b>	formed hose hose ext. ø 32/42mm hose int. ø 24/36mm L 100mm inlet hose		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B		



1			
<b>Part No.</b>	502178	<b>Ref. No.</b>	60002973
<b>description</b>	formed hose hose ext. ø 33.5mm hose int. ø 25.5mm L 131mm EPDM Qty 1 S-shape		
<b>For models:</b>	GS215, GS302, GS310, GS315		



1			
<b>Part No.</b>	699219	<b>Ref. No.</b>	62001573
<b>description</b>	formed hose ID ø 13.5mm hose ext. ø 20mm L 335mm Qty 1		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS23S, GS24, GS29		



1			
<b>Part No.</b>	524468	<b>Ref. No.</b>	65004450 65004664
<b>description</b>	formed hose ID ø 60mm ED ø 72mm L 375mm S-shape Qty 1 black		
<b>For models:</b>	GR66-1, GS660		

## form U



1			
<b>Part No.</b>	524914	<b>Ref. No.</b>	4003031 4003050
<b>description</b>	formed hose ext. ø 20 L 1310mm for dishwasher		
<b>For models:</b>	GR1200, GR1400, GR1410, GR1420, GR1430, GR62-2, GR62-3, GS100-1, GS12, GS23S, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS61, GS70, GS71, GS72, GS81, GS90, KTS1900, KTS2400, WKT1200, WKTS		



1			
<b>Part No.</b>	699218	<b>Ref. No.</b>	65004027 70300392
<b>description</b>	formed hose ext. ø 35.5 D1 ø 25mm D2 ø 25mm L 210mm Qty 1		
<b>For models:</b>	GR64, GR65, GR66-1, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, STR		



miscellaneous



1

<b>Part No.</b>	502213	<b>Ref. No.</b>	61005049
<b>description</b>	formed hose D1 ø 32mm D2 ø 24mm L 890mm dishwasher black Qty 1		
<b>For models:</b>	GS501, GS502, GS515, GS660		



1

<b>Part No.</b>	524651	<b>Ref. No.</b>	62001413
<b>description</b>	formed hose ext. ø 50 ID ø 38mm L 370mm for drain		
<b>For models:</b>	GS24, GS29, GS29B		



1

<b>Part No.</b>	524469	<b>Ref. No.</b>	4003040
<b>description</b>	formed hose ID ø 38mm ED ø 46mm L 360mm U-bend warewashing black		
<b>For models:</b>	GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS34, GS8		



1

<b>Part No.</b>	524467	<b>Ref. No.</b>	65005070 65005612
<b>description</b>	formed hose ID ø 50mm ED ø 58mm L 630mm for drain EPDM warewashing black		
<b>For models:</b>	GS640, GS640-McDonalds, GS650, GS650-McDonalds		

for dishwashers

miscellaneous



1

<b>Part No.</b>	530518	<b>Ref. No.</b>	70006831
<b>description</b>	formed hose ED ø 64mm ID ø 52mm L 540mm		
<b>For models:</b>	MTF, MTR		





## fittings, hose and pipe connectors

### hose connectors

#### without screw connection



1

<b>Part No.</b>	698507	<b>Ref. No.</b>	2906508 70010079 70010598
<b>description</b>	T-piece plastic hose ø 13-13-13mm ID ø 10mm L 67mm		
<b>For models:</b>	GR1200, GR1400, GR1410, GR1420, GR1430, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS14, GS14E, GS15, GS15E, GS202, GS215, GS23S, GS24, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS62, GS63, GS64, GS640, GS640-McDonalds, GS65, GS650, GS650-McDonalds, GS660, KTS1900, KTS2400, MTF, MTR, STR, WKT1200, WKTS		

### fittings

#### double nipples



1

<b>Part No.</b>	520874	<b>Ref. No.</b>	3011206 61003430
<b>description</b>	reducer SS thread 1/2" - 3/4" Qty 1 pcs L1 27mm WS 27		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1320, GR1321, GR62-2, GR62-3, GR63, GR63-1, GS12, GS34, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS62, GS63, GS64, GS65, GS71, GS72, GS81, MTF, MTR, STR, WKT1000, WKT1200, WKTS		



1

<b>Part No.</b>	520969	<b>Ref. No.</b>	80002167
<b>description</b>	double nipple		
<b>For models:</b>	BAVARIA2000, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS14, GS14E, GS15, GS15E, GS202, GS215, GS23S, GS24, GS29, GS29B, GS302, GS310, GS315, GS402, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, RoMatik, RoMatik150, STR, UC-L, UC-L-McDonalds, UC-M...(Other models you can see in the webshop)		

### hose connectors

#### producer-specific



1

<b>Part No.</b>	511456	<b>Ref. No.</b>	2906200 2906500
<b>description</b>	hose connector angled		
<b>For models:</b>	GM170, GM85, GR62, GR62-1, GS10, GS100, GS22, GS32, GS40, GS405, GS41, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS80, GS9, GS90		



1

<b>Part No.</b>	523076	<b>Ref. No.</b>	62001329
<b>description</b>	T-piece connection 25/14.5/14.5mm L 75mm		
<b>For models:</b>	BAVARIA2000, GR64, GR65, GR66, GR66-1, GS24, GS29B, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		



1

<b>Part No.</b>	502093	<b>Ref. No.</b>	3501156 5531007
<b>description</b>	water inlet 3-piece for tank		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10-2, GS12, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS61, GS62, GS63, GS64, GS640, GS640-McDonalds, GS65, GS650, GS650-McDonalds, GS660, GS70, GS71, GS72, GS8, GS90, GSR36...(Other models you can see in the webshop)		

### water softeners

#### pre-filters



1

<b>Part No.</b>	520873	<b>Ref. No.</b>	30000591 RoMatik XS puRo
<b>description</b>	pre-filter for reverse osmosis device RoMatik XS		



## beverage technology

### valves

#### non-return valves



1

<b>Part No.</b>	440025	<b>Ref. No.</b>	5101506
<b>description</b>	non-return valve John Guest pipe connection 3/8" - ø10mm POM		
<b>For models:</b>	RoMatik, RoMatik150		


## water cycle components

### supply filters



1

<b>Part No.</b>	520882	<b>Ref. No.</b>	80002153
<b>description</b>	supply filter thread 3/4" IT - 3/4" ET total length 175mm plastic type PA6.6 GV35		
<b>For models:</b>	BAVARIA2000, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS100-1, GS14, GS14E, GS15, GS15E, GS202, GS215, GS23S, GS24, GS29, GS29B, GS302, GS310, GS315, GS402, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72, GSR36, GSR36E, GSR36E-Mc-Donalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, RoMatik, RoMatik150, STR, UC-L, UC-L-McDonalds...(Other models you can see in the webshop)		

<b>spare parts for</b>	520882		
	<b>Part No.</b>	524652	<b>Ref. No.</b>
			80002728
	screen ø 27mm H 68mm suitable for supply filter Winterhalter 3/4"		



1

<b>Part No.</b>	524652	<b>Ref. No.</b>	80002728
<b>description</b>	screen ø 27mm H 68mm suitable for supply filter Winterhalter 3/4"		
<b>For models:</b>	BAVARIA2000, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS14, GS14E, GS15, GS15E, GS202, GS215, GS23S, GS24, GS29, GS29B, GS302, GS310, GS315, GS402, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72, GSR36, GSR36E, GSR36E-Mc-Donalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, RoMatik, RoMatik150, STR, UC-L, UC-L-McDonalds, UC-M...(Other models you can see in the webshop)		

## ancillary products

### clamps

#### hose clamps

##### DIN 3017 - W2



1

<b>Part No.</b>	520112	<b>Ref. No.</b>	2802011 2802108 30000711
<b>description</b>	hose clamp ø 12-20mm width 9mm Qty 10 pcs DIN 3017		
<b>For models:</b>	GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS23H, GS23S, GS24, GS27B, GS28, GS29, GS29B, GS302, GS310, GS315, GS402, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS62, GS63, GS64, GS640, GS65, GS650, GS660...(Other models you can see in the webshop)		



1

<b>Part No.</b>	520114	<b>Ref. No.</b>	2802109
<b>description</b>	hose clamp ø 20-32mm width 9mm Qty 10 pcs DIN 3017		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-WKT(S)-90-180, GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100-1, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS22, GS29, GS29B, GS302, GS310, GS315, GS32, GS34, GS40, GS402, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S...(Other models you can see in the webshop)		



1


<b>Part No.</b>	520116	<b>Ref. No.</b>	2802110
<b>description</b>	hose clamp ø 32-50mm width 9mm Qty 5 pcs DIN 3017		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-MTR-STR-180, Eckfoerderer-MTR-STR-90, GKTS2600, GM170, GM85, GR1200, GR1221, GR1231, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS27B, GS28, GS29, GS29B, GS302, GS310, GS315, GS32, GS34...(Other models you can see in the webshop)		



1

<b>Part No.</b>	520119	<b>Ref. No.</b>	2802120 2802137 2802308
<b>description</b>	hose clamp ø 60-80mm width 9mm Qty 5 pcs DIN 3017		
<b>For models:</b>	BAVARIA2000, GKTS2600, GM170, GM85, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS29, GS29B, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501...(Other models you can see in the webshop)		


DIN 3017 - W4



1

<b>Part No.</b>	520120	<b>Ref. No.</b>	2802105
<b>description</b>	hose clamp SS W4 ø 12-20mm width 9mm Qty 1 pcs DIN 3017		
<b>For models:</b>	BAVARIA2000, GR62-2, GR62-3, GS14, GS14E, GS15, GS15E, GS202, GS215, GS23S, GS24, GS29, GS302, GS310, GS315, GS402, GS41-4, GS41-4S, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, RoMatik150, Solidos, STR, WKT1000, WKT1200, WKTS		


miscellaneous



1

<b>Part No.</b>	504026	<b>Ref. No.</b>	2802115 2802117 30001243
<b>description</b>	hose clamp stainless steel ø 47-67mm width 12mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-WKT(S)-90-180, GKTS2600, GM170, GM85, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS10, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS22, GS24, GS29, GS29B, GS302, GS310, GS315, GS32, GS34, GS402, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GS640...(Other models you can see in the webshop)		

double wire clamps




1

<b>Part No.</b>	699225	<b>Ref. No.</b>	2802348
<b>description</b>	wire clamp clamping range 7.5-8.6mm nominal-ø 8.6mm wire gauge ø 1mm zinc-coated steel Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS22, GS23, GS23H, GS23S, GS24, GS27, GS27B, GS28, GS29, GS29B, GS302, GS310, GS315, GS32, GS40, GS402, GS405, GS41, GS41-3, GS41-4...(Other models you can see in the webshop)		


## reverse osmosis

### spare parts



1

<b>Part No.</b>	520535	<b>Ref. No.</b>	5101446
<b>description</b>	maintenance set for reverse osmosis device 2x pre-filter/descaler RoMatik 150		
<b>For models:</b>	RoMatik, RoMatik150		



1

<b>Part No.</b>	520873	<b>Ref. No.</b>	30000591 RoMatik XS puRo
<b>description</b>	pre-filter for reverse osmosis device RoMatik XS		

## tools

### hand tools

#### fin combs




1

<b>Part No.</b>	801661	<b>Ref. No.</b>	3106221
<b>description</b>	fin comb for condensor/evaporator size inch 8"/9"/10"/12"/14"/15"" seat ø 13mm thread M6x1.25 L 107mm WS 12		

## measuring equipment

### thermometers


#### built-in thermometers



1


<b>Part No.</b>	541058	<b>Ref. No.</b>	3201010 3201023 3201036
<b>description</b>	thermometer mounting measurements 58x25.5mm 0 up to +85°C		
<b>For models:</b>	GS100-1, GS12, GS34, GS41-1, GS41-4, GS41-4S, GS72, WKT1000, WKT1200, WKTS		




1 

<b>Part No.</b>	541057	<b>Ref. No.</b>	3201022 3201035
<b>description</b>	thermometer mounting measurements 58x25.5mm 0 up to +90°C capillary pipe 2500mm probe ø 8.4mm probe L 58mm		
<b>For models:</b>	GS100-1, GS12, GS34, GS41-1, GS41-4, GS41-4S, GS72, WKT1000, WKT1200, WKTS		

ø60mm

1 

<b>Part No.</b>	541055	<b>Ref. No.</b>	3201009 3201016
<b>description</b>	thermometer mounting ø 60mm t.max. 55°C 0 up to +55°C probe ø 6mm probe L 13mm capillary pipe 2500mm		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR63, GR63-1, GS12, GS34, GS40, GS405, GS41, GS41-3, GS61, GS62, GS63, GS64, GS65, GS70, GS71, GS81, GS90		

1 

<b>Part No.</b>	541056	<b>Ref. No.</b>	3201017
<b>description</b>	thermometer mounting ø 60mm t.max. 85°C 0 up to +85°C probe ø 6mm probe L 13mm capillary pipe 2500mm		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR63, GR63-1, GS100, GS12, GS34, GS405, GS41, GS41-3, GS62, GS63, GS64, GS65, GS71, GS80, GS81, GS90		


## fastening material

### screws

#### sheet metal screws


1 

<b>Part No.</b>	560096	<b>Ref. No.</b>	2020302
<b>description</b>	sheet metal screws ø 2.9mm L 13mm SS Qty 20 pcs DIN 7981/ ISO 7049 head ø 5.6mm oval head		
<b>For models:</b>	GR1200, GR1400, GR64, GR65, GR66, GR66-1, GS23S, GS24, GS62, GS63, GS64, GS640, GS640-McDonalds, GS65, GS650, GS650-McDonalds, GS660		

1 

<b>Part No.</b>	560249	<b>Ref. No.</b>	2021302
<b>description</b>	sheet metal screws ø 3.9mm L 13mm SS Qty 20 pcs DIN 7982/ ISO 7050 intake Phillips head ø 7.5mm		
<b>For models:</b>	GM170, GM85, GS14, GS14E, GS15, GS15E, GS202, GS215, GS29, GS29B, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR		

#### flat-headed bolts

1 

<b>Part No.</b>	560365	<b>Ref. No.</b>	2010010 2010310
<b>description</b>	flat-headed bolt thread M4 thread L 8mm SS DIN 7985/ISO 7045 Qty 1 pcs intake Phillips head ø 8mm head thickness 3mm		
<b>For models:</b>	BAVARIA2000, DuoMatik, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR63, GR63-1, GS10, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23H, GS23S, GS24, GS29, GS29B, GS32, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS630-McDonalds, GS7, GS72, GS8, GS9, KTS1900, KTS2400, MTF, MTR, STR, UC-L, UC-L-Mc-Donalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds, WKT1000, WKTS		



## hexagonal screws



1

<b>Part No.</b>	560309	<b>Ref. No.</b>	2001352 3008200
<b>description</b>	hexagonal screw thread M10 thread L 16mm SS WS 17 Qty 1 pcs DIN 933 / ISO 4017		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS27B, GS28, GS29, GS29B, GS32, GS4, GS40, GS40S, GS41, GS41-1...(Other models you can see in the webshop)		



2

<b>Part No.</b>	560087	<b>Ref. No.</b>	2001306
<b>description</b>	hexagonal screw thread M6 thread L 16mm SS WS 10 Qty 20 pcs DIN 933 / ISO 4017		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-MTR-STR-180, Eckfoerderer-MTR-STR-90, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS100, GS100-1, GS14, GS14E, GS15, GS15E, GS23S, GS24, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72, GS80, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, Hydromat18, Hydromat25, KTS1900...(Other models you can see in the webshop)		



1

<b>Part No.</b>	560088	<b>Ref. No.</b>	2001363
<b>description</b>	hexagonal screw thread M6 thread L 20mm SS WS 10 Qty 20 pcs DIN 933 / ISO 4017		

## cylinder head bolts

## DIN 912/ISO 4762



1

<b>Part No.</b>	560315	<b>Ref. No.</b>	2003307
<b>description</b>	cylinder head bolt thread M5 thread L 12mm WS 4 SS Qty 20 pcs DIN 912/ISO 4762		
<b>For models:</b>	GS215, GS302, GS310, GS315		

## side bolts



1

<b>Part No.</b>	560473	<b>Ref. No.</b>	2010308 30000373
<b>description</b>	side bolts thread M5 L 33mm brass Qty 1 pcs intake torx head ø 12mm		
<b>For models:</b>	Eckfoerderer-MTR-STR-180, Eckfoerderer-MTR-STR-90, GS202, GS215, GS302, GS310, GS315, GS402, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds, WKTS		

## grub screws

## miscellaneous



1

<b>Part No.</b>	560469	<b>Ref. No.</b>	2030304
<b>description</b>	grub screw thread M6 L 8mm stainless steel intake internal hexagon Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-MTR-STR-180, Eckfoerderer-MTR-STR-90, Eckfoerderer-WKT(S)-90-180, GKTS2600, GR1320, GR1321, GR62, GR62-1, GR62-2, GR62-3, KTS1900, KTS2400, MTF, MTR, STR, WKT1000, WKT1200, WKTS		

## nuts

## plate nuts



1

<b>Part No.</b>	560472	<b>Ref. No.</b>	2117303
<b>description</b>	plate nut hole ø 3.1mm L 13mm W 8mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS24		

## hexagonal nuts


## DIN 934 / ISO 4032/8673





1

<b>Part No.</b>	560131	<b>Ref. No.</b>	2101302 2102302
<b>description</b>	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		
<b>For models:</b>	BAVARIA2000, ELT10, ELT10GS, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR63, GR63-1, GS10, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23H, GS23S, GS24, GS28, GS32, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS7, GS72, GS9, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, Solidos, STR, WKT1000, WKTS, ZU22		





			
1			
<b>Part No.</b>	560129	<b>Ref. No.</b>	2105302
<b>description</b>	hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		


			
1			
<b>Part No.</b>	560132	<b>Ref. No.</b>	2101203 2101303
<b>description</b>	hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-WKT(S)-90-180, GKTS2600, GR1231, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS22, GS23H, GS23S, GS24, GS28, GS29, GS29B, GS302, GS310, GS315, GS32, GS402, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS62, GS63, GS630-Mc-Donalds... (Other models you can see in the webshop)		


			
1			
<b>Part No.</b>	511212	<b>Ref. No.</b>	2101309
<b>description</b>	hexagonal nut thread M6 H 5mm WS 10 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		
<b>For models:</b>	GS24, GS28, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

			
1			
<b>Part No.</b>	560133	<b>Ref. No.</b>	2101304
<b>description</b>	hexagonal nut thread M6 H 5mm WS 10 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS100-1, GS12, GS14, GS14E, GS15, GS15E, GS23S, GS24, GS28, GS40, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS501, GS502, GS515, GS61, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS70, GS72, Hydromat18, Hydromat25, KTS1900, KTS2400, MTF, STR, WKT1200, WKTS, ZU22		

			
1			
<b>Part No.</b>	560134	<b>Ref. No.</b>	2301005 2303301
<b>description</b>	hexagonal nut thread M8 H 6.5mm WS 13 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-WKT(S)-90-180, GKTS2600, GR1221, GR1231, GR1321, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS24, GS302, GS310, GS315, GS402, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS8, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, STR, WKT1000... (Other models you can see in the webshop)		

DIN 985			
			
1			
<b>Part No.</b>	560140	<b>Ref. No.</b>	2105300
<b>description</b>	hexagonal nut thread M4 H 4.8mm SS WS 7 Qty 20 pcs DIN/ISO DIN 985 self-locking		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-WKT(S)-90-180, ELT10, ELT10GS, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS23S, GS24, GS29, GS29B, GS302, GS310, GS315, GS402, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72... (Other models you can see in the webshop)		

			
1			
<b>Part No.</b>	560141	<b>Ref. No.</b>	2105302
<b>description</b>	hexagonal nut thread M5 H 5.4mm SS WS 8 Qty 20 pcs DIN/ISO DIN 985 self-locking		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-MTR-STR-180, Eckfoerderer-MTR-STR-90, Eckfoerderer-WKT(S)-90-180, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS100-1, GS14, GS14E, GS15, GS15E, GS202, GS215, GS23H, GS23S, GS24, GS28, GS29, GS29B, GS302, GS310, GS315, GS402, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72... (Other models you can see in the webshop)		

DIN 6923 / ISO 4161			
			
1			
<b>Part No.</b>	560471	<b>Ref. No.</b>	2101313
<b>description</b>	nut thread M4 H 4.5mm SS WS 7 Qty 1 pcs DIN/ISO DIN 6923		
<b>For models:</b>	GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		



1

<b>Part No.</b>	527727	<b>Ref. No.</b>	2101310
<b>description</b>	nut thread M5 H 5mm SS WS 8 Qty 1 pcs		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-Mc-Donalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds, WKTS		

## hexagonal nuts metric (without norm)



1

<b>Part No.</b>	521145	<b>Ref. No.</b>	3125002 3201013
<b>description</b>	nut thread M12x0.75 H 3.4mm WS 17 Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS27B, GS28, GS29, GS29B, GS32, GS34, GS4, GS40, GS405, GS41...(Other models you can see in the webshop)		

## hexagonal nuts inch thread



1

<b>Part No.</b>	506024	<b>Ref. No.</b>	3009200
<b>description</b>	nut thread 3/8" H 6mm SS WS 22 Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GR62, GR62-1, GR62-2, GR62-3, GR64, GR65, GR66-1, GS10, GS100, GS100-1, GS14, GS14E, GS15, GS15E, GS22, GS23S, GS24, GS28, GS29, GS29B, GS32, GS40, GS405, GS41, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS630-McDonalds, GS64, GS640, GS640-McDonalds, GS65, GS650, GS650-McDonalds, GS660, GS7, GS70, GS71, GS72, GS80, GS81, GS9, GS90, GSR36...(Other models you can see in the webshop)		

## union nuts



1

<b>Part No.</b>	503159	<b>Ref. No.</b>	2907201
<b>description</b>	union nut thread 1/2" brass WS 24 Qty 1 pcs for pipe ø 12mm		
<b>For models:</b>	BAVARIA2000, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS10, GS100, GS12, GS14, GS14E, GS15, GS15E, GS22, GS29, GS32, GS40, GS405, GS41, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS61, GS62, GS63, GS64, GS640, GS640-McDonalds, GS65, GS650, GS650-McDonalds, GS660, GS7, GS70, GS71, GS72, GS80, GS9, GS90, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900...(Other models you can see in the webshop)		



1

<b>Part No.</b>	524544	<b>Ref. No.</b>	2907301
<b>description</b>	union nut thread 1/2" H 15.5mm SS WS 24 Qty 1 pcs for pipe ø 12mm		
<b>For models:</b>	BAVARIA2000, GR63, GR63-1, GS24, GS27B, GS501, GS502, GS515, KTS1900, KTS2400, MTF, MTR, STR, TE15, TE20, VE15, VE20, WKT1000, WKT1200, WKTS		



1

<b>Part No.</b>	502240	<b>Ref. No.</b>	2907200
<b>description</b>	union nut thread 3/8" H 14mm zinc-coated steel WS 22 Qty 1 pcs ID ø 10.4mm		
<b>For models:</b>	BAVARIA2000, GM170, GM85, GR1200, GR1210, GR1220, GR1230, GR1320, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS22, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS630-McDonalds, GS64, GS640, GS640-McDonalds, GS65, GS650, GS650-McDonalds, GS660...(Other models you can see in the web-shop)		

## washers

## spring rings



1

<b>Part No.</b>	560123	<b>Ref. No.</b>	2301004 2303300
<b>description</b>	lock washer ID ø 6.3mm ED ø 11mm SS DIN127 Qty 20 pcs for thread M6		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-MTR-STR-180, Eckfoerderer-MTR-STR-90, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS100, GS14, GS14E, GS15, GS15E, GS23S, GS24, GS28, GS29, GS29B, GS41, GS41-1, GS41-4, GS41-4S, GS41-5, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-Mc-Donalds, GS650, GS650-McDonalds, GS660, GS72, GS80, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, Hydromat18, Hydromat25, KTS1900, KTS2400...(Other models you can see in the webshop)		

## spring washers




1

<b>Part No.</b>	696605	<b>Ref. No.</b>	2210301
<b>description</b>	spring washer ID ø 20.5mm ED ø 40mm thickness 1.5mm steel Qty 1 pcs		
<b>For models:</b>	MTF, MTR, STR, WKT1000		



washers

DIN 125A



1


<b>Part No.</b>	560112	<b>Ref. No.</b>	2201300
<b>description</b>	plain washer ID $\varnothing$ 5.3mm ED $\varnothing$ 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-WKT(S)-90-180, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS100-1, GS12, GS14, GS14E, GS15, GS15E, GS23H, GS23S, GS24, GS28, GS29, GS29B, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GS72, GS81, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, STR, UC-L...(Other models you can see in the webshop)		



1

<b>Part No.</b>	560333	<b>Ref. No.</b>	2201302
<b>description</b>	plain washer ID $\varnothing$ 6.4mm ED $\varnothing$ 12mm thickness 1.6mm SS Qty 1 pcs DIN 125A for thread M6		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-WKT(S)-90-180, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS100-1, GS12, GS23S, GS24, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, Hydromat18, Hydromat25, KTS1900, KTS2400, MTF, MTR, WKT1000, WKT1200, WKTS, ZU22		


DIN 9021



1


<b>Part No.</b>	560117	<b>Ref. No.</b>	2205302
<b>description</b>	plain washer ID $\varnothing$ 6.4mm ED $\varnothing$ 18mm thickness 1.5mm SS Qty 20 pcs DIN 9021 for thread M6		

miscellaneous



1

<b>Part No.</b>	698554	<b>Ref. No.</b>	60003487
<b>description</b>	disc ID $\varnothing$ 14.1mm ED $\varnothing$ 20mm thickness 1mm SS Qty 1 pcs		
<b>For models:</b>	GS202, GS302, GS310, GS315, GS402, GS501, GS502, GS515		



1

<b>Part No.</b>	698512	<b>Ref. No.</b>	2202314 2203203
<b>description</b>	plain washer ID $\varnothing$ 5.2mm ED $\varnothing$ 20mm thickness 2mm SS		
<b>For models:</b>	GS10-2, GS12, GS34, GS8		

fasteners

clamps


hose clamps

DIN 3017 - W2




1

<b>Part No.</b>	520112	<b>Ref. No.</b>	2802011 2802108 30000711
<b>description</b>	hose clamp $\varnothing$ 12-20mm width 9mm Qty 10 pcs DIN 3017		
<b>For models:</b>	GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS23H, GS23S, GS24, GS27B, GS28, GS29, GS29B, GS302, GS310, GS315, GS402, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS62, GS63, GS64, GS640, GS65, GS650, GS660...(Other models you can see in the webshop)		



1

<b>Part No.</b>	520114	<b>Ref. No.</b>	2802109
<b>description</b>	hose clamp $\varnothing$ 20-32mm width 9mm Qty 10 pcs DIN 3017		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-WKT(S)-90-180, GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100-1, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS22, GS29, GS29B, GS302, GS310, GS315, GS32, GS34, GS40, GS402, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S...(Other models you can see in the webshop)		




1

<b>Part No.</b>	520116	<b>Ref. No.</b>	2802110
<b>description</b>	hose clamp $\varnothing$ 32-50mm width 9mm Qty 5 pcs DIN 3017		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-MTR-STR-180, Eckfoerderer-MTR-STR-90, GKTS2600, GM170, GM85, GR1200, GR1221, GR1231, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS27B, GS28, GS29, GS29B, GS302, GS310, GS315, GS32, GS34, GS315, GS32, GS34...(Other models you can see in the webshop)		






			
1			
<b>Part No.</b>	520119	<b>Ref. No.</b>	2802120 2802137 2802308
<b>description</b>	hose clamp ø 60-80mm width 9mm Qty 5 pcs DIN 3017		
<b>For models:</b>	BAVARIA2000, GKTS2600, GM170, GM85, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS29, GS29B, GS32, GS34, GS40, GS40S, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501...(Other models you can see in the webshop)		

## DIN 3017 - W4


			
1			
<b>Part No.</b>	520120	<b>Ref. No.</b>	2802105
<b>description</b>	hose clamp SS W4 ø 12-20mm width 9mm Qty 1 pcs DIN 3017		
<b>For models:</b>	BAVARIA2000, GR62-2, GR62-3, GS14, GS14E, GS15, GS15E, GS202, GS215, GS23S, GS24, GS29, GS302, GS310, GS315, GS402, GS41-4, GS41-4S, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, RoMatik150, Solidos, STR, WKT1000, WKT1200, WKTS		

## miscellaneous


			
1			
<b>Part No.</b>	504026	<b>Ref. No.</b>	2802115 2802117 30001243
<b>description</b>	hose clamp stainless steel ø 47-67mm width 12mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-WKT(S)-90-180, GKTS2600, GM170, GM85, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS10, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS22, GS24, GS29, GS29B, GS302, GS310, GS315, GS32, GS34, GS402, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GS640...(Other models you can see in the webshop)		

## retaining rings

## DIN 6799

			
1			
<b>Part No.</b>	516198	<b>Ref. No.</b>	2310304 2310305
<b>description</b>	retaining ring E D1 ø 6mm D2 ø 12mm SS DIN 6799 thickness 0.7mm for shaft ø 7-9mm		
<b>For models:</b>	GKTS2600, GR1221, GR1231, GR1320, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, WKTS		

## miscellaneous

			
1			
<b>Part No.</b>	523024	<b>Ref. No.</b>	60003023
<b>description</b>	retaining ring bore ø 12mm thickness 0.8mm		
<b>For models:</b>	GS202, GS302, GS310, GS315, GS402, GS501, GS502, GS515		

## consumables

## sealants and adhesives

## insulated tapes

## miscellaneous

			
1			
<b>Part No.</b>	551443	<b>Ref. No.</b>	30001091 4803015 4803022
<b>description</b>	insulating tape W 9mm L 10m black thickness 2mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS630-McDonalds, STR, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		



cleaning agents

dishwasher detergents/descalers

Notice: Articles labelled 'DANGEROUS GOODS' are delivered by road through a forwarder for reasons of safety and are charged separately!



1			
<b>Part No.</b>	802058 <sup>1</sup>	<b>Ref. No.</b>	20000592 3301030
<b>description</b>	detergent Winterhalter P865 Plus for dishwashers powdered form content 25kg		
<b>description</b>	Winterhalter P65 - detergent - bucket 25kg Powder, defoaming, aluminium-compatible detergent for appliance washers - suitable for professional utensil washers in bakeries and butchers' shops as well as restaurants, hotels and kitchens in large-scale food service operations - effectively removes grease, starch and protein residues from all utensils used to prepare food - particularly suitable for cleaning heavily soiled utensils such as containers, bowls, baking sheets, counter display cases, trays, pots and pans - suitable for all types of aluminium, stainless steel, plastic and porcelain ware as well as cutlery - test prior to using on anodised aluminium For perfect results use in Winterhalter utensil washers with Winterhalter rinse aid N and suitable Winterhalter water treatment is recommended. From a water hardness of 10dGH the Winterhalter DuoMatik water softener yields optimal results. With the proper water treatment the detergent consumption can be reduced by up to 50%.		

<sup>1</sup>DANGEROUS GOODS



2			
<b>Part No.</b>	802057 <sup>1</sup>	<b>Ref. No.</b>	20000513 3301564
<b>description</b>	rinse aid Winterhalter B100N neutral for dishwashers 10l Qty 1 pcs		
<b>description</b>	Winterhalter B100N - rinse aid - canister 10l Neutral rinse aid for all application areas - suitable for professional glass, door-type, pass-through, rack conveyor and flight-type dishwashers as well as utensil washers in restaurants, hotels and kitchens in large-scale food service operations, bakeries and butchers' shops - suitable for drinking glasses as well as other ware made from glass, porcelain, plastic, stainless steel and aluminium as well as cutlery and utensils - particularly suitable for soft water For best results use in Winterhalter dishwashers with Winterhalter detergents and suitable Winterhalter water treatment is recommended. Use of upstream desalination equipment is necessary for achieving spot-free glasses.		

<sup>1</sup>DANGEROUS GOODS

fuses

fine fuses



1			
<b>Part No.</b>	358696	<b>Ref. No.</b>	3111123
<b>description</b>	fine fuse size ø5x20mm 4A medium lag rated 250V Qty 10 pcs		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, MTF, MTR, STR, UC-L, UC-L-McDonalds, UC-M, UC-M-Mc-Donalds, UC-S, UC-XL, UC-XL-McDonalds		



1			
<b>Part No.</b>	358697	<b>Ref. No.</b>	3111043
<b>description</b>	fine fuse size ø5x20mm 6.3A medium lag rated 250V Qty 10 pcs		
<b>For models:</b>	AirCon, BAVARIA2000, GKTS2600, GM170, GM85, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS27B, GS28, GS29, GS29B, GS32, GS34, GS4, GS40... (Other models you can see in the webshop)		



1			
<b>Part No.</b>	358608	<b>Ref. No.</b>	3111093
<b>description</b>	fine fuse size ø5x20mm 10A slow-acting rated 250V Qty 10 pcs		
<b>For models:</b>	GR1210, GR1220, GR1230, GR1410, GR1420, GR1430, GS10, GS100, GS22, GS32, GS405, GS41, GS62, GS63, GS64, GS65, GS7, GS71, GS80, GS9, GS90		

fine fuse holders



1			
<b>Part No.</b>	698511	<b>Ref. No.</b>	3111048
<b>description</b>	screw cap suitable fuse ø 15.2mm mounting ømm thread M9x1 6.3A rated 250V connection		
<b>For models:</b>	GM170, GM85, GS10, GS100, GS22, GS25, GS32, GS4, GS40, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS80, GS9, GS90, H52		

**GASTRO**PARTS.COM

