



GASTROPARTS

Doge

- [EN]** Equipment
- [DE]** Geräte
- [ES]** Aparatos
- [FR]** Équipement
- [IT]** Attrezzature
- [PL]** Urządzenia
- [RU]** Оборудование

✉ gastroparts@gastroparts.com

☎ +48 56 657 00 66

📘 fb.com/gastroparts.global

GASTROPARTS.COM





switches and momentary switches

rocker/momentary rocker switches

30x22mm



1

Part No.	301061	Ref. No.	A2100093
description	rocker switch mounting measurements 30x22mm orange 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		



1

Part No.	301036	Ref. No.	A2800052
description	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

push/momentary push switches

30x22mm



1

Part No.	301036	Ref. No.	A2800052
description	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

microswitches

pin-plunger actuated



1

Part No.	347757	Ref. No.	A2100297
description	microswitch with plunger 250V 16A 1CO connection male faston 4.8mm ambient temperature max. 125°C mounting distance 22mm actuating force: 120g black		

relays

power relays

with bracket mounting



1

Part No.	380920	Ref. No.	A3200109
description	power relays FINDER 400VAC 10A 3CO connection male faston 4.8mm with mounting strap manuf. no. 60.63.8.400.0000 250V 3-pole		

electronics

PCBs



1

Part No.	402497	Ref. No.	A1500098
description	keypad PCB L 83mm W 48mm with display buttons 4		



1

Part No.	402495	Ref. No.	A1500097
description	PCB L 74mm W 64mm 230V		

keypads

front foils




1

Part No.	525111	Ref. No.	A2400054
description	keypad foil L 90mm W 49mm buttons 4		

condensators & interference suppression filters

operating capacitors

plastic

			
1			
Part No.	365019	Ref. No.	A3200030
description	operating capacitor capacity 20µF 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 39.5mm L 70mm M8 plastic connection male faston 6.3mm 16.10.25. protection		

equipment-specific units

for coffee grinders

grinding burrs

grinding burrs straight

standard

			
1			
Part No.	527227	Ref. No.	A3200063
description	grinding burrs pair turn direction right D1 ø 63mm ID ø 38mm H 9.5mm tooth spacing 3mm hole ø 5.5mm bore ø 8.5mm mounting ø 48 straight suitable for FIORENZATO		

			
1			
Part No.	527228	Ref. No.	A3200083
description	grinding burrs pair turn direction right D1 ø 83mm ID ø 45mm H 10mm tooth spacing 4mm hole ø 5.4mm bore ø 10mm mounting ø 64.5 straight suitable for FIORENZATO		


dosing containers

dosing container lids


			
1			
Part No.	525166	Ref. No.	A3200008
description	lid for dosing container mounting ø 116mm ø 130mm H 25mm		

springs

group 1

			
1			
Part No.	525110	Ref. No.	A3200049
description	tension spring ø 7.5mm total length 42mm wire gauge ø 0.8mm L1 29mm		


glass cylinders

			
1			
Part No.	525167	Ref. No.	A3200009
description	glass cylinder for dosing container ø 125mm H 53mm plexiglas		


coffee presses

components

holders

			
1			
Part No.	525113	Ref. No.	A3200002
description	bracket H 22mm L 65mm plastic		

pressers

			
1			
Part No.	525112	Ref. No.	A3200001
description	coffee press ø 55mm H 34mm plastic		



automatic grinding

automatic grinding



1

Part No.	525114	Ref. No.	A3200084
description	housing for microswitch ø 116mm H 45mm plastic		

coffee beans containers

container lids






1

Part No.	527315	Ref. No.	A3200028
description	lid for coffee beans container mounting ø 200mm ø 204mm		

coffee beans containers



1

Part No.	527316	Ref. No.	A3200027
description	coffee beans container ø 200mm H 255mm seat ø 67mm M1-T48		
spare parts for	527316		
	Part No.	527315	Ref. No. A3200028
	lid for coffee beans container mounting ø 200mm ø 204mm		
	Part No.	527318	Ref. No. A3200031
	catch L 86mm W 48mm thickness 2mm plastic		
	Part No.	527319	Ref. No. —
	protection cap ø 60mm suitable for FIORENZATO plexiglas		

locks



1

Part No.	527318	Ref. No.	A3200031
description	catch L 86mm W 48mm thickness 2mm plastic		

springs

tension springs



1

Part No.	525110	Ref. No.	A3200049
description	tension spring ø 7.5mm total length 42mm wire gauge ø 0.8mm L1 29mm		

GASTROPARTS.COM

