



**GASTROPARTS**

# Fiorenzato-MC

- [EN]** Equipment
- [DE]** Geräte
- [ES]** Aparatos
- [FR]** Équipement
- [IT]** Attrezzature
- [PL]** Urządzenia
- [RU]** Оборудование

✉ [gastroparts@gastroparts.com](mailto:gastroparts@gastroparts.com)

☎ +48 56 657 00 66

📘 [fb.com/gastroparts.global](https://fb.com/gastroparts.global)

**GASTROPARTS.COM**





switches and momentary switches

push/momentary push switches

30x22mm



1

<b>Part No.</b>	301086	<b>Ref. No.</b>	001.003.082 600000010
<b>description</b>	push switch mounting measurements 30x22mm black 2NO 250V 12A 0-1 connection male faston 6.3mm ambient temperature max. 85/55°C protection IP54 with protective collar		

toggle switches

M12x0.75



1

<b>Part No.</b>	347462	<b>Ref. No.</b>	A2100044
<b>description</b>	toggle switch thread M12x0.75 2CO 250V 15A ON-ON		

microswitches

lever actuated



1

<b>Part No.</b>	347188	<b>Ref. No.</b>	001.003.027 600000036
<b>description</b>	microswitch with lever 250V 16A 1NO connection male faston 6.3mm L 22mm ambient temperature max. 125°C mounting distance 22mm type N16 actuating force: 380g lever length 26mm		

pin-plunger actuated

non-standard



1

<b>Part No.</b>	347189	<b>Ref. No.</b>	001.003.018 600000008
<b>description</b>	microswitch with plunger 250V 0.1A 1CO connection male faston 2.8mm ambient temperature max. 125°C mounting distance 10mm type B31709 M5 actuating force: 25g blue/black		

rotary switches

BREMAS

A1200 series



1

<b>Part No.</b>	345019	<b>Ref. No.</b>	001.004.016 600000002
<b>description</b>	rotary switch sets of contacts 2 2 0-1 type CA0120002 380V 12A shaft ø 5x5mm shaft L 23mm shaft square connection screw		



1

<b>Part No.</b>	347187	<b>Ref. No.</b>	001.004.013 600000003
<b>description</b>	rotary switch sets of contacts 3 3 0-1 momentary switch type CA012V205 400V 12A shaft ø 5x5mm shaft L 18mm shaft square connection screw		

timers

mechanical timers



1

<b>Part No.</b>	350119 <sup>1</sup>	<b>Ref. No.</b>	001.004.028 600000029
<b>description</b>	timer M2 2-pole operation time 60s impulse mechanical 2NO at 250V 16A shaft 3.5x3.5mm shaft L 20mm mounting distance 28mm connection rear		

<sup>1</sup>incl. knob

contactors

GENERAL ELECTRIC (AEG)

power contactors



1

<b>Part No.</b>	380891	<b>Ref. No.</b>	001.003.031
<b>description</b>	power contactor resistive load 20A 400VAC (AC3/400V) 2.2kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS02.K10-59		



## SIEMENS

## power contactors



1

<b>Part No.</b>	380528	<b>Ref. No.</b>	001.003.030
<b>description</b>	power contactor resistive load 16A 230VAC (AC3/400V) 8.4A/4kW main contacts 4NO auxiliary contacts connection male faston 6.3mm type 3TG10-10-1A2L2		

## solenoid valves

## solenoid valves (water)

## metal

## PARKER

## spare parts and accessories

## valve bodies



1

<b>Part No.</b>	370062	<b>Ref. No.</b>	FZCS04
<b>description</b>	solenoid valve body PARKER 3-ways outer cone		

## accessories for 370062

	<b>Part No.</b>	371029	<b>Ref. No.</b>	—
	solenoid coil PARKER 230VAC 9VA coil type ZB09 seat $\varnothing$ 14mm H 33mm W 34mm D 43mm			
	<b>Part No.</b>	371030	<b>Ref. No.</b>	—
	solenoid coil 24VDC 12VA coil type ZB12 seat $\varnothing$ 14mm			
	<b>Part No.</b>	371033	<b>Ref. No.</b>	—
	solenoid coil PARKER 230VAC 9VA coil type YB09 with cable seat $\varnothing$ 14mm			
	<b>Part No.</b>	371036	<b>Ref. No.</b>	—
	solenoid coil 24VAC 9VA coil type ZB09 seat $\varnothing$ 14mm			
	<b>Part No.</b>	371095	<b>Ref. No.</b>	—
	O-ring Viton thickness 1.78mm ID $\varnothing$ 6.07mm Qty 1 pcs			
	<b>Part No.</b>	371100	<b>Ref. No.</b>	—
	O-ring silicone thickness 1.78mm ID $\varnothing$ 6.07mm Qty 1 pcs			

## condensators &amp; interference suppression filters

## operating capacitors

## plastic



1

<b>Part No.</b>	365020	<b>Ref. No.</b>	001.004.020 600000001
<b>description</b>	operating capacitor capacity 14 $\mu$ F 400V tolerance 5%Hz ambient temperature max. -25 to +85°C $\varnothing$ 35mm L 70mm M8 plastic connection male faston 6.3mm protection		



1

<b>Part No.</b>	365021	<b>Ref. No.</b>	001.004.025
<b>description</b>	operating capacitor capacity 16 $\mu$ F 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C $\varnothing$ 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		

## equipmentspecific units

## grinding burrs

## grinding burrs straight

## standard



1


<b>Part No.</b>	527650	<b>Ref. No.</b>	001.002.034 400000005
<b>description</b>	grinding burrs pair turn direction right D1 $\varnothing$ 64mm ID $\varnothing$ 37mm H 8.5mm tooth spacing 3.5mm hole $\varnothing$ 6mm bore $\varnothing$ 8.5mm mounting $\varnothing$ 49 suitable for FIORENZATO		




1

<b>Part No.</b>	527651	<b>Ref. No.</b>	001.002.030 400000004
<b>description</b>	grinding burrs pair turn direction right D1 $\varnothing$ 82.5mm ID $\varnothing$ 49mm H 9.5mm tooth spacing 3mm hole $\varnothing$ 6mm bore $\varnothing$ 10mm mounting $\varnothing$ 66 suitable for FIORENZATO		



springs			
1 			
<b>Part No.</b>	527663	<b>Ref. No.</b>	001.002.011 700000001
<b>description</b>	compression spring ø 10mm L 20mm wire gauge ø 1.5mm		


grinding burrs holders			
1 			
<b>Part No.</b>	527649	<b>Ref. No.</b>	001.002.004 900000001
<b>description</b>	grinding burr holder D1 ø 64mm mounting pos. lower suitable for FIORENZATO		


1 			
<b>Part No.</b>	527648	<b>Ref. No.</b>	001.002.016 900000002
<b>description</b>	grinding burr holder D1 ø 64mm mounting pos. upper suitable for FIORENZATO		


1 			
<b>Part No.</b>	527647	<b>Ref. No.</b>	001.002.029 900000004
<b>description</b>	grinding burr holder D1 ø 83mm mounting pos. lower suitable for FIORENZATO		


1 			
<b>Part No.</b>	527646	<b>Ref. No.</b>	001.002.031
<b>description</b>	grinding burr holder D1 ø 83mm mounting pos. upper suitable for FIORENZATO		


1 			
<b>Part No.</b>	531139	<b>Ref. No.</b>	900000005
<b>description</b>	grinding burr holder D1 ø 83mm mounting pos. upper suitable for FIORENZATO		

miscellaneous			
1 			
<b>Part No.</b>	527661	<b>Ref. No.</b>	001.003.052 400000011
<b>description</b>	thread bolt		

dosing containers			
wipers			
1 			
<b>Part No.</b>	530523	<b>Ref. No.</b>	400000016
<b>description</b>	wiper for dosing pump		

1 			
<b>Part No.</b>	527660	<b>Ref. No.</b>	001.003.037
<b>description</b>	wiper for dosing pump H 63mm		

adjusting screws			
1 			
<b>Part No.</b>	527659	<b>Ref. No.</b>	001.002.024 400000003
<b>description</b>	adjusting screw for dosing pump thread M8 L 12mm aluminium		

springs			
group 1			
1 			
<b>Part No.</b>	527658	<b>Ref. No.</b>	001.003.032 700000003
<b>description</b>	spring ø 10mm wire gauge ø 1mm total length 60mm		



1

<b>Part No.</b>	525484	<b>Ref. No.</b>	001.003.024 700000002
<b>description</b>	spring $\varnothing$ 3.4mm L1 16.5mm wire gauge $\varnothing$ 0.3mm for dosing container		



1

<b>Part No.</b>	527654	<b>Ref. No.</b>	001.003.048 700000004
<b>description</b>	torsion spring $\varnothing$ 30mm L2 45mm wire gauge $\varnothing$ 2mm L1 8mm L3 45mm Qty 1 pcs		

## glass cylinders



1

<b>Part No.</b>	527642	<b>Ref. No.</b>	001.003.009 200000036
<b>description</b>	cylinder $\varnothing$ 115mm H 85mm		

## levers

## bolts



1

<b>Part No.</b>	525483	<b>Ref. No.</b>	001.003.023 400000010
<b>description</b>	bolt for dosing container D1 $\varnothing$ 4mm D2 $\varnothing$ 3mm L 19mm		

## levers



1

<b>Part No.</b>	527653	<b>Ref. No.</b>	001.003.047 900000036 900000125
<b>description</b>	lever dosing pump hole $\varnothing$ 25mm aluminium		

## coffee presses

## coffee presses



1

<b>Part No.</b>	527643	<b>Ref. No.</b>	001.003.038 200000018
<b>description</b>	coffee press $\varnothing$ 53mm		



1

<b>Part No.</b>	527644	<b>Ref. No.</b>	001.003.039 200000017
<b>description</b>	coffee press $\varnothing$ 57mm		

## automatic grinding

## automatic grinding



1

<b>Part No.</b>	527641	<b>Ref. No.</b>	001.003.051 001.009.001 900000042
<b>description</b>	ring for dosing container with microswitch $\varnothing$ 127mm H 15mm plastic		

## miscellaneous



1

<b>Part No.</b>	527656	<b>Ref. No.</b>	001.002.023
<b>description</b>	spacer ring for dosing pump thickness 0.4mm		



1

<b>Part No.</b>	527657	<b>Ref. No.</b>	001.003.007 300000027 300000048
<b>description</b>	spacer ring for dosing pump thickness 3mm stainless steel		



ratches

ratches

1

<b>Part No.</b>	531085	<b>Ref. No.</b>	001.003.081 900000035
<b>description</b>	ratchet for dosing unit ø 38mm right int. ø 1 8mm H 24mm suitable for FIORENZATO		

1

<b>Part No.</b>	531292	<b>Ref. No.</b>	700000012+400000012+400000008
<b>description</b>	ratchet for dosing unit ø 38mm right int. ø 1 8mm H 24mm suitable for FIORENZATO		

stars

complete

1

<b>Part No.</b>	527645	<b>Ref. No.</b>	001.003.050 900000039 900000126
<b>description</b>	star complete ø 118mm		

adjustment mechanism

setting rings

1

<b>Part No.</b>	527662	<b>Ref. No.</b>	001.002.022 900000003
<b>description</b>	setting ring mounting ø 84.5mm ø 125mm ID ø 74mm H 24mm mounting pos. upper suitable for FIORENZATO brass		

coffee beans containers

container lids

1

<b>Part No.</b>	527640	<b>Ref. No.</b>	001.001.002 200000002
<b>description</b>	lid for coffee beans container ø 200mm		

1


<b>Part No.</b>	527327	<b>Ref. No.</b>	N/A
<b>description</b>	lid for coffee beans container ø 210mm		

coffee beans containers

1

<b>Part No.</b>	527639	<b>Ref. No.</b>	001.001.005 200000004
<b>description</b>	coffee beans container ø 200mm H 255mm seat ø 68mm		

1

<b>Part No.</b>	531179	<b>Ref. No.</b>	N/A	
<b>description</b>	coffee beans container without lid ø 207mm H 245mm universal			
<b>accessories for</b>	531179			
	<b>Part No.</b>	527327	<b>Ref. No.</b>	N/A
	lid for coffee beans container ø 210mm			



## supports



1

<b>Part No.</b>	531172	<b>Ref. No.</b>	N/A
<b>description</b>	support for coffee beans container intake conical seat ø 69-67mm		

## locks



1

<b>Part No.</b>	527652	<b>Ref. No.</b>	001.001.003 200000003
<b>description</b>	catch L 78mm W 48mm thickness 2mm plastic		

## support for filter holder



1

<b>Part No.</b>	527655	<b>Ref. No.</b>	001.004.018 900000025
<b>description</b>	filter holder support for dosing pump L 115mm W 68mm H 32mm aluminium		

## for cup coffee machines

## steam/water pipes



1

<b>Part No.</b>	698780	<b>Ref. No.</b>	A2000113
<b>description</b>	pipe thread 3/4" L 260mm steam/water tap tube ø 12mm IT 1/2"		

## springs

## torsion springs



1

<b>Part No.</b>	527654	<b>Ref. No.</b>	001.003.048 700000004
<b>description</b>	torsion spring ø 30mm L2 45mm wire gauge ø 2mm L1 8mm L3 45mm Qty 1 pcs		

## compression springs



1

<b>Part No.</b>	527663	<b>Ref. No.</b>	001.002.011 700000001
<b>description</b>	compression spring ø 10mm L 20mm wire gauge ø 1.5mm		

## fastening material

## screws

## flat-headed bolts



1

<b>Part No.</b>	560062	<b>Ref. No.</b>	001.004.046 100000003
<b>description</b>	flat-headed bolt thread M4 thread L 10mm SS DIN 7985/ISO 7045 Qty 20 pcs intake Phillips head ø 8mm head thickness 2mm		

## hexagonal screws



1

<b>Part No.</b>	550682	<b>Ref. No.</b>	001.002.008 100000002
<b>description</b>	hexagonal screw thread M8 thread L 20mm SS WS 13 Qty 1 pcs DIN 933 / ISO 4017		



**GASTRO**PARTS.COM

