



GASTROPARTS

Anfim

- [EN]** Equipment
- [DE]** Geräte
- [ES]** Aparatos
- [FR]** Équipement
- [IT]** Attrezzature
- [PL]** Urządzenia
- [RU]** Оборудование

✉ gastroparts@gastroparts.com

☎ +48 56 657 00 66

📘 fb.com/gastroparts.global

GASTROPARTS.COM





switches and momentary switches

rocker/momentary rocker switches

30x22mm



1

Part No.	301002	Ref. No.	89
description	rocker switch mounting measurements 30x22mm orange 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 85/125°C protection IP65		

accessories for 301002



Part No.	301036	Ref. No.	—
description	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

microswitches

universal



1

Part No.	345042	Ref. No.	4-A
description	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L 28mm ambient temperature max. 125°C mounting distance 22mm type EF83161.3 actuating force: 75g blue/black		

accessories for 345042



Part No.	345043	Ref. No.	—
description	lever set 5-piece		

pin-plunger actuated



1

Part No.	345042	Ref. No.	4-A
description	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L 28mm ambient temperature max. 125°C mounting distance 22mm type EF83161.3 actuating force: 75g blue/black		

accessories for 345042



Part No.	345043	Ref. No.	—
description	lever set 5-piece		

with push button

gas ignition



1

Part No.	347250	Ref. No.	260
description	microswitch with push button 250V 12A 1NO connection male faston 6.3mm L1 29mm ambient temperature max. 125°C mounting distance 22mm type VRSR03AA1 actuating force: 200g thread M10x0.75		
For models:	Haus-Self		

lamps

indicator lights

indicator lights (complete)

ø10mm

with screw socket

1

Part No.	359482	Ref. No.	79
description	indicator light ø 10mm 400V green connection cable cable length 250mm temp.-resist. 90°C socket screw base		

timers

mechanical timers



1

Part No.	360466 ¹	Ref. No.	88 88-C Z88
description	timer MT49 2-pole operation time 220s impulse mechanical 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 18mm mounting distance 28mm mounting thread M4 connection male faston 6.3mm ambient temperature max. 125°C with knob		

¹incl. knob



contactors

ALLEN BRADLEY

power contactors



1

Part No.	380902	Ref. No.	91-A OLD
description	power contactor resistive load 20A 400VAC (AC3/400V) 2.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection		

OMRON

power contactors



1

Part No.	380883	Ref. No.	91-A
description	power contactor resistive load 20A 400VAC (AC3/400V) 4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type J7KNA-09-10 OMRON		

condensators & interference suppression filters

operating capacitors

plastic



1

Part No.	365118	Ref. No.	90-30
description	operating capacitor capacity 14/16 μ F 400V plastic-coated tolerance 5% 2-piece		
For models:	Caimano-Drogheria, Drogheria-Coffee-Shop		



1

Part No.	365020	Ref. No.	90-14
description	operating capacitor capacity 14 μ F 400V tolerance 5%Hz ambient temperature max. -25 to +85°C \varnothing 35mm L 70mm M8 plastic connection male faston 6.3mm protection		
For models:	Caimano, Lusso		



1

Part No.	365121	Ref. No.	90-16
description	operating capacitor capacity 16 μ F 400V tolerance 5% 50/60Hz ambient temperature max. -40 up to +85°C \varnothing 40mm L 72mm plastic connection male faston 6.3mm MLR25PRL protection		
For models:	Caimano-Special450-Timer, Super-Caimano, Super-Lusso		



1

Part No.	365021	Ref. No.	88/16
description	operating capacitor capacity 16 μ F 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C \varnothing 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
For models:	Special450-Timer		



1

Part No.	365120	Ref. No.	90-6
description	operating capacitor capacity 6 μ F 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C \varnothing 30mm L 58mm plastic connection male faston 2.8mm 45M.B2E.6 protection		



1

Part No.	365013	Ref. No.	90-8
description	operating capacitor capacity 8 μ F 400V tolerance 5%Hz ambient temperature max. -25 to +85°C \varnothing 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		



equipment-specific units

for coffee grinders

grinding burrs

grinding burrs straight

standard



1

Part No. 526216 **Ref. No.** 50

description grinding burrs pair turn direction left D1 ø 50mm ID ø 30mm H 7.5mm tooth spacing 3mm hole ø 4.6mm bore ø 7.6mm mounting ø 38



1

Part No. 527210 **Ref. No.** 54

description grinding burrs pair turn direction left D1 ø 54mm ID ø 32mm H 8mm tooth spacing 3.5mm hole ø 4.5mm bore ø 6.5mm mounting ø 42 straight suitable for ANFIM



1

Part No. 526217 **Ref. No.** 64

description grinding burrs pair turn direction left D1 ø 64mm ID ø 37mm H 9mm tooth spacing 3.5mm hole ø 6mm bore ø 8mm mounting ø 46 straight suitable for ANFIM



1

Part No. 526218 **Ref. No.** 75-SP

description grinding burrs pair turn direction left D1 ø 75mm ID ø 43.5mm H 9.2mm tooth spacing 3.5mm hole ø 6.5mm bore ø 10mm mounting ø 57

For models: Caimano-Drogheria, Special450-Automatico



1

Part No. 527211 **Ref. No.** 75

description grinding burrs pair turn direction left D1 ø 75mm ID ø 43mm H 9mm tooth spacing 4mm hole ø 6.5mm bore ø 10.5mm mounting ø 57 straight suitable for ANFIM

grinding burrs holders



1

Part No. 526219 **Ref. No.** 53

description grinding burr holder aluminium mounting pos. upper suitable for ANFIM



1

Part No. 526220 **Ref. No.** 55

description grinding burr holder brass mounting pos. upper suitable for ANFIM



1

Part No. 526222 **Ref. No.** 250

description grinding burr holder D1 ø 50mm aluminium mounting pos. upper suitable for ANFIM

For models: Haus-Self



1


Part No. 526215 **Ref. No.** 251


description grinding burr holder D1 ø 50mm mounting pos. lower


For models: Haus-Self





			
1			
Part No.	526221	Ref. No.	220
description	grinding burr holder D1 ø 54mm aluminium mounting pos. upper suitable for ANFIM		
For models:	Best, Super-Best		


			
1			
Part No.	526214	Ref. No.	229
description	grinding burr holder D1 ø 54mm mounting pos. lower		
For models:	Best, Super-Best		

			
1			
Part No.	526212	Ref. No.	63
description	grinding burr holder D1 ø 64mm mounting pos. lower		

			
1			
Part No.	526213	Ref. No.	66
description	grinding burr holder D1 ø 75mm mounting pos. lower		


screws			
			
1			
Part No.	560393	Ref. No.	VS-54
description	flat-headed bolt thread M4 thread L 8.5mm brass Qty 1 pcs intake Phillips head ø 6mm head thickness 2.5mm		
For models:	Best, Super-Best		

			
1			
Part No.	560394	Ref. No.	VS-64
description	flat-headed bolt thread M5 thread L 10mm Qty 1 pcs intake slotted head ø 7mm head thickness 3mm		
For models:	Caimano, Lusso		

			
1			
Part No.	560067	Ref. No.	75VS VS-75
description	flat-headed bolt thread M5 thread L 10mm SS DIN 7985/ISO 7045 Qty 20 pcs intake Phillips head ø 8mm head thickness 2mm		
For models:	Caimano-Drogheria, Caimano-Special450-Automatico, Caimano-Special450-Timer, Drogheria-Coffee-Shop, Special450-Automatico, Special450-Timer, Super-Caimano, Super-Lusso		

spillage trays

			
1			
Part No.	526252	Ref. No.	238
description	drain tray L 165mm W 130mm suitable for ANFIM		
For models:	Best, Haus-Self, Super-Best		

			
1			
Part No.	526253	Ref. No.	84
description	drain tray L 212mm W 155mm		

dosing containers**dosing container lids**

			
1			
Part No.	526247	Ref. No.	201
description	lid for dosing container ø 115.5mm		
For models:	Best		


			
1			
Part No.	526245	Ref. No.	5
description	lid for dosing container ø 120.5mm		





			
1			
Part No.	526246	Ref. No.	5-SPT
description	lid for dosing container ø 121.5mm		


			
1			
Part No.	526244	Ref. No.	1-A
description	lid for dosing container ø 123.5mm with symbol arrow		


			
1			
Part No.	526248	Ref. No.	216
description	lid for dosing container ø 125mm		
For models:	Best, Haus-Self		


<p>springs</p> <p>group 1</p>			
			
1			
Part No.	526240	Ref. No.	231
description	holding pin wire gauge ø 2mm total length 101mm		
For models:	Best, Super-Best		


			
1			
Part No.	526239	Ref. No.	213
description	spring wire gauge ø 1.6mm total length 51mm		
For models:	Best		


<p>glass cylinders</p>			
			
1			
Part No.	526205	Ref. No.	202
description	cylinder for dosing container ø 110.5mm H 102mm		
For models:	Best		

			
1			
Part No.	526182	Ref. No.	6-A
description	cylinder for dosing container ø 117mm H 113.5mm		

			
1			
Part No.	526183	Ref. No.	6
description	cylinder for dosing container ø 130mm H 104mm		

			
1			
Part No.	526189	Ref. No.	243
description	cylinder ø 130mm H 67mm		
For models:	Super-Best		

<p>levers</p> <p>bolts</p>			
			
1			
Part No.	526197	Ref. No.	32
description	bolt for dosing pump D1 ø 4mm L 10mm		

<p>levers</p>			
			
1			
Part No.	526231	Ref. No.	214
description	lever for dosing pump hole ø 25.5mm L 80mm		
For models:	Best		



1



Part No.	526230	Ref. No.	33
description	lever for dosing pump hole ø 30mm L 95mm		

stoppers

1



Part No.	526201	Ref. No.	34
description	stopper for lever L 14mm W 10mm H 4mm mounting ø 6mm rubber		

coffee presses

components

bolts

1



Part No.	526199	Ref. No.	22
description	bolt D1 ø 8mm D2 ø 12mm L 135mm T1: M8 T2: M8		

holders

1



Part No.	526224	Ref. No.	24
description	bracket for coffee press L 39mm telescope		

1



Part No.	526223	Ref. No.	18
description	bracket for coffee press L 40mm thread M8x1.25 aluminium		

1



Part No.	526238	Ref. No.	215
description	bracket for coffee press ø 16mm L 46mm thread M8		
For models:	Best		

pressers

1



Part No.	526211	Ref. No.	21
description	coffee press ø 45mm H 20.5mm thread M8 plastic		

1



Part No.	526210	Ref. No.	19-P
description	coffee press ø 52mm H 24mm thread M8 plastic		

1



Part No.	526209	Ref. No.	19-56 19-G
description	coffee press ø 56mm H 21mm thread M8 plastic		

automatic grinding

automatic grinding

1



Part No.	526236	Ref. No.	3-A
description	ring for dosing pump ø 128mm		

sector plates

1



Part No.	526234	Ref. No.	25
description	sector plates plastic suitable for ANFIM		

1



Part No.	526235	Ref. No.	212
description	sector plates plastic suitable for ANFIM		
For models:	Best		



ratches			
ratches			
1			
Part No.	526202	Ref. No.	210
description	ratchet for dosing pump ø 25mm internal size 7.5x10mm H 10.1mm brass		
For models:	Best		

1			
Part No.	526200	Ref. No.	29
description	ratchet for dosing unit ø 30mm int. ø 1 10.4mm internal size 9x9mm H 9.7mm		

stars			
complete			
1			
Part No.	526208	Ref. No.	15
description	star for dosing unit complete ø 111mm		

1			
Part No.	526207	Ref. No.	207
description	star for dosing unit complete ø 98mm shaft ø 15 shaft length 40mm		
For models:	Best		

accessories			
1			
Part No.	526241	Ref. No.	26 500026
description	clamping bracket L 74mm for dosing container		

1			
Part No.	526204	Ref. No.	208
description	shaft with hex bolster ø 10mm L 24mm thread M5 brass		
For models:	Best		

spindles			
1			
Part No.	526242	Ref. No.	36
description	spindle for dosing unit shaft ø 16.5mm shaft length 12mm T1: M8 T2: M6		

adjustment mechanism			
lockable adjustment			
1			
Part No.	526198	Ref. No.	58
description	pressure pin for setting ring shaft ø 8mm shaft length 55mm		

1			
Part No.	526237	Ref. No.	225
description	push button for setting ring L 29mm W 13mm shaft ø 6mm shaft length 25mm		
For models:	Best, Haus-Self		

screw connections			
1			
Part No.	526196	Ref. No.	60
description	thread bolt ø 8mm thread M4 L 36mm		

accessories			
stickers			
1			
Part No.	526190	Ref. No.	56
description	sticker for setting ring L 483mm W 4mm		

handles			
1			
Part No.	526233	Ref. No.	453
description	handle for setting ring		
For models:	Lusso, Special450-Automatico, Special450-Timer, Super-Lusso		



coffee powder dispenser

coffee powder dispenser



1

Part No.	526225	Ref. No.	261
description	coffee discharge chute stainless steel suitable for ANFIM		
For models:	Haus-Self		

coffee beans containers

container lids



1

Part No.	526249	Ref. No.	218
description	lid for coffee beans container ø 141.5mm		
For models:	Drogheria-Coffee-Shop, Super-Best		



1

Part No.	526250	Ref. No.	41
description	lid for coffee beans container ø 195mm		

coffee beans containers



1

Part No.	526181	Ref. No.	450
description	coffee beans container L 175mm W 175mm H 180mm		
For models:	Lusso, Special450-Automatico, Special450-Timer, Super-Lusso		



1

Part No.	526185	Ref. No.	217
description	coffee beans container ø 130mm H 100mm		
For models:	Best, Haus-Self		



1

Part No.	526186	Ref. No.	496
description	coffee beans container ø 150mm H 190mm		
For models:	Drogheria-Coffee-Shop		




1

Part No.	526187	Ref. No.	40
description	coffee beans container ø 193mm H 185mm		



1


Part No.	526188	Ref. No.	40-DR
description	coffee beans container ø 194mm H 231mm		
For models:	Caimano-Drogheria		



1


Part No.	526184	Ref. No.	219
description	coffee beans container ø 200mm H 147mm		
For models:	Super-Best		

support for filter holder




1

Part No.	526232	Ref. No.	228
description	filter holder support for dosing pump L 53mm W 47mm		
For models:	Best		




1

Part No.	526228	Ref. No.	241
description	filter holder support for dosing pump L 70mm W 55mm		
For models:	Super-Best		




1

Part No.	526226	Ref. No.	80
description	filter holder support for dosing pump long L 181mm W 60mm		



1

Part No.	526227	Ref. No.	81
description	filter holder support for dosing pump short L 143mm W 50mm		




1

Part No.	526229	Ref. No.	263
description	filter holder support for coffee grinder L 47mm W 50mm		
For models:	Haus-Self		

counters

counters



1

Part No.	526243	Ref. No.	16
description	counter for dosing unit		

equipment feet and end caps

screw-in feet



1

Part No.	697820	Ref. No.	237
description	equipment foot ø 20mm H 12.5mm Qty 1 pcs bore ø 3.5mm		
For models:	Best, Haus-Self, Super-Best		

equipment feet with stem



1

Part No.	802045	Ref. No.	94
description	equipment foot ø 25mm H 10mm mounting ø 10mm overall height 20mm rubber Qty 1 pcs		

springs

compression springs



1

Part No.	526191	Ref. No.	23
description	compression spring ø 10.5mm L 70.5mm wire gauge ø 1mm		



1

Part No.	526193	Ref. No.	30
description	compression spring ø 4.7mm L 26mm wire gauge ø 0.4mm		



1

Part No.	526203	Ref. No.	224
description	compression spring ø 5.6mm L 24mm wire gauge ø 0.55mm		
For models:	Best, Haus-Self, Super-Best		



1

Part No.	526192	Ref. No.	59
description	compression spring ø 7.8mm L 20mm wire gauge ø 0.7mm		

tension springs



1

Part No.	526194	Ref. No.	35
description	tension spring ø 10.5mm total length 43mm wire gauge ø 1mm L 42.5mm		



1

Part No.	526195	Ref. No.	17 17AR
description	tension spring ø 7.5mm total length 35mm wire gauge ø 0.65mm		

fastening material

screws

countersunk screws



1

Part No.	501370	Ref. No.	473
description	countersunk screw thread M6 L 50mm SS DIN 963/ISO 2009 Qty 1 pcs intake slotted head ø 11mm		
For models:	Lusso, Special450-Automatico, Special450-Timer, Super-Lusso		

flat-headed bolts




1


Part No.	560067	Ref. No.	75VS VS-75
description	flat-headed bolt thread M5 thread L 10mm SS DIN 7985/ISO 7045 Qty 20 pcs intake Phillips head ø 8mm head thickness 2mm		
For models:	Caimano-Drogheria, Caimano-Special450-Automatico, Caimano-Special450-Timer, Drogheria-Coffee-Shop, Special450-Automatico, Special450-Timer, Super-Caimano, Super-Lusso		


1


Part No.	560650	Ref. No.	VS-50
description	flat-headed bolt thread M4 thread L 8mm DIN 84/ISO 1207 Qty 1 pcs intake slotted head ø 7mm head thickness 2.5mm chrome-plated steel		
For models:	Haus-Self		




			
1			
Part No.	560393	Ref. No.	VS-54
description	flat-headed bolt thread M4 thread L 8.5mm brass Qty 1 pcs intake Phillips head ø 6mm head thickness 2.5mm		
For models:	Best, Super-Best		

			
1			
Part No.	560394	Ref. No.	VS-64
description	flat-headed bolt thread M5 thread L 10mm Qty 1 pcs intake slotted head ø 7mm head thickness 3mm		
For models:	Caimano, Lusso		

grub screws			
DIN 914/ISO 4027			
			
1			
Part No.	697410	Ref. No.	31
description	grub screw thread M5 L 6mm stainless steel DIN 914/ISO 4027 WS 2.5 with spike Qty 1 pcs		

nuts			
cap nuts			
			
1			
Part No.	560392	Ref. No.	57
description	cap nuts thread M11x1.75 WS 17 brass Qty 1 pcs		

hexagonal nuts			
hexagonal nuts metric (without norm)			
			
1			
Part No.	501369	Ref. No.	221
description	hexagonal nut thread M11x1.75 H 6mm WS 17 brass Qty 1 pcs DIN/ISO DIN 934 / ISO 4032/8673		
For models:	Best, Super-Best		

GASTROPARTS.COM

