



**GASTROPARTS**

# BFC

- [EN]** Equipment
- [DE]** Geräte
- [ES]** Aparatos
- [FR]** Équipement
- [IT]** Attrezzature
- [PL]** Urządzenia
- [RU]** Оборудование

✉ [gastroparts@gastroparts.com](mailto:gastroparts@gastroparts.com)

☎ +48 56 657 00 66

📘 [fb.com/gastroparts.global](https://fb.com/gastroparts.global)



**GASTROPARTS.COM**








# heating elements


## heating elements for coffee machine


			
1			
<b>Part No.</b>	417277	<b>Ref. No.</b>	5050009
<b>description</b>	heating element 1300W 220V heating circuits 1 thread 1¼" L 97mm W 26mm H 26mm tube ø 6.5mm connection M4 immersion heater flange with thread WS 37		
<b>For models:</b>	Junior, Junior-Extra, Junior-Plus, Lira-2-3-4gr, Perfetta		
<b>accessories for</b>	417277		
	<b>Part No.</b>	528002	<b>Ref. No.</b> 2001010
	 flat gasket PTFE ED ø 57mm ID ø 42mm thickness 3mm Qty 1 pcs equiv. no. 12001/W10470 suitable for		


			
1			
<b>Part No.</b>	417276	<b>Ref. No.</b>	5050100
<b>description</b>	heating element 2000W 230V heating circuits 1 thread 1¼" L 145mm W 26mm H 28mm tube ø 8.3mm connection M4 immersion heater flange with thread WS 37		
<b>For models:</b>	Classica-1gr, Lira-1gr		


			
1			
<b>Part No.</b>	417273	<b>Ref. No.</b>	5050710
<b>description</b>	heating element 2400W 230V heating circuits 2 mounting ø 42mm hole distance 74mm L 210mm W 35mm H 27mm hole ø 9.5mm thermostat sleeves ø 7mm length thermostat sleeves 195mm number of thermostat sleeves 1 thermostat sleeve bottom/centre tube ø 8.3mm connection M6 immersion heater 2 hole flange		
<b>For models:</b>	Classica-2-3-4gr, Lira-1gr, Lira-2-3-4gr		


			
1			
<b>Part No.</b>	417275	<b>Ref. No.</b>	5050205
<b>description</b>	heating element 2500W 230V heating circuits 2 thread 1¼" L 285mm W 35mm H 24mm tube ø 8.3mm thermostat sleeves ø 7mm length thermostat sleeves 160mm number of thermostat sleeves 1 thermostat sleeve centre connection M6 immersion heater connection length 30mm flange with thread WS 37		
<b>For models:</b>	Antea-2gr, Lira-2-3-4gr		

			
1			
<b>Part No.</b>	417274	<b>Ref. No.</b>	5050220
<b>description</b>	heating element 3300W 230V heating circuits 2 thread 1¼" L 370mm W 35mm H 24mm tube ø 8.3mm thermostat sleeves ø 7mm length thermostat sleeves 160mm number of thermostat sleeves 1 thermostat sleeve centre connection M6 immersion heater flange with thread WS 37		
<b>For models:</b>	Grandoge-2-3gr, Lira-2-3-4gr		

			
1			
<b>Part No.</b>	417272	<b>Ref. No.</b>	5050720 5050720+2001010
<b>description</b>	heating element 3500W 230V heating circuits 2 mounting ø 42mm hole distance 74mm L 335mm W 35mm H 60mm L1 25mm L2 60mm L3 250mm H1 27mm H2 23mm hole ø 9.5mm tube ø 8.3mm thermostat sleeves ø 7mm length thermostat sleeves 195mm thermostat sleeve centre number of thermostat sleeves 1 connection M6 immersion heater 2 hole flange		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Imola-2-3-4gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

			
1			
<b>Part No.</b>	417270	<b>Ref. No.</b>	5050230
<b>description</b>	heating element 4000W 230V heating circuits 2 thread 1¼" L 495mm W 35mm H 22mm tube ø 8.3mm thermostat sleeves ø 7mm length thermostat sleeves 160mm number of thermostat sleeves 1 thermostat sleeve centre connection M6 immersion heater flange with thread		
<b>For models:</b>	Grandoge-2-3gr, Lira-2-3-4gr		


			
1			
<b>Part No.</b>	417271	<b>Ref. No.</b>	5050730
<b>description</b>	heating element 5250-6250W 220-240V heating circuits 2 mounting ø 42mm hole distance 74mm L 515mm W 35mm H 60mm L1 25mm L2 60mm L3 430mm H1 27mm H2 23mm hole ø 9.5mm tube ø 8.3mm thermostat sleeves ø 7mm length thermostat sleeves 195mm thermostat sleeve centre number of thermostat sleeves 1 connection M6 immersion heater 2 hole flange		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Imola-2-3-4gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		


			
1			
<b>Part No.</b>	417269	<b>Ref. No.</b>	5050740
<b>description</b>	heating element 5500W 230V heating circuits 2 mounting ø 42mm hole distance 74mm L 655mm W 35mm H 50mm L1 25mm L2 60mm L3 570mm H1 27mm H2 23mm hole ø 9.5mm tube ø 8.3mm thermostat sleeves ø 7mm length thermostat sleeves 195mm number of thermostat sleeves 1 connection 2 immersion heater 2 hole flange		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Imola-2-3-4gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## accessories

### sealing washers

#### PTFE gaskets

			
1			
<b>Part No.</b>	528022	<b>Ref. No.</b>	2001001
<b>description</b>	flat gasket PTFE ED ø 52mm ID ø 41mm thickness 2mm size 1¼" Qty 1 pcs suitable for CARIMALI, FAEMA, MARZOCCO, PAVONI		
<b>For models:</b>	Antea-2gr, Classica-1gr, Grandoge-2-3gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Perfetta		





<b>Part No.</b>	528002	<b>Ref. No.</b>	2001010
<b>description</b>	flat gasket PTFE ED ø 57mm ID ø 42mm thickness 3mm Qty 1 pcs equiv. no. 12001/W10470 suitable for		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Imola-2-3-4gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## thermostats


### bi-metal thermostats

#### safety bi-metal thermostats



<b>Part No.</b>	390690	<b>Ref. No.</b>	5013030
<b>description</b>	bi-metal thermostat switch-off temp. 200°C 1NC 1-pole 10A connection F6.3 thread M4 mounting ø 16mm		
<b>For models:</b>	Perfetta		

#### bi-metal thermostats




<b>Part No.</b>	390323	<b>Ref. No.</b>	5013025
<b>description</b>	bi-metal thermostat hole distance mm switch-off temp. 145°C 1NC 1-pole 16A connection F6.3 M4		
<b>For models:</b>	Perfetta		

### control and safety thermostats

#### PRODIGY / FIRT


#### control thermostats



<b>Part No.</b>	390691	<b>Ref. No.</b>	5013010
<b>description</b>	thermostat t.max. 180°C 1-pole 1CO 16A probe ø 6mm probe L 70mm capillary pipe 360mm shaft ø 6x4.6mm shaft L 6mm shaft position upper rotation 270°		
<b>For models:</b>	Perfetta		

various

#### safety thermostats




<b>Part No.</b>	375494	<b>Ref. No.</b>	5013005
<b>description</b>	safety thermostat switch-off temp. 155°C 2-pole 2NC 20A probe ø 6mm probe L 92mm capillary pipe 980mm capillary pipe isolated 500mm		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		


## switches and momentary switches


### rocker/momentary rocker switches


#### 30x22mm



<b>Part No.</b>	347207	<b>Ref. No.</b>	5003240
<b>description</b>	rocker switch mounting measurements 30x22mm white 2NO 250V 20A illuminated 0-I connection male faston 6.3mm ambient temperature max. 120/55°C protection IP65 with rubber collar		




<b>Part No.</b>	301001	<b>Ref. No.</b>	5003080	
<b>description</b>	rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65			
<b>For models:</b>	Antea-2gr, Azzurra, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr			
<b>accessories for</b>	301001			
	<b>Part No.</b>	301036	<b>Ref. No.</b>	—
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm			




<b>Part No.</b>	347318	<b>Ref. No.</b>	5003010(Vapore)
<b>description</b>	momentary rocker switch mounting measurements 30x22mm red 2NO 250V 16A steam connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		




			
1			
<b>Part No.</b>	346049	<b>Ref. No.</b>	5003040
<b>description</b>	rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated cup connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		
<b>For models:</b>	Antea-2gr, Classica-1gr, Grandoge-2-3gr, Junior		


## push/momentary push switches

20.6x16.4mm


			
1			
<b>Part No.</b>	347205	<b>Ref. No.</b>	5003035
<b>description</b>	push switch mounting measurements 20.6x16.4mm chrome 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
<b>For models:</b>	Lira-1gr, Lira-2-3-4gr		

28.5x28.5mm

			
1			
<b>Part No.</b>	345142	<b>Ref. No.</b>	5003230
<b>description</b>	push switch mounting measurements 28.5x28.5mm red/green 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40 with indicator		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, Grandoge-2-3gr		

			
1			
<b>Part No.</b>	347206	<b>Ref. No.</b>	5003235
<b>description</b>	push switch mounting measurements 28.5x28.5mm grey 2NO 250V 16A with indicator connection male faston 6.3mm ambient temperature max. 85°C mounting ø 24mm		
<b>For models:</b>	DeLux-2-3-4gr, Lira-1gr, Lira-2-3-4gr		


ø25mm




			
1			
<b>Part No.</b>	345160 <sup>1</sup>	<b>Ref. No.</b>	5003210
<b>description</b>	push switch mounting ø 25mm red 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr		

<sup>1</sup>illuminated

## toggle switches

M12x0.75

			
1			
<b>Part No.</b>	346520	<b>Ref. No.</b>	5003100
<b>description</b>	toggle switch thread M12x0.75 2CO 250V 15A ON-OFF-ON male faston 6.3mm with neutral position t.max. 85/55°C		
<b>For models:</b>	Perfetta		


			
1			
<b>Part No.</b>	346519	<b>Ref. No.</b>	5003045
<b>description</b>	toggle switch thread M12x0.75 2NO 250V 15A ON-OFF male faston 6.3mm		
<b>For models:</b>	Azzurra, Junior-Extra, Junior-Plus, Perfetta		
<b>accessories for</b>	346519		
	<b>Part No.</b>	346525	<b>Ref. No.</b>
			—
		protection cap L 23.5mm W 17.3mm protection cap rubber thread M11	
		<b>Part No.</b>	347197
		<b>Ref. No.</b>	—
		bezel ON-OFF for toggle switch M12	

## microswitches

pin-plunger actuated

M10

			
1			
<b>Part No.</b>	347211	<b>Ref. No.</b>	5003301
<b>description</b>	microswitch with plunger thread M10x0.75 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 125°C		
<b>For models:</b>	Azzurra, Classica-1gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Perfetta		

			
1			
<b>Part No.</b>	345325	<b>Ref. No.</b>	5003301
<b>description</b>	microswitch with plunger thread M10x0.75 thread L 14mm 250V 10A 1CO connection male faston 6.3mm stroke 7.5mm mounting distance 22mm L 28mm ambient temperature max. 125°C type NR6K5 actuating force: 260g		



## roller actuated

## roller 0°



<b>Part No.</b>	345639	<b>Ref. No.</b>	5003310
<b>description</b>	microswitch with roller plunger 230V 16A 1CO connection solder/ screw connection L1 49mm ambient temperature max. 125°C thread L 14mm thread M10 mounting distance 25mm actuating force: 300g type MS15-1		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Junior-Extra, Junior-Plus, Lira-2-3-4gr, Perfetta		

## rotary switches

## BREMAS

## A1700 series



<b>Part No.</b>	347198 <sup>1</sup>	<b>Ref. No.</b>	5005105
<b>description</b>	rotary switch 2 0-1 sets of contacts 4 type CA0200004V 400V 20A shaft ø 5x5mm shaft L 19mm shaft square connection screw		
<b>For models:</b>	Lira-1gr		

<sup>1</sup>incl. rubber protective sleeve

<b>Part No.</b>	346100	<b>Ref. No.</b>	5005035
<b>description</b>	rotary switch 3 1-0-2 sets of contacts 8 type CS0177412 400V 20A shaft ø 5x5mm shaft L 21mm shaft square connection screw		
<b>For models:</b>	Lira-1gr		

## A2500 series





<b>Part No.</b>	346101	<b>Ref. No.</b>	5005040
<b>description</b>	rotary switch 3 1-0-2 sets of contacts 8 type CS0257412 600V 32A shaft ø 5x5mm shaft L 21mm shaft square connection screw		



## KRAUS &amp; NAIMER

## rotary switches



<b>Part No.</b>	347209 <sup>1</sup>	<b>Ref. No.</b>	5005020 5005025
<b>description</b>	rotary switch 3 0-1-2 sets of contacts 6 type CA20-ATX12X018 400V 25A shaft ø 22.5mm connection screw code 97/000400 marking I-3461*06		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		
<b>accessories for</b>	347209		
	<b>Part No.</b>	347214	<b>Ref. No.</b> 5005200
	knob shaft ø 6mm shaft L 20mm complete mounting ø 22mm lever length 35mm		
	<b>Part No.</b>	347215	<b>Ref. No.</b> 5005210
	knob complete 2 shaft ø 6mm shaft L 20mm complete L 48mm mounting ø 22mm W 48mm mounting distance 36mm		

<sup>1</sup>incl. collar


<b>Part No.</b>	347210	<b>Ref. No.</b>	5005028
<b>description</b>	rotary switch sets of contacts 6 type CA25-AT09X016 490V 30A connection screw code I-3461*05		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Imola-2-3-4gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		
<b>accessories for</b>	347210		
	<b>Part No.</b>	347214	<b>Ref. No.</b> 5005200
	knob shaft ø 6mm shaft L 20mm complete mounting ø 22mm lever length 35mm		
	<b>Part No.</b>	347215	<b>Ref. No.</b> 5005210
	knob complete 2 shaft ø 6mm shaft L 20mm complete L 48mm mounting ø 22mm W 48mm mounting distance 36mm		

## accessories



<b>Part No.</b>	347215	<b>Ref. No.</b>	5005210
<b>description</b>	knob complete 2 shaft ø 6mm shaft L 20mm complete L 48mm mounting ø 22mm W 48mm mounting distance 36mm		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr		



			
1			
<b>Part No.</b>	347214	<b>Ref. No.</b>	5005200
<b>description</b>	knob shaft ø 6mm shaft L 20mm complete mounting ø 22mm lever length 35mm		
<b>For models:</b>	Lira-2-3-4gr		


## lamps


### indicator lights

#### indicator lights (complete)

ø10mm





with screw socket





			
1			
<b>Part No.</b>	359476	<b>Ref. No.</b>	5010030
<b>description</b>	indicator light ø 10mm 110/250V red connection male faston 6.3mm		
<b>For models:</b>	Antea-2gr, Azzurra, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr, Perfetta		




			
1			
<b>Part No.</b>	359475	<b>Ref. No.</b>	5010003
<b>description</b>	indicator light ø 10mm 125V green connection male faston 6.3mm		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr, Perfetta		

ø16mm

with plug-in socket


				
1				
<b>Part No.</b>	359474	<b>Ref. No.</b>	5010006	
<b>description</b>	indicator light ø 16mm 230V green connection male faston 6.3mm			
<b>For models:</b>	Junior-Extra			
<b>spare parts for</b>	359474			
	<b>Part No.</b>	345601	<b>Ref. No.</b>	—
	indicator lamp holder V ø 11mm			
	<b>Part No.</b>	359132	<b>Ref. No.</b>	—
	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C			
	<b>Part No.</b>	359247	<b>Ref. No.</b>	—
	indicator light lens ø 12.2mm green			

				
1				
<b>Part No.</b>	359472	<b>Ref. No.</b>	5010036	
<b>description</b>	indicator light ø 16mm 230V red connection male faston 6.3mm			
<b>spare parts for</b>	359472			
	<b>Part No.</b>	345601	<b>Ref. No.</b>	—
	indicator lamp holder V ø 11mm			
	<b>Part No.</b>	359130	<b>Ref. No.</b>	—
	indicator lamp 230V clear connection male faston 6.3mm ø 8mm			
	<b>Part No.</b>	359245	<b>Ref. No.</b>	—
	indicator light lens ø 12.2mm red			

				
1				
<b>Part No.</b>	359473	<b>Ref. No.</b>	5010033	
<b>description</b>	indicator light ø 16mm 230V yellow connection male faston 6.3mm			
<b>For models:</b>	Junior-Extra			
<b>spare parts for</b>	359473			
	<b>Part No.</b>	345601	<b>Ref. No.</b>	—
	indicator lamp holder V ø 11mm			
	<b>Part No.</b>	359130	<b>Ref. No.</b>	—
	indicator lamp 230V clear connection male faston 6.3mm ø 8mm			

## solid state relays

### miscellaneous

			
1			
<b>Part No.</b>	403541	<b>Ref. No.</b>	5012005
<b>description</b>	solid state relay GEFAN 1 phase 50A 480V 3-32VDC L 58mm W 45mm screw type GQ-50-48-D-1-3		
<b>For models:</b>	Classica-1gr, Junior, Lira-1gr, Lira-2-3-4gr		



## relays

## level relays

## GICAR



1

<b>Part No.</b>	402103	<b>Ref. No.</b>	5030363
<b>description</b>	level controller 230/240V voltage AC 50/60Hz connection F6.3 type NRL30/1E-2C/F		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Lira-1gr, Lira-2-3-4gr		



1

<b>Part No.</b>	402234	<b>Ref. No.</b>	5030320
<b>description</b>	level controller 230V voltage AC connection F6.3 type RL30/3ES/F/G		
<b>For models:</b>	Classica-1gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr		

## electronic controllers

## DIXELL

## refrigeration controllers

## built-in version



1

<b>Part No.</b>	402037	<b>Ref. No.</b>	nicht verfügbar!
<b>description</b>	electronic controller DIXELL type XW270L-5NOC0		

## electronics

## PCBs



1

<b>Part No.</b>	402235	<b>Ref. No.</b>	5029103 5029120
<b>description</b>	display L 117mm W 45mm		
<b>For models:</b>	Imola-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		



1

<b>Part No.</b>	402246	<b>Ref. No.</b>	5029110
<b>description</b>	display L 135mm W 44mm		



1

<b>Part No.</b>	402259	<b>Ref. No.</b>	5029105
<b>description</b>	display L 135mm W 44mm		
<b>For models:</b>	Lira-1gr, Lira-2-3-4gr		

## central units



1

<b>Part No.</b>	402261	<b>Ref. No.</b>	5030010
<b>description</b>	central unit 230V 50/60Hz 5/10A type 30μZ R/E voltage AC		
<b>For models:</b>	Classica-1gr, Junior		




1

<b>Part No.</b>	402245	<b>Ref. No.</b>	5030011 old version
<b>description</b>	central unit 230V 50/60Hz type 30µZ R/E		



1

<b>Part No.</b>	403926	<b>Ref. No.</b>	5030011
<b>description</b>	central unit kit 230V 50/60Hz		
<b>For models:</b>	Lira-1gr		



1

<b>Part No.</b>	402233	<b>Ref. No.</b>	5030110
<b>description</b>	control box 1-group for coffee machine 230V manual type DOS MAN 1GR NO TEA		
<b>For models:</b>	Classica-2-3-4gr		



1

<b>Part No.</b>	402232	<b>Ref. No.</b>	5030115
<b>description</b>	control box 2-group for coffee machine 230V manual type DOS MAN 2GR NO TEA		
<b>For models:</b>	Classica-2-3-4gr		



1

<b>Part No.</b>	402241	<b>Ref. No.</b>	5030100 5030100+5030952+5030956
<b>description</b>	control box 3-group for coffee machine 230V type 3d5 MAESTRO DELUXE 6T		
<b>For models:</b>	DeLux-2-3-4gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## dosing electronics

### GICAR



1

<b>Part No.</b>	402262	<b>Ref. No.</b>	5030120
<b>description</b>	dosing electronics 2-group 230V 50/60Hz 2.1A type DELUXE		
<b>For models:</b>	Imola-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		



1

<b>Part No.</b>	402231	<b>Ref. No.</b>	5030080
<b>description</b>	dosing electronics 3-group 230V voltage AC 50/60Hz type 3d5 3GRCTZ XLC (SC) DPG 96 C		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, Grandoge-2-3gr		





## keypads

## keypad units



1

<b>Part No.</b>	402260	<b>Ref. No.</b>	5031380 5031410
<b>description</b>	keypad unit buttons 1 white L 35mm W 26mm		
<b>For models:</b>	Imola-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		



1

<b>Part No.</b>	402238	<b>Ref. No.</b>	5031340
<b>description</b>	keypad unit buttons 4 L 135mm W 44mm		



1

<b>Part No.</b>	402239	<b>Ref. No.</b>	5031350
<b>description</b>	keypad unit buttons 6 L 135mm W 44mm		



1

<b>Part No.</b>	402240	<b>Ref. No.</b>	5031333
<b>description</b>	keypad unit buttons 6 L 135mm W 44mm with holder		



1

<b>Part No.</b>	402244	<b>Ref. No.</b>	5031011
<b>description</b>	keypad unit buttons 6 L 88mm W 60mm		
<b>For models:</b>	Classica-1gr, Classica-2-3-4gr, Junior		



1

<b>Part No.</b>	402236	<b>Ref. No.</b>	5031015
<b>description</b>	keypad unit coffee machine buttons 5 L 88mm W 60mm		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, Grandoge-2-3gr		



1

<b>Part No.</b>	402237	<b>Ref. No.</b>	5031210
<b>description</b>	keypad unit coffee machine Classica/Diadema 2-3-4 gr. buttons 2 L 88mm W 60mm		
<b>For models:</b>	Classica-2-3-4gr		



1

<b>Part No.</b>	402258	<b>Ref. No.</b>	5031305
<b>description</b>	keypad unit espresso machine DeLux/Imola/Marenello/Monza 2-3-4 gr. buttons 6 L 135mm W 44mm		
<b>For models:</b>	DeLux-2-3-4gr, Imola-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		



1

<b>Part No.</b>	402257	<b>Ref. No.</b>	5031280 5301280
<b>description</b>	keypad unit espresso machine Lira 1-2-3-4 gr. buttons 6 L 135mm W 44mm		
<b>For models:</b>	Lira-1gr, Lira-2-3-4gr		



## solenoid valves

### solenoid valves (water)

metal

LUCIFER

spare parts and accessories

valve bodies



1

<b>Part No.</b>	370061	<b>Ref. No.</b>	BFC01 BFC02
<b>description</b>	solenoid valve body LUCIFER-PARKER 3-ways outer cone		



ODE

solenoid valves steam (water)

21A1 series



1

<b>Part No.</b>	370093	<b>Ref. No.</b>	5020115
<b>description</b>	solenoid valve 2/2-ways 230VAC body 25-F39 DN 2.5mm slide-on receptacle DIN -10 up to 140°C ODE type series 21A1 coil type BDA membranes FKM p max 14bar 50/60Hz silicone flange 32x32mm		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		
<b>spare parts for</b>	370093		
	<b>Part No.</b>	371150	<b>Ref. No.</b> —
<b>accessories for</b>	370093		
	<b>Part No.</b>	371090	<b>Ref. No.</b> —
	power socket plug type DIN 43650A screw		

31A1 series



1

<b>Part No.</b>	370572	<b>Ref. No.</b>	5020055
<b>description</b>	solenoid valve brass 3-ways 230VAC DN 1.5mm -10 up to 140°C coil type ADA membranes ruby p max 15bar p min 0bar flange 32x32mm		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		







PARKER

spare parts and accessories

valve bodies



1

<b>Part No.</b>	370062	<b>Ref. No.</b>	BFC01 BFC02
<b>description</b>	solenoid valve body PARKER 3-ways outer cone		
<b>accessories for</b>	370062		
	<b>Part No.</b>	371029	<b>Ref. No.</b> —
	solenoid coil PARKER 230VAC 9VA coil type ZB09 seat ø 14mm H 33mm W 34mm D 43mm		
	<b>Part No.</b>	371030	<b>Ref. No.</b> —
	solenoid coil 24VDC 12VA coil type ZB12 seat ø 14mm		
	<b>Part No.</b>	371033	<b>Ref. No.</b> —
	solenoid coil PARKER 230VAC 9VA coil type YB09 with cable seat ø 14mm		
	<b>Part No.</b>	371036	<b>Ref. No.</b> —
	solenoid coil 24VAC 9VA coil type ZB09 seat ø 14mm		
	<b>Part No.</b>	371095	<b>Ref. No.</b> —
	O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs		
	<b>Part No.</b>	371100	<b>Ref. No.</b> —
	O-ring silicone thickness 1.78mm ID ø 6.07mm Qty 1 pcs		

## pressure switches

### for coffee machines

miscellaneous




1

<b>Part No.</b>	541690	<b>Ref. No.</b>	5006070
<b>description</b>	pressure control pressure range 1.1bar connection 1/4" 16A 1-pole type 250V pressure connection 1/4"		
<b>For models:</b>	Junior, Junior-Extra, Junior-Plus		



## electrodes

			
1			
<b>Part No.</b>	401365	<b>Ref. No.</b>	4550005
<b>description</b>	level electrode 1/4" total length 172mm probe L 145mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## equipment-specific units

## for espresso machines

## filter holders


## filter holders standard

## filter holder without spout

			
1			
<b>Part No.</b>	525975	<b>Ref. No.</b>	N/A
<b>description</b>	filter holder suitable for BFC/ROYAL1 without outlet mounting ø 83mm outlet 3/8" ID ø 62mm wedge height 10mm wedge position horizontal number of wedges 2 lever inclined		

			
1			
<b>Part No.</b>	525976	<b>Ref. No.</b>	N/A
<b>description</b>	filter holder suitable for BFC/ROYAL1/RANCILIO without outlet mounting ø 82mm outlet 3/8" ID ø 62mm wedge height 10mm wedge position horizontal number of wedges 2 lever straight		

## filter holders short

			
1			
<b>Part No.</b>	526528	<b>Ref. No.</b>	4650100
<b>description</b>	filter holder mounting ø 82mm outlet 3/8" ID ø 62mm handle M12x1.75 wedge height 10mm wedge position horizontal number of wedges 2 lever straight chrome-plated brass		

			
1			
<b>Part No.</b>	529050	<b>Ref. No.</b>	4650100
<b>description</b>	filter holder mounting ø 82mm outlet 3/8" ID ø 62mm handle M12x1.75 wedge height 10mm wedge position horizontal number of wedges 2 lever straight chrome-plated brass		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Plus, Maranello-2-3-4gr, Monza-2-3-4gr, Perfetta		
<b>accessories for</b>	529050		
	<b>Part No.</b>	529045	<b>Ref. No.</b>
	 handle ø 35mm thread M12x1.75 thread L 15mm L 125mm black		

			
1			
<b>Part No.</b>	526527	<b>Ref. No.</b>	4650108
<b>description</b>	filter holder mounting ø 83mm outlet 3/8" ID ø 62mm handle M12x1.75 wedge height 10mm wedge position horizontal number of wedges 2 lever inclined chrome-plated brass		
<b>For models:</b>	Junior-Extra, Lira-1gr, Lira-2-3-4gr		

## filters

## for 1 cup

			
1			
<b>Part No.</b>	527631	<b>Ref. No.</b>	N/A
<b>description</b>	coffee filter ø 70mm mounting ø 60.7mm H 17mm cups 1 amount of coffee 8g		

			
1			
<b>Part No.</b>	529011	<b>Ref. No.</b>	4630051
<b>description</b>	coffee filter ø 70mm mounting ø 60mm H 24.5mm cups 1 amount of coffee 7g perforation ø 0.4mm		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr, Perfetta		



for 2 cups



1

<b>Part No.</b>	529076	<b>Ref. No.</b>	4630052
<b>description</b>	coffee filter ø 70mm mounting ø 60.8mm H 24.5mm cups 2 amount of coffee 14g ECONOMY		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr, Perfetta		

blind filters



1

<b>Part No.</b>	529023	<b>Ref. No.</b>	4630100
<b>description</b>	blind filter ø 70mm mounting ø 60mm H 18mm		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr, Perfetta		

brewing units

shower screens

flat



1

<b>Part No.</b>	529084	<b>Ref. No.</b>	4630033
<b>description</b>	shower screen ø 52mm hole ø 6.4mm		
<b>For models:</b>	Antea-2gr, Grandoge-2-3gr, Lira-2-3-4gr		

with upstand



1

<b>Part No.</b>	528417	<b>Ref. No.</b>	0520080
<b>description</b>	shower screen ø 58mm H 19mm		
<b>For models:</b>	Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr, Perfetta		

filter holder gaskets

flat

with internal notch



1

<b>Part No.</b>	527986	<b>Ref. No.</b>	0520090
<b>description</b>	filter holder gasket D1 ø 73.5mm D2 ø 57.5mm H 8.5mm with inside notch Qty 1 pcs		
<b>For models:</b>	Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr, Perfetta		



1

<b>Part No.</b>	527987	<b>Ref. No.</b>	2002310
<b>description</b>	filter holder gasket D1 ø 73.5mm D2 ø 57.5mm H 8mm with inside notch Qty 1 pcs		
<b>For models:</b>	Antea-2gr, Grandoge-2-3gr, Lira-2-3-4gr		

shim gaskets



1

<b>Part No.</b>	531250	<b>Ref. No.</b>	—
<b>description</b>	shim gasket D1 ø 73mm D2 ø 59mm thickness 0.5mm paper Qty 20 pcs		

brewing units with solenoid valve


components



1

<b>Part No.</b>	527989	<b>Ref. No.</b>	0520096
<b>description</b>	drain pipe ø 20mm ID ø 16.5mm L 28mm T1: 1/4" chrome-plated brass		
<b>For models:</b>	Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Imola-2-3-4gr, Junior, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		




			
1			
<b>Part No.</b>	527988	<b>Ref. No.</b>	0520095
<b>description</b>	tap aerator M10x1 L 35mm WS 22		
<b>For models:</b>	Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Imola-2-3-4gr, Junior, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## brewing units manual

## components

## drain units


## drain pipes


			
1			
<b>Part No.</b>	527931	<b>Ref. No.</b>	0530060
<b>description</b>	drain pipe thread 1/2" int. ø 1 11.5mm int. ø 2 15mm L 35.5mm WS 26		

			
1			
<b>Part No.</b>	527937	<b>Ref. No.</b>	0530040
<b>description</b>	drain pipe thread 1/2" T1: M30x1.5 L 72mm WS 36		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Junior-Extra, Junior-Plus, Lira-2-3-4gr, Perfetta		


			
1			
<b>Part No.</b>	528538	<b>Ref. No.</b>	0530060
<b>description</b>	end piece thread 1/2" int. ø 1 12mm int. ø 2 15mm L 36mm chrome-plated brass WS 26		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Junior-Extra, Junior-Plus, Lira-2-3-4gr, Perfetta		

## drain valves


			
1			
<b>Part No.</b>	527936	<b>Ref. No.</b>	0530043
<b>description</b>	valve ED ø 16mm H 27mm		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Junior-Extra, Junior-Plus, Lira-2-3-4gr, Perfetta		

			
1			
<b>Part No.</b>	526002	<b>Ref. No.</b>	0530043
<b>description</b>	valve support ø 16mm L 27mm brass shaft triangular D1 ø 10mm D2 ø 7mm		

## tap aerators

			
1			
<b>Part No.</b>	527932	<b>Ref. No.</b>	0530047
<b>description</b>	tap aerator D1 ø 8mm D2 ø 15mm ID ø 6mm H 6mm brass		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Junior-Extra, Junior-Plus, Lira-2-3-4gr, Perfetta		

## gaskets

			
1			
<b>Part No.</b>	529795	<b>Ref. No.</b>	0510140 0541070
<b>description</b>	gasket D1 ø 13mm D2 ø 4mm thickness 4mm coffee machine		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

			
1			
<b>Part No.</b>	527945	<b>Ref. No.</b>	0530080
<b>description</b>	gasket ED ø 16mm ID ø 8mm H 4mm for lever		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Junior-Extra, Junior-Plus, Lira-2-3-4gr, Perfetta		

## nozzle holders

			
1			
<b>Part No.</b>	527949	<b>Ref. No.</b>	0520030
<b>description</b>	nozzle holder thread M30x1.5 IT M16x1.5 IT 1 M6 ø 25.5mm int. ø 1 15mm int. ø 2 17mm L 66mm total length 80mm WS 36 chrome-plated brass		
<b>For models:</b>	Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr, Perfetta		




springs




1

<b>Part No.</b>	527933	<b>Ref. No.</b>	0530045
<b>description</b>	compression spring ø 14.2mm L 21mm wire gauge ø 1.8mm SS		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Junior-Extra, Junior-Plus, Lira-2-3-4gr, Perfetta		



1

<b>Part No.</b>	527934	<b>Ref. No.</b>	0530030
<b>description</b>	compression spring ø 14.2mm L 45mm wire gauge ø 1.5mm SS		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Junior-Extra, Junior-Plus, Lira-2-3-4gr, Perfetta		



1

<b>Part No.</b>	527935	<b>Ref. No.</b>	0530095
<b>description</b>	compression spring ø 14.6mm L 33mm wire gauge ø 2mm		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Junior-Extra, Junior-Plus, Lira-2-3-4gr, Perfetta		

levers



1

<b>Part No.</b>	527943	<b>Ref. No.</b>	0530110
<b>description</b>	lever L 70mm thread M8 shaft diameter 6x6mm		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Junior-Extra, Junior-Plus, Lira-2-3-4gr, Perfetta		


camshafts





1


<b>Part No.</b>	527940	<b>Ref. No.</b>	0530070
<b>description</b>	camshaft shaft ø 8mm shaft intake ø 6.2mm L 86.5mm W 20mm H 17mm thread M6 brass		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Junior-Extra, Junior-Plus, Lira-2-3-4gr, Perfetta		

valves




1

<b>Part No.</b>	526008	<b>Ref. No.</b>	0530001
<b>description</b>	valve group outflow L 54.3mm ED ø 16mm shaft ø 4.5mm brass		
<b>accessories for</b>	526008		
	Part No.	526003	Ref. No. —
	compression spring ø 13.8mm L 54.5mm wire gauge ø 1.5mm windings 10 drain valve		
	Part No.	532550	Ref. No. —
	O-ring NBR 787/70 thickness 2.62mm ID ø 9.13mm Qty 10 pcs		




1

<b>Part No.</b>	526007	<b>Ref. No.</b>	0530020
<b>description</b>	valve group supply L 52.8mm ED ø 16mm shaft triangular		



1


<b>Part No.</b>	527938	<b>Ref. No.</b>	0530020
<b>description</b>	valve H 52.6mm ED ø 16mm		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Junior-Extra, Junior-Plus, Lira-2-3-4gr, Perfetta		



1


<b>Part No.</b>	527939	<b>Ref. No.</b>	0530001
<b>description</b>	valve H 54.2mm ED ø 16mm		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Junior-Extra, Junior-Plus, Lira-2-3-4gr, Perfetta		

screw connections



1

<b>Part No.</b>	527944	<b>Ref. No.</b>	0530120
<b>description</b>	cap nuts IT M6 ø 15mm L 22mm		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Junior-Extra, Junior-Plus, Lira-2-3-4gr, Perfetta		



1

<b>Part No.</b>	527942	<b>Ref. No.</b>	0530100
<b>description</b>	screw connection thread 1/2" int. ø 1 10.8mm int. ø 2 15mm L 17mm WS 22		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Junior-Extra, Junior-Plus, Lira-2-3-4gr, Perfetta		




			
1			
<b>Part No.</b>	527941	<b>Ref. No.</b>	0530090
<b>description</b>	screw connection thread M30x1.5 IT 1/2" L 39mm WS 26		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Junior-Extra, Junior-Plus, Lira-2-3-4gr, Perfetta		

## components

## nozzles

## with thread

			
1			
<b>Part No.</b>	528486	<b>Ref. No.</b>	0520020
<b>description</b>	nozzle bore ø 0.7mm thread M6x0.75 L 9mm WS 7		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr, Perfetta		

## miscellaneous

			
1			
<b>Part No.</b>	527948	<b>Ref. No.</b>	4001011
<b>description</b>	protection cap for brewing unit		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr, Perfetta		

## screw connections

			
1			
<b>Part No.</b>	527270	<b>Ref. No.</b>	0520000
<b>description</b>	end cap thread M16x1.5 ID ø 8.9mm L 21mm chrome-plated WS 22		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Junior-Extra, Junior-Plus, Lira-2-3-4gr, Perfetta		

## water dispersions

## water dispersions


## group 2


			
1			
<b>Part No.</b>	529230	<b>Ref. No.</b>	0520070
<b>description</b>	water distributor ø 30mm hole ø 2mm H 14mm ET M10x1 grooves 6 2mm brass 2 holes perforation ø 1.7mm		
<b>For models:</b>	Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr, Perfetta		

## safety valves

## safety valves


## 3/8"


			
1			
<b>Part No.</b>	527977	<b>Ref. No.</b>	3630030
<b>description</b>	safety valve connection 3/8" triggering pressure 1.8bar approval CE 0036		
<b>For models:</b>	Classica-1gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr		

			
1			
<b>Part No.</b>	527976	<b>Ref. No.</b>	3630025
<b>description</b>	safety valve connection 3/8"-1/2" triggering pressure 1.8bar approval CE 0035 sealed		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## expansion valves

## with hose connection

			
1			
<b>Part No.</b>	529329	<b>Ref. No.</b>	3630140
<b>description</b>	expansion valve adjustable T1: 3/8" ET hose ø 9.5mm BL 40mm total length 78.6mm		
<b>For models:</b>	Classica-1gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr		

			
1			
<b>Part No.</b>	527979	<b>Ref. No.</b>	3630140
<b>description</b>	expansion valve T1: 3/8" ET hose ø 9.5mm L 58mm		



drain pans

drain pans



1

<b>Part No.</b>	527946	<b>Ref. No.</b>	4008005
<b>description</b>	drain pan L 69mm W 79mm H 54mm hose ø 14mm		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

aerators and air bleeders



1

<b>Part No.</b>	527981	<b>Ref. No.</b>	3630001
<b>description</b>	aerator and air bleeder connection 1/4"		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

boilers

heat exchangers

injector tubes



1

<b>Part No.</b>	527951	<b>Ref. No.</b>	2510002
<b>description</b>	injector pipe tube ø 8mm pipe length 100mm T1: 1/4" T2: 1/4"		
<b>For models:</b>	Junior, Junior-Extra, Junior-Plus, Lira-2-3-4gr		



1

<b>Part No.</b>	527952	<b>Ref. No.</b>	2510005
<b>description</b>	injector pipe tube ø 8mm pipe length 140mm T1: 1/4" T2: 1/4"		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

steam/water taps

steam/water taps

steam/water taps



1

<b>Part No.</b>	527953	<b>Ref. No.</b>	3501030
<b>description</b>	steam/water tap inlet 1/4" outlet 3/8" brass		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

steam taps

steam taps (complete)



1

<b>Part No.</b>	525491	<b>Ref. No.</b>	N/A
<b>description</b>	steam tap complete with handle inlet 1/4" brass pipe SS pipe length 180mm tube ø 10mm		




1

<b>Part No.</b>	527954	<b>Ref. No.</b>	3501150
<b>description</b>	steam tap mounting pos. external inlet 3/8" outlet 3/8" chrome-plated brass		







			
1			
<b>Part No.</b>	525492	<b>Ref. No.</b>	N/A
<b>description</b>	water pipe complete with handle inlet 1/4" brass pipe SS pipe length 100mm tube ø 10mm		

## components

## shafts


			
1			
<b>Part No.</b>	527959	<b>Ref. No.</b>	0540080
<b>description</b>	shaft for steam-/water-tap ø 14mm D1 ø 11.5mm D2 ø 7.5mm D3 ø 5.8mm L 88mm brass		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## bushes


			
1			
<b>Part No.</b>	526010	<b>Ref. No.</b>	0540060
<b>description</b>	bush steam/water tap D1 ø 10.5mm D2 ø 9mm ID ø 6.3mm H 4.6mm brass		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		
<b>accessories for</b>	526010		
	<b>Part No.</b>	526005	<b>Ref. No.</b> —
	shaft steam tap ø 14.8mm L 92.5mm thread M6 brass		


## gaskets

			
1			
<b>Part No.</b>	527961	<b>Ref. No.</b>	0510162 0540090
<b>description</b>	flat gasket copper ED ø 21mm ID ø 17.2mm thickness 1.5mm		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

			
1			
<b>Part No.</b>	527970	<b>Ref. No.</b>	0541060
<b>description</b>	flat gasket PTFE ED ø 24mm ID ø 18mm thickness 2mm Qty 1 pcs		


			
1			
<b>Part No.</b>	527960	<b>Ref. No.</b>	0540085
<b>description</b>	gasket D1 ø 12mm thickness 6mm for steam-/water-tap		
<b>For models:</b>	Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

			
1			
<b>Part No.</b>	529795	<b>Ref. No.</b>	0510140 0541070
<b>description</b>	gasket D1 ø 13mm D2 ø 4mm thickness 4mm coffee machine		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		


			
1			
<b>Part No.</b>	527972	<b>Ref. No.</b>	0541100
<b>description</b>	gasket set D1 ø 16mm ID ø 7.8mm thickness 4mm rubber for steam-/water-tap		

## springs

			
1			
<b>Part No.</b>	527958	<b>Ref. No.</b>	0540070
<b>description</b>	compression spring ø 10.5mm L 32mm wire gauge ø 1.3mm for steam-/water-tap		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

			
1			
<b>Part No.</b>	527968	<b>Ref. No.</b>	0541050
<b>description</b>	compression spring ø 12.5mm L 31mm wire gauge ø 1.8mm		



			
1			
<b>Part No.</b>	527969	<b>Ref. No.</b>	0541055
<b>description</b>	compression spring $\varnothing$ 8mm L 21mm wire gauge $\varnothing$ 0.4mm		

## tap bodies

			
1			
<b>Part No.</b>	527962	<b>Ref. No.</b>	0540095
<b>description</b>	body T1: M16x1 T2: 3/8" T3: 1/4" L 49mm		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## washers

			
1			
<b>Part No.</b>	527955	<b>Ref. No.</b>	0540030
<b>description</b>	plain washer ID $\varnothing$ 6.1mm ED $\varnothing$ 20mm thickness 1.6mm brass Qty 1 pcs for coffee machine tap		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## screw connections

			
1			
<b>Part No.</b>	527956	<b>Ref. No.</b>	0540040
<b>description</b>	screw connection T1: M16x1 L 61mm ID $\varnothing$ 11mm WS 26 brass		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## steam/water pipes

### steam pipes


			
1			
<b>Part No.</b>	527926	<b>Ref. No.</b>	2520530
<b>description</b>	steam pipe thread 3/8" H 120mm L 50mm W 100mm tube $\varnothing$ 10mm SS		
<b>For models:</b>	Junior-Extra, Junior-Plus, Perfetta		

			
1			
<b>Part No.</b>	527924	<b>Ref. No.</b>	2520512
<b>description</b>	steam pipe thread 3/8" H 170mm W 100mm tube $\varnothing$ 10mm SS		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, Grandoge-2-3gr		

			
1			
<b>Part No.</b>	527925	<b>Ref. No.</b>	2520518
<b>description</b>	steam pipe thread 3/8" H 170mm W 120mm tube $\varnothing$ 10mm SS		
<b>For models:</b>	DeLux-2-3-4gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

			
1			
<b>Part No.</b>	527927	<b>Ref. No.</b>	2520550
<b>description</b>	steam pipe thread 3/8" H 190mm W 100mm tube $\varnothing$ 10mm SS		
<b>For models:</b>	Classica-1gr, Junior, Junior-Plus, Lira-1gr		


			
1			
<b>Part No.</b>	527928	<b>Ref. No.</b>	2520555
<b>description</b>	steam pipe thread 3/8" H 250mm W 70mm tube $\varnothing$ 10mm SS		

			
1			
<b>Part No.</b>	527929	<b>Ref. No.</b>	2520580
<b>description</b>	steam pipe thread 3/8" H 270mm L 70mm W 80mm tube $\varnothing$ 8mm brass		



			
1			
<b>Part No.</b>	527930	<b>Ref. No.</b>	2520590
<b>description</b>	steam pipe thread 3/8" H 270mm L 70mm W 80mm tube ø 8mm brass		

## nozzles for steam pipes


			
1			
<b>Part No.</b>	527964	<b>Ref. No.</b>	0540150
<b>description</b>	nozzle thread M9x0.75 ø 13mm L 21mm 4 holes bore ø 1.5mm SS		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr, Perfetta		

## nozzles for water pipes

## gaskets

			
1			
<b>Part No.</b>	527965	<b>Ref. No.</b>	0540210
<b>description</b>	flat gasket rubber ED ø 21mm ID ø 15mm thickness 3mm Qty 1 pcs		
<b>For models:</b>	Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## components


			
1			
<b>Part No.</b>	527967	<b>Ref. No.</b>	0540220
<b>description</b>	screw connection for flow regulator thread M22x1 L 16mm ø 23.5mm ID ø 20mm		
<b>For models:</b>	Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## tap aerators

			
1			
<b>Part No.</b>	527966	<b>Ref. No.</b>	0540215
<b>description</b>	tap aerator D1 ø 18.8mm D2 ø 20.8mm H 12mm		
<b>For models:</b>	Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## water pipes

			
1			
<b>Part No.</b>	527920	<b>Ref. No.</b>	2520007
<b>description</b>	water pipe thread 1/4" ø 23.5mm L 105mm WS 17 brass		
<b>For models:</b>	Classica-1gr, Imola-2-3-4gr, Junior, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

			
1			
<b>Part No.</b>	526614	<b>Ref. No.</b>	2520035
<b>description</b>	water pipe thread 3/8" L 75mm WS 22		
<b>For models:</b>	Antea-2gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

			
1			
<b>Part No.</b>	527921	<b>Ref. No.</b>	2520015
<b>description</b>	water pipe thread 3/8" ø 23.5mm L 112mm WS 22 brass		
<b>For models:</b>	Classica-2-3-4gr, Lira-1gr, Lira-2-3-4gr		

			
1			
<b>Part No.</b>	527923	<b>Ref. No.</b>	2520130
<b>description</b>	water pipe thread 3/8" ø 23.5mm L 75mm WS 22 SS		
<b>For models:</b>	Junior-Extra, Junior-Plus		

			
1			
<b>Part No.</b>	527922	<b>Ref. No.</b>	2520020
<b>description</b>	water pipe thread 3/8" ø 23.5mm L 86mm WS 22 brass		
<b>For models:</b>	DeLux-2-3-4gr, Lira-2-3-4gr		



accessories

bushes



1

<b>Part No.</b>	527971	<b>Ref. No.</b>	0541125
<b>description</b>	bush D1 ø 7.8mm D2 ø 15mm H 21.5mm brass ID ø 6mm		



1

<b>Part No.</b>	529705	<b>Ref. No.</b>	0540110
<b>description</b>	bush D1 ø 8.3mm D2 ø 12mm H 6mm brass ID ø 7mm		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr, Perfetta		

springs



1

<b>Part No.</b>	527963	<b>Ref. No.</b>	0540100
<b>description</b>	compression spring ø 12mm L 16.5mm wire gauge ø 1.5mm steel for steam/water pipes		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr, Perfetta		

tube handles



1

<b>Part No.</b>	528625	<b>Ref. No.</b>	4005040
<b>description</b>	tube handle L 35mm rubber ID ø 8mm		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr, Perfetta		

union nuts



1

<b>Part No.</b>	529706	<b>Ref. No.</b>	0540135
<b>description</b>	union nut thread 3/8" L 21mm hole ø 12.5mm brass		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Imola-2-3-4gr, Junior, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

various taps



1

<b>Part No.</b>	527975	<b>Ref. No.</b>	3501160
<b>description</b>	water tap inlet 3/8" outlet 3/8" shaft 6.5x6.5 shaft L 19mm brass for cup warmer		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr		

fine filters

fine filters



1

<b>Part No.</b>	528946	<b>Ref. No.</b>	0520010
<b>description</b>	fine filter pipe ø 8.5mm H 22mm		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr, Perfetta		

intake valves

intake valves



1

<b>Part No.</b>	527957	<b>Ref. No.</b>	4650140
<b>description</b>	intake valve brass with expansion valve inlet 3/8" outlet 1/4"		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

accessories

bolts



1

<b>Part No.</b>	526504	<b>Ref. No.</b>	0510142
<b>description</b>	bolt ø 7mm L 47.5mm brass		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

bushes



1

<b>Part No.</b>	526501	<b>Ref. No.</b>	0510148
<b>description</b>	bush for lever D1 ø 12mm D2 ø 14.6mm int. ø 17mm H 6.7mm brass		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		



## gaskets



<b>Part No.</b>	527995	<b>Ref. No.</b>	0510186
<b>description</b>	gasket ED ø 15mm seat ø 6mm H 5mm overall height 10mm		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## gasket supports



<b>Part No.</b>	527997	<b>Ref. No.</b>	0510166
<b>description</b>	gasket support D1 ø 7.3mm D2 ø 13mm H 20mm brass		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		



<b>Part No.</b>	527996	<b>Ref. No.</b>	0510184
<b>description</b>	gasket support D1 ø 8.6mm D2 ø 17mm int. ø 1 6mm int. ø 2 15mm H 9mm brass		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## levers



<b>Part No.</b>	526500	<b>Ref. No.</b>	0510152
<b>description</b>	lever ø 12mm L 48mm brass		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## miscellaneous



<b>Part No.</b>	526503	<b>Ref. No.</b>	0510120
<b>description</b>	piston D1 ø 9mm D2 ø 16mm int. ø 1 13mm H 13mm brass		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## screw connections



<b>Part No.</b>	526502	<b>Ref. No.</b>	0510114
<b>description</b>	screw connection thread 1/4" L 28mm WS 24 ID ø 7mm brass		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		



<b>Part No.</b>	527998	<b>Ref. No.</b>	0510105
<b>description</b>	screw connection thread 1/4" T1: 3/8" L 32mm WS 21 ID ø 7mm brass		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		



<b>Part No.</b>	527999	<b>Ref. No.</b>	0510150
<b>description</b>	screw connection thread 3/8" L 19mm ø 20mm WS 21 ID ø 12.2mm		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## level glasses

## level glasses

## gaskets



<b>Part No.</b>	529408	<b>Ref. No.</b>	2003010
<b>description</b>	gasket D1 ø 16mm D2 ø 10mm H 8mm water level glass		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		


## balls



<b>Part No.</b>	527947	<b>Ref. No.</b>	4012010
<b>description</b>	ball ø 6mm plastic		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		



## level glass pipes

			
1			
<b>Part No.</b>	527990	<b>Ref. No.</b>	4580010
<b>description</b>	water level tube ø 11mm H 140mm ID ø 8mm marking Min/Max red		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		


## pipes

### pipes

			
1			
<b>Part No.</b>	527950	<b>Ref. No.</b>	2502006
<b>description</b>	aspiration tube ø 8mm L 98mm		
<b>For models:</b>	Classica-1gr, Grandoge-2-3gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr		

## non-return valves

### complete


			
1			
<b>Part No.</b>	527978	<b>Ref. No.</b>	3630120
<b>description</b>	non-return valve inlet 3/8" outlet 3/8" L 38mm		
<b>For models:</b>	Classica-1gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## screw connections


### reducers


			
1			
<b>Part No.</b>	527980	<b>Ref. No.</b>	3510730
<b>description</b>	reducer T1: 1/8" T2: 1/2" int. ø 1 5mm int. ø 2 14mm L 64mm brass		
<b>For models:</b>	Antea-2gr, Grandoge-2-3gr, Lira-2-3-4gr		


## T-pieces

			
1			
<b>Part No.</b>	527985	<b>Ref. No.</b>	3510010
<b>description</b>	T-piece thread 1/4" T1: 1/2" T2: 1/2" int. ø 1 11.5mm int. ø 2 10/14mm L 46mm brass for boiler		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## angle pieces

			
1			
<b>Part No.</b>	527984	<b>Ref. No.</b>	3510005
<b>description</b>	angle piece T1: 1/2" T2: 1/2" int. ø 1 11.5mm int. ø 2 10/14mm L 48mm brass for boiler		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

			
1			
<b>Part No.</b>	527983	<b>Ref. No.</b>	3510004
<b>description</b>	angle piece T1: 1/4" T2: 3/8" int. ø 1 6mm int. ø 2 8mm L 25mm brass		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

			
1			
<b>Part No.</b>	527982	<b>Ref. No.</b>	3510003
<b>description</b>	angle piece T1: 3/8" T2: 3/8" int. ø 1 8.2mm int. ø 2 10mm L 25mm brass		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## for dishwashers


### washing and rinsing systems

			
1			
<b>Part No.</b>	520706	<b>Ref. No.</b>	3530005
<b>description</b>	screw cap thread 1/4" WS 17		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## knobs


### steam/water taps


### steam/water taps

			
1			
<b>Part No.</b>	111274	<b>Ref. No.</b>	4001010
<b>description</b>	turning handle ø 41mm thread M18 black		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		





knob dial plates

			
1			
<b>Part No.</b>	111275	<b>Ref. No.</b>	4001020
<b>description</b>	symbol steam ø 32mm L 28mm		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

			
1			
<b>Part No.</b>	111276	<b>Ref. No.</b>	4001025
<b>description</b>	symbol water ø 32mm L 28mm		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior-Extra, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		


accessories

			
1			
<b>Part No.</b>	528762	<b>Ref. No.</b>	0540020
<b>description</b>	cotter pin ø 1.8mm L 17mm		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

			
1			
<b>Part No.</b>	541691	<b>Ref. No.</b>	4001015
<b>description</b>	star handle shaft 7x7mm ø 64mm L 24mm black thermoplastic		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr		

handles and hand wheels

cone handles

			
1			
<b>Part No.</b>	111092	<b>Ref. No.</b>	4001005
<b>description</b>	cone handle thread M8 ø 25mm L 41mm black		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Junior-Extra, Junior-Plus, Lira-2-3-4gr, Perfetta		


star handles

			
1			
<b>Part No.</b>	541691	<b>Ref. No.</b>	4001015
<b>description</b>	star handle shaft 7x7mm ø 64mm L 24mm black thermoplastic		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr		

fittings for catering equipment

drain taps


accessories


			
1			
<b>Part No.</b>	540222	<b>Ref. No.</b>	2002120
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 47.3mm Qty 1 pcs		
<b>For models:</b>	Antea-2gr, Grandoge-2-3gr, Lira-2-3-4gr		


gaskets


O-rings

EPDM


			
1			
<b>Part No.</b>	510177	<b>Ref. No.</b>	0541120
<b>description</b>	O-ring EPDM thickness 1.78mm ID ø 7.66mm Qty 1 pcs		

			
1			
<b>Part No.</b>	530293	<b>Ref. No.</b>	0510164
<b>description</b>	O-ring EPDM thickness 1.78mm ID ø 8.73mm Qty 1 pcs		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		


			
1			
<b>Part No.</b>	529412	<b>Ref. No.</b>	0541130
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 10.78mm Qty 1 pcs		


<b>Part No.</b>	532453	<b>Ref. No.</b>	0520040
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 21.89mm Qty 1 pcs		
<b>For models:</b>	Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr, Perfetta		



<b>Part No.</b>	540222	<b>Ref. No.</b>	2002120
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 47.3mm Qty 1 pcs		
<b>For models:</b>	Antea-2gr, Grandoge-2-3gr, Lira-2-3-4gr		




<b>Part No.</b>	527991	<b>Ref. No.</b>	0510182
<b>description</b>	O-ring EPDM thickness 2mm ID ø 14.5mm Qty 1 pcs		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		




<b>Part No.</b>	361311	<b>Ref. No.</b>	0540050
<b>description</b>	O-ring EPDM thickness 2mm ID ø 6mm Qty 1 pcs for type N6		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

**silicone**




<b>Part No.</b>	528516	<b>Ref. No.</b>	0540140
<b>description</b>	O-ring silicone thickness 1mm ID ø 6mm Qty 1 pcs		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr, Perfetta		

**Viton**




<b>Part No.</b>	528687	<b>Ref. No.</b>	0510144
<b>description</b>	O-ring Viton thickness 1.78mm ID ø 3.69mm Qty 1 pcs		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		



<b>Part No.</b>	528291	<b>Ref. No.</b>	0540130
<b>description</b>	O-ring Viton thickness 2.62mm ID ø 11.91mm Qty 1 pcs		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr, Perfetta		

**sealing washers**


**rubber gaskets**




<b>Part No.</b>	527965	<b>Ref. No.</b>	0540210
<b>description</b>	flat gasket rubber ED ø 21mm ID ø 15mm thickness 3mm Qty 1 pcs		
<b>For models:</b>	Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

**copper gaskets**

**DIN-7603-A**



<b>Part No.</b>	527961	<b>Ref. No.</b>	0510162 0540090
<b>description</b>	flat gasket copper ED ø 21mm ID ø 17.2mm thickness 1.5mm		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		



<b>Part No.</b>	527994	<b>Ref. No.</b>	0510112
<b>description</b>	flat gasket copper ED ø 25mm ID ø 19.3mm thickness 1.5mm		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		





## DIN-7603-C



1

<b>Part No.</b>	529360	<b>Ref. No.</b>	2004005
<b>description</b>	gasket copper ED ø 26.1mm ID ø 21mm thickness 2.1mm for thread 1/2"		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## PTFE gaskets



1

<b>Part No.</b>	526679	<b>Ref. No.</b>	0510190
<b>description</b>	flat gasket PTFE ED ø 18mm ID ø 13mm thickness 2mm Qty 1 pcs		



1

<b>Part No.</b>	527993	<b>Ref. No.</b>	0510190
<b>description</b>	flat gasket PTFE ED ø 18mm ID ø 13mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		



1

<b>Part No.</b>	528314	<b>Ref. No.</b>	0540120
<b>description</b>	flat gasket PTFE ED ø 20mm ID ø 17mm thickness 2mm Qty 1 pcs suitable for Astoria/Azkoyen/Espresso/Wega		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr, Perfetta		



1

<b>Part No.</b>	526013	<b>Ref. No.</b>	0520001
<b>description</b>	flat gasket PTFE ED ø 22mm ID ø 17mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr, Perfetta		



1

<b>Part No.</b>	527970	<b>Ref. No.</b>	0541060
<b>description</b>	flat gasket PTFE ED ø 24mm ID ø 18mm thickness 2mm Qty 1 pcs		



1

<b>Part No.</b>	528683	<b>Ref. No.</b>	0530050
<b>description</b>	flat gasket PTFE ED ø 26mm ID ø 21mm thickness 2mm Qty 1 pcs suitable for GAGGIA, SPAZIALE		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Junior-Extra, Junior-Plus, Lira-2-3-4gr, Perfetta		



1

<b>Part No.</b>	526014	<b>Ref. No.</b>	0520050
<b>description</b>	flat gasket PTFE ED ø 35mm ID ø 30mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr, Perfetta		



1

<b>Part No.</b>	528022	<b>Ref. No.</b>	2001001
<b>description</b>	flat gasket PTFE ED ø 52mm ID ø 41mm thickness 2mm size 1¼" Qty 1 pcs suitable for CARIMALI, FAEMA, MARZOCCO, PAVONI		
<b>For models:</b>	Antea-2gr, Classica-1gr, Grandoge-2-3gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Perfetta		



1

<b>Part No.</b>	528002	<b>Ref. No.</b>	2001010
<b>description</b>	flat gasket PTFE ED ø 57mm ID ø 42mm thickness 3mm Qty 1 pcs equiv. no. 12001/W10470 suitable for		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Imola-2-3-4gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## Viton gaskets



1

<b>Part No.</b>	528476	<b>Ref. No.</b>	0530010
<b>description</b>	flat gasket Viton ED ø 13mm ID ø 4mm thickness 4mm Qty 1 pcs		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Junior-Extra, Junior-Plus, Lira-2-3-4gr, Perfetta		



special gaskets

group gaskets



<b>Part No.</b>	528165	<b>Ref. No.</b>	2001310
<b>description</b>	group gasket L 76mm W 72mm thickness 2.5mm aperture 26x64mm hole distance 55mm		
<b>For models:</b>	Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr, Perfetta		

springs

compression springs



<b>Part No.</b>	527958	<b>Ref. No.</b>	0540070
<b>description</b>	compression spring ø 10.5mm L 32mm wire gauge ø 1.3mm for steam-/water-tap		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		



<b>Part No.</b>	527968	<b>Ref. No.</b>	0541050
<b>description</b>	compression spring ø 12.5mm L 31mm wire gauge ø 1.8mm		



<b>Part No.</b>	528493	<b>Ref. No.</b>	0510110
<b>description</b>	compression spring ø 12.6mm L 30mm wire gauge ø 1.9mm		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		



<b>Part No.</b>	527963	<b>Ref. No.</b>	0540100
<b>description</b>	compression spring ø 12mm L 16.5mm wire gauge ø 1.5mm steel for steam/water pipes		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr, Perfetta		



<b>Part No.</b>	527933	<b>Ref. No.</b>	0530045
<b>description</b>	compression spring ø 14.2mm L 21mm wire gauge ø 1.8mm SS		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Junior-Extra, Junior-Plus, Lira-2-3-4gr, Perfetta		



<b>Part No.</b>	527934	<b>Ref. No.</b>	0530030
<b>description</b>	compression spring ø 14.2mm L 45mm wire gauge ø 1.5mm SS		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Junior-Extra, Junior-Plus, Lira-2-3-4gr, Perfetta		



<b>Part No.</b>	527935	<b>Ref. No.</b>	0530095
<b>description</b>	compression spring ø 14.6mm L 33mm wire gauge ø 2mm		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Junior-Extra, Junior-Plus, Lira-2-3-4gr, Perfetta		



<b>Part No.</b>	527969	<b>Ref. No.</b>	0541055
<b>description</b>	compression spring ø 8mm L 21mm wire gauge ø 0.4mm		




<b>Part No.</b>	527992	<b>Ref. No.</b>	0510160
<b>description</b>	compression spring ø 8mm L 32mm wire gauge ø 0.5mm		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		


manometers





<b>Part No.</b>	541685	<b>Ref. No.</b>	4551014
<b>description</b>	manometer double scale ø 63mm pressure range 0-2.5 / 0-15bar connection on the backside thread 1/8"		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		





			
1			
<b>Part No.</b>	541686	<b>Ref. No.</b>	4551017
<b>description</b>	manometer double scale ø 63mm pressure range 0-3 / 0-15bar connection on the backside thread 1/8"		
<b>For models:</b>	DeLux-2-3-4gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

			
1			
<b>Part No.</b>	541687	<b>Ref. No.</b>	4551035 4551045
<b>description</b>	manometer ø 41mm pressure range 0-15bar thread 1/8" marking 7-8 connection on the backside with capillary pipe		
<b>For models:</b>	Junior-Extra		

			
1			
<b>Part No.</b>	541688	<b>Ref. No.</b>	4551037 4551047
<b>description</b>	manometer ø 41mm pressure range 0-3bar thread 1/8" marking 2 connection on the backside with capillary pipe		
<b>For models:</b>	Junior-Extra		

			
1			
<b>Part No.</b>	541200	<b>Ref. No.</b>	4551022
<b>description</b>	manometer ø 52mm pressure range 0 up to 3bar connection on the backside marking 0.7-1 thread 1/8"		
<b>For models:</b>	Junior, Junior-Plus		

			
1			
<b>Part No.</b>	541201	<b>Ref. No.</b>	4551025
<b>description</b>	manometer ø 53.5mm pressure range 0 up to 16bar connection on the backside thread 1/8"		
<b>For models:</b>	Perfetta		

			
1			
<b>Part No.</b>	541693	<b>Ref. No.</b>	4551040
<b>description</b>	manometer ø 63mm pressure range 0 up to 2.5bar marking 1 up to 1.2 connection 1/8"		
<b>For models:</b>	Classica-1gr		


## dosing pumps

### membrane dosing pumps

#### self-priming

#### LANG


#### spare parts

			
1			
<b>Part No.</b>	361311	<b>Ref. No.</b>	0540050
<b>description</b>	O-ring EPDM thickness 2mm ID ø 6mm Qty 1 pcs for type N6		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## hoses

### industrial hoses

#### PTFE hoses

			
1			
<b>Part No.</b>	527919	<b>Ref. No.</b>	4010200
<b>description</b>	hose ED ø 12mm ID ø 10mm L 1m PFA		
<b>For models:</b>	Classica-2-3-4gr, Lira-2-3-4gr		



## fittings, hose and pipe connectors

### fittings

#### double nipples



1

<b>Part No.</b>	520164	<b>Ref. No.</b>	3510710
<b>description</b>	double nipple nickel-plated brass thread 1/4" - 3/8" Qty 1 pcs		
<b>For models:</b>	Classica-1gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

#### angle pieces



1

<b>Part No.</b>	520824	<b>Ref. No.</b>	3510009
<b>description</b>	angle piece thread 1/8" ET - 1/8" IT nickel-plated brass		
<b>For models:</b>	Antea-2gr, Grandoge-2-3gr, Lira-2-3-4gr, Perfetta		

#### T-pieces

##### stainless steel



1

<b>Part No.</b>	520710	<b>Ref. No.</b>	3510014
<b>description</b>	T-piece thread 1/4" ET - 1/4" ET - 1/4" ET stainless steel L 49mm		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

### hose connectors

#### brass



1

<b>Part No.</b>	520673	<b>Ref. No.</b>	3520030
<b>description</b>	hose connector brass straight thread 1/2" hose ø 14mm Qty 1 pcs		
<b>For models:</b>	Grandoge-2-3gr, Imola-2-3-4gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## valves and tank inlets

### ball valves

#### universal

##### mini ball valves



1

<b>Part No.</b>	520722	<b>Ref. No.</b>	3501001
<b>description</b>	ball valve connection 1/4" IT - 1/4" ET DN8 total length 39mm chrome-plated brass		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## fastening material

### screws

#### cylinder head bolts

##### DIN 912/ISO 4762



1

<b>Part No.</b>	560316	<b>Ref. No.</b>	1103210
<b>description</b>	cylinder head bolt thread M8 thread L 25mm WS 6 SS Qty 20 pcs DIN 912/ISO 4762		
<b>For models:</b>	Classica-2-3-4gr, DeLux-2-3-4gr, Imola-2-3-4gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

### nuts

#### hexagonal nuts

##### hexagonal nuts inch thread



1

<b>Part No.</b>	503042	<b>Ref. No.</b>	0510146
<b>description</b>	nut thread 3/8" H 6mm brass WS 22 Qty 1 pcs		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		



## washers

## washers

## miscellaneous



1

<b>Part No.</b>	527955	<b>Ref. No.</b>	0540030
<b>description</b>	plain washer ID ø 6.1mm ED ø 20mm thickness 1.6mm brass Qty 1 pcs for coffee machine tap		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## fasteners

## cotter pins



1

<b>Part No.</b>	528762	<b>Ref. No.</b>	0540020
<b>description</b>	cotter pin ø 1.8mm L 17mm		
<b>For models:</b>	Antea-2gr, Classica-1gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Junior, Junior-Extra, Junior-Plus, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

## screw caps



1

<b>Part No.</b>	520706	<b>Ref. No.</b>	3530005
<b>description</b>	screw cap thread 1/4" WS 17		
<b>For models:</b>	Antea-2gr, Classica-2-3-4gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-1gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		



1

<b>Part No.</b>	520705	<b>Ref. No.</b>	3530022
<b>description</b>	screw cap thread 1/8" WS 16		
<b>For models:</b>	Antea-2gr, DeLux-2-3-4gr, Grandoge-2-3gr, Imola-2-3-4gr, Lira-2-3-4gr, Maranello-2-3-4gr, Monza-2-3-4gr		

**GASTRO**PARTS.COM

