



GASTROPARTS

CPE

- [EN]** Equipment
- [DE]** Geräte
- [ES]** Aparatos
- [FR]** Équipement
- [IT]** Attrezzature
- [PL]** Urządzenia
- [RU]** Оборудование

✉ gastroparts@gastroparts.com

☎ tel. +48 56 657 00 66

📘 fb.com/gastroparts.global

GASTROPARTS.COM







heating elements

radiation heaters

1-circuit


| | | | |
|---|---|-----------------|--------------|
|  | | | |
| 1 | | | |
| Part No. | 490150 | Ref. No. | 10.73631.004 |
| description | radiation heater ø 250mm 2500W 230V heating circuits 1 energy regulation with temperature signalization with heating coil connections 2+2 connection type male faston 6.3mm EGO | | |
| For models: | 015-D4S | | |


| | | | |
|---|---|-----------------|--------------|
|  | | | |
| 1 | | | |
| Part No. | 490000 | Ref. No. | I2.02501.047 |
| description | radiation heater round ø 250mm 2500W 230V heating circuits 1 energy regulation with temperature signalization with heating coil connections 2+2 connection type with porcelain clamp and cable length 500mm | | |

energy regulators

EGO

1-circuit

| | | | |
|---|---|-----------------|------------------------------|
|  | | | |
| 1 | | | |
| Part No. | 380015 | Ref. No. | 50.17021.000 50.57021.010 |
| description | energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010 | | |
| For models: | 015-D4S, 051-C | | |

| | | | |
|---|---|-----------------|--------------|
|  | | | |
| 1 | | | |
| Part No. | 380857 | Ref. No. | I2.02501.044 |
| description | energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm with porcelain clamp and cable | | |

accessories

knobs

| | | | |
|--|--|-----------------|--------|
|  | | | |
| 1 | | | |
| Part No. | 112561 | Ref. No. | 524046 |
| description | knob energy regulator 1-3 t.max.°C ø 42mm shaft ø 6x4.6mm shaft flat upper | | |
| For models: | 015-D4S, 051-C, 330 | | |

thermostats

control and safety thermostats


EGO

control thermostats

55.10/19_ series

| | | | |
|---|---|-----------------|--------------|
|  | | | |
| 1 | | | |
| Part No. | 375457 | Ref. No. | 55.19219.823 |
| description | thermostat t.max. 82°C 1-pole capillary pipe isolatedmm gland nut | | |
| For models: | 415IX | | |

55.14_ series

| | | | |
|---|---|-----------------|--------------|
|  | | | |
| 1 | | | |
| Part No. | 375481 | Ref. No. | 55.14022.800 |
| description | thermostat t.max. 140°C temperature range 30-140°C 1-pole 1NO 16A probe ø 3mm probe L 156mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position left rotation 270° | | |
| For models: | 330, 361 | | |




TECASA

safety thermostats



| | | | |
|--------------------|--|-----------------|----------|
| Part No. | 390802 | Ref. No. | SP-011ZS |
| description | safety thermostat switch-off temp. 210°C 1-pole 16A probe ø 3mm probe L 130mm capillary pipe 850mm capillary pipe isolated 760mm | | |
| For models: | 415IX | | |

7-position




| | | | |
|--------------------|--|-----------------|---------------|
| Part No. | 300244 | Ref. No. | R43.27232.800 |
| description | cam switch 7-position 3-pole + signal contact 32A shaft ø 6x4.6mm shaft L 23mm connection screw clamp 3-pole ambient temperature max. 150°C shaft position lower | | |

switches and momentary switches


cam switches

on/off



| | | | |
|--------------------|---|-----------------|--------------|
| Part No. | 300151 | Ref. No. | 49.22015.705 |
| description | cam switch 2 operating positions 2NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic | | |
| For models: | 410-RA | | |

2 operating positions




| | | | |
|--------------------|--|-----------------|------------------|
| Part No. | 300228 | Ref. No. | R49.22015.704old |
| description | cam switch 4 operating positions sequence 0-1-0-2 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 2-pole | | |

4-position



| | | | |
|--------------------|--|-----------------|-------------|
| Part No. | 300245 | Ref. No. | R4944015713 |
| description | cam switch 4 operating positions sequence 0-1-2-3 shaft ø 6x4.6mm shaft L 23mm connection screw clamp 4-pole at 250V 16A | | |

4 operating positions



| | | | |
|--------------------|--|-----------------|-------------|
| Part No. | 300246 | Ref. No. | R4922015704 |
| description | cam switch 4 operating positions sequence 0-1-0-2 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 2-pole | | |

lamps

indicator lights


indicator lights (complete)

ø 6mm




| | | | |
|--------------------|--|-----------------|-----------------------------|
| Part No. | 359009 | Ref. No. | I0.65015.000 R1065015000 |
| description | indicator light ø 6mm 230V red cable length 400mm with series resistor | | |
| For models: | 015-D4S, 050A, 051-C, 220-B, 330, 410-RA, 415IX | | |



1 

| | | | |
|--------------------|---|-----------------|-------------|
| Part No. | 357122 | Ref. No. | R1065015004 |
| description | indicator light ø 6mm 400V red cable length 210mm temp.-resist. 120°C | | |

residual heat indicators


1 

| | | | |
|--------------------|--|-----------------|-------------|
| Part No. | 357121 | Ref. No. | R1065015009 |
| description | residual heat indicator single 240V connection male faston 6.3mm mounting ø 18mm | | |

electric accessories

terminals

connection boxes

1 

| | | | |
|--------------------|---|-----------------|--------------|
| Part No. | 550488 | Ref. No. | I0.65000.021 |
| description | power terminal block 3-pole | | |
| For models: | 015-D4S, 330, 361, 361-IR, 410-RA, 415IX, 461-N | | |

equipment-specific units

for pyroceram ranges

ceramic hobs

ceramic glass plates



1

| | | | |
|--------------------|---|-----------------|--------------|
| Part No. | 691837 | Ref. No. | I0.63002.010 |
| description | ceramic plate L 360mm W 360mm thickness 4mm | | |
| For models: | 015-D4S | | |




1


| | | | |
|--------------------|-------------------------------------|-----------------|--------------|
| Part No. | 691838 | Ref. No. | I0.63002.002 |
| description | ceramic plate ø 260mm thickness 4mm | | |
| For models: | 461-N | | |

knobs

universal knobs


1 

| | | | |
|--------------------|---|-----------------|--------|
| Part No. | 112560 | Ref. No. | 524098 |
| description | knob thermostat 1-12 t.max.°C ø 50mm shaft ø 6x4.6mm shaft flat upper | | |

1

| | | | |
|--------------------|--|-----------------|--------|
| Part No. | 112561 | Ref. No. | 524046 |
| description | knob energy regulator 1-3 t.max.°C ø 42mm shaft ø 6x4.6mm shaft flat upper | | |
| For models: | 015-D4S, 051-C, 330 | | |



1

| | | | |
|--------------------|--|-----------------|--------|
| Part No. | 110932 | Ref. No. | 524060 |
| description | knob switch zero mark t.max.°C ø 42mm shaft ø 6x4.6mm shaft flat upper black | | |
| For models: | 410-RA, 415IX | | |


producer-specific knobs

CPE




1

| | | | |
|--------------------|--|-----------------|--------|
| Part No. | 112561 | Ref. No. | 524046 |
| description | knob energy regulator 1-3 t.max.°C ø 42mm shaft ø 6x4.6mm shaft flat upper | | |
| For models: | 015-D4S, 051-C, 330 | | |



1

| | | | |
|--------------------|--|-----------------|--------|
| Part No. | 110932 | Ref. No. | 524060 |
| description | knob switch zero mark t.max.°C ø 42mm shaft ø 6x4.6mm shaft flat upper black | | |
| For models: | 410-RA, 415IX | | |




1

| | | | |
|--------------------|---|-----------------|--------|
| Part No. | 112560 | Ref. No. | 524098 |
| description | knob thermostat 1-12 t.max.°C ø 50mm shaft ø 6x4.6mm shaft flat upper | | |

equipment feet and end caps

screw-in feet




1

| | | | |
|--------------------|--|-----------------|--------------|
| Part No. | 691836 | Ref. No. | I0.62600.000 |
| description | equipment foot thread M8 thread L 49mm ø 31mm H 11mm Qty 1 pcs | | |
| For models: | 015-D4S, 330, 361, 361-IR, 410-RA, 415IX, 461-N | | |

consumables

sealants and adhesives

high temperature silicone



1

| | | | |
|--------------------|---|-----------------|--------------|
| Part No. | 890060 | Ref. No. | I0.62420.000 |
| description | adhesive PACTAN 6076 310ml 250°C anthracite | | |
| description | <p>PACTAN 6076 - cartridge 310ml - anthracite</p> <p>1-component silicone-based product for specific gluing and sealing purposes that require a high temperature resistance. The material is used for bonding and sealing of parts with high temperature load e.g. inner door of oven as well as for other bonding and sealing purposes especially on ovens and ranges. The product is fast to light, resistant to ageing and ozone and reveals a very good chemical resistance. Temperature resistance up to 250°C</p> | | |
| For models: | 415IX | | |

GASTROPARTS.COM

