



GASTROPARTS

Emainox

- [EN]** Equipment
- [DE]** Geräte
- [ES]** Aparatos
- [FR]** Équipement
- [IT]** Attrezzature
- [PL]** Urządzenia
- [RU]** Оборудование

✉ gastroparts@gastroparts.com

☎ +48 56 657 00 66

📘 fb.com/gastroparts.global


GASTROPARTS.COM





heating elements


heating elements for bain maries



1

Part No.	418344	Ref. No.	3710003
description	heating element 1200W 220V heating circuits 1 L 395mm W 220mm H 24mm connection M4 tube ø 8mm dry heating element L1 50mm L2 345mm connection distance 212mm		

heating elements for heated cabinets



1


Part No.	418344	Ref. No.	3710003
description	heating element 1200W 220V heating circuits 1 L 395mm W 220mm H 24mm connection M4 tube ø 8mm dry heating element L1 50mm L2 345mm connection distance 212mm		

heating cartridges



1


Part No.	418346	Ref. No.	3710022
description	heating element 400W 230V ø 10mm L 380mm thread M14x1.25 cable length 110mm flange with thread		




1

Part No.	418841	Ref. No.	3710024
description	heating element 500W 230V ø 10mm L 490mm thread M14x1.25 cable length 110mm		


heating elements for convection



1

Part No.	418345	Ref. No.	3710004
description	heating element 1600W 230V heating circuits 1 ID ø 178mm ED ø 191mm L 250mm H 40mm L1 50mm W1 32mm H1 16mm H2 24mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
accessories for	418345		
	Part No.	510368	Ref. No. —
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

foil heating elements




1

Part No.	418842	Ref. No.	3710036
description	foil heating element L 480mm W 280mm 400W 230V probe ø 6mm with temperature limiter 150°C silicone		

energy regulators

EGO

1-circuit



1

Part No.	380015	Ref. No.	3700010
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		

thermostats

control and safety thermostats

EGO

control thermostats

55.10/19_ series




1

Part No.	375381	Ref. No.	3700002
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1NO 16A probe ø 6mm probe L 130mm capillary pipe 2000mm capillary pipe isolated 2000mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		



safety thermostats

55.11_ series



Part No.	375767	Ref. No.	3700014
description	safety thermostat switch-off temp. 170°C 1-pole 16A probe ø 3.1mm probe L 160mm capillary pipe 650mm capillary pipe isolated 600mm gland nut probe		

refrigeration thermostats

universal without housing



Part No.	390534	Ref. No.	3700018	
description	thermostat temperature range -35 up to +35°C probe ø6x110mm capillary pipe 1800mm PRODIGY			
accessories for	390534			
	Part No.	110305	Ref. No.	—
	knob thermostat t.max. 35°C temperature range -35 up to +35°C ø 45mm shaft ø 6x4.6mm shaft flat inclined rotation 270° white			

accessories

connecting bows



Part No.	550060	Ref. No.	3700007
description	connecting bow long for thermostat Qty 1 pcs		

switches and momentary switches

rocker/momentary rocker switches

30x22mm



Part No.	301018	Ref. No.	3700102	
description	momentary rocker switch mounting measurements 30x22mm orange 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65			
accessories for	301018			
	Part No.	301036	Ref. No.	—
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

labelled



Part No.	300125	Ref. No.	3700100	
description	rocker switch mounting measurements 30x22mm green 2NO 230V 16A 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap			
accessories for	300125			
	Part No.	301036	Ref. No.	—
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm			



Part No.	301006	Ref. No.	3700101	
description	rocker switch mounting measurements 30x22mm orange 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap			
accessories for	301006			
	Part No.	301036	Ref. No.	—
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm			



cam switches

operation switches



1

Part No.	300091	Ref. No.	3700003
description	operation switch EGO 2 operating positions 2NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		

lamps

indicator lights

indicator lights (complete)

ø10mm

with screw socket



1

Part No.	359791	Ref. No.	3760004
description	indicator light ø 10mm 230V green cable length 250mm		



1

Part No.	359387	Ref. No.	3760002
description	indicator light ø 10mm 230V red cable length 250mm		

fluorescent lamps

fluorescent lamps

G13



1

Part No.	359386	Ref. No.	3760019 3760026
description	fluorescent lamp socket G13 L 1198mm 36W 230V Qty 1 pcs		



1

Part No.	359390	Ref. No.	3760015
description	fluorescent lamp socket G13 L 1500mm 58W 230V Qty 1 pcs		



1


Part No.	359383	Ref. No.	3760025
description	fluorescent lamp socket G13 L 438mm 15W 230V Qty 1 pcs light colour 640		



1


Part No.	359372	Ref. No.	3760027
description	fluorescent lamp socket G13 L 895mm 30W 230V Qty 1 pcs		

complete with holder



1

Part No.	359391	Ref. No.	3760018
description	fluorescent lamp L 1245mm W 37mm 36W		



1

Part No.	359392	Ref. No.	3760009
description	fluorescent lamp L 1545mm W 37mm 58W		

accessories

sockets



1

Part No.	358175	Ref. No.	AAG3251/C-TR
description	lamp socket socket G13 for fluorescent lamps		



1

Part No.	358176	Ref. No.	3760023 AAG251/S
description	lamp socket socket G13 for fluorescent lamps		



1

Part No.	359388	Ref. No.	3760024
description	lamp socket socket G13 for fluorescent lamps		



1

Part No.	359389	Ref. No.	3760023
description	lamp socket socket G13 for fluorescent lamps		

starter



1

Part No.	380464	Ref. No.	3760028
description	starter 4-65W		

ballasts



1

Part No.	401440	Ref. No.	3760020
description	electrical ballast 15W 230V for fluorescent lamps		



1

Part No.	401141	Ref. No.	3760021
description	electrical ballast 30W 230V for fluorescent lamps Qty 1 pcs		



1

Part No.	401142	Ref. No.	3760022
description	electrical ballast 30W for fluorescent lamps		



1

Part No.	401441	Ref. No.	3760022
description	electrical ballast 36-40W for fluorescent lamps		

contactors

ISKRA (FANAL)

power contactors



1

Part No.	380211	Ref. No.	3700037
description	power contactor 230VAC		



1

Part No.	380213	Ref. No.	3700080
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.5A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type Fanal DSL7 10 type ISKRA K07M 10		

relays

power relays

with male contacts

female contact 2.0mm



1

Part No.	380494	Ref. No.	3700053
description	power relays FINDER 230VAC 7A 4CO connection F2 plug-in connection manuf. no. 55.34.8.230.0054 94.74/ZMD4 250V connection 2mm		


accessories for 380494

	Part No.	380341	Ref. No.	—
manuf. no. ZMD4				

	Part No.	380399	Ref. No.	—
manuf. no. 94.94.3				



relay sockets



1

Part No.	380393	Ref. No.	3700054
description	relay socket 4-pole		

electronic controllers

EVCO - EVERY CONTROL

refrigeration controllers

built-in version




1

Part No.	379998	Ref. No.	3700041
description	electronic controller EVERY CONTROL type FK200XN7 mounting measurements 71x29mm 230V voltage AC NTC		

electronics

PCBs




1

Part No.	401450	Ref. No.	3700120
description	keypad PCB for water filling		

solenoid valves


solenoid valves (water)

RPE



1

Part No.	374017	Ref. No.	3740017
description	solenoid valve single straight 230VAC inlet 3/4" outlet 10mm input 6l/min DN10 RPE polyamide flow regulating valve inlet white membranes NBR pressure range 0.2-10bar		




1

Part No.	370009	Ref. No.	3740017
description	solenoid valve single straight 230VAC inlet 3/4" outlet 3/4" DN10 RPE total length 88.5mm		

solenoid valves (refrigeration)

PARKER

valves



1

Part No.	370366	Ref. No.	3740021	
description	solenoid valve NC type YB09 with cable 230V pressure range 0-10bar connection 4mm soldering connection PARKER refrigeration straight			
spare parts for	370366			
	Part No.	371033	Ref. No.	—
	solenoid coil PARKER 230VAC 9VA coil type YB09 with cable seat ø 14mm			



compressors

EMBRACO / ASPERA

R404a/R507

LBP monophase

Lower evaporation temperature below -20°C



1

Part No.	605005	Ref. No.	3650048
description	compressor coolant R404a/R507 type T2155GK 230V 50Hz LBP fully hermetic 16.3kg power input 458W cylinder capacity 14.5cm ³ CSR H 221mm 368W 524W 717W 948W 1215W test method ASHRAE		

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C



1

Part No.	605004	Ref. No.	3650047
description	compressor coolant R404a/R507 type EMT6152GK 220-240V 50Hz HMBP fully hermetic 7.8kg 1/5HP cylinder capacity 4.5cm ³ CSIR H 166mmWWW 267W 332W 351W 437W 535W 646W 769W test method ASHRAE		



fans

refrigeration fans

cooling motors (complete)



1


Part No.	601280	Ref. No.	3650032
description	fan 230V 5W 50/60Hz fan wheel ø 172mm		
spare parts for	601280		
	Part No.	601020	Ref. No. —
	fan motor 5W 230V 50-60Hz L1 44mm L2 48mm L3 79mm W 84mm cable length 500mm 1300rpm YZF5-13-18/26 5 mounting options bearing slide bearing		
	Part No.	601069	Ref. No. —
	fan wheel sucking ø 172mm turn direction left fan wheel mounting 25.4mm blade angle 25° W 32mm aluminium		

hot air fans

miscellaneous



1



Part No.	601531	Ref. No.	3740035
description	hot air fan 220V 30W 50Hz L1 70mm L2 12mm L3 30mm L4 87mm fan wheel ø 155mm FIME type C30R0407		



equipment-specific units

for display coolers

doors



1

Part No.	695247	Ref. No.	2300550
description	trapdoor W 638mm H 215mm		

door mechanics

miscellaneous



1

Part No.	700907	Ref. No.	3990001
description	bracket complete for glass plate plastic L 80mm W 26mm H 49mm		

for bain marie

drain systems



1

Part No.	515060	Ref. No.	3600034 3600077
description	drain fitting thread 3/4" H 18mm ID ø 20mm ED ø 38mm		

for dishwashers

drain and intake components

miscellaneous

overflow pipes

1

Part No.	515061	Ref. No.	2300567
description	overflow pipe		

knobs

universal knobs



1

Part No.	111934	Ref. No.	3700057
description	knob thermostat t.max. 90°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-90°C rotation 270°		
accessories for	111934		



Part No.	110135	Ref. No.	—
description	rosette knob up to ø 52mm		

producer-specific knobs

EMAINOX



1

Part No.	111933	Ref. No.	3700021
description	knob switch zero mark t.max.°C ø 44mm shaft ø 6x4.6mm shaft flat upper silver		



1

Part No.	111934	Ref. No.	3700057
description	knob thermostat t.max. 90°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-90°C rotation 270°		
accessories for	111934		



Part No.	110135	Ref. No.	—
description	rosette knob up to ø 52mm		



pullouts

rollers

roller with holder



1

Part No.	690955	Ref. No.	2330706
description	roller rollerø 28mm B1 6mm with holder SS/Nylon mounting pos. upper bearing slide bearing Qty 1 pcs H 5mm L 62mm mounting distance 25/45mm		

shelves and shelf rails

shelf rails and supports

producer-specific



1

Part No.	690760	Ref. No.	2330094
description	guide U-shape L 503mm W 24mm H 13mm mounting pos. left/right		



1

Part No.	693481	Ref. No.	3380001
description	shelf support L 23mm W 20mm H 26mm		


gaskets

refrigeration gaskets


screw-in gaskets

profile 9030


We offer custom-made gaskets for this profile




Part No.	900541	Ref. No.	2320081
description	refrigeration gasket profile 9030 W 175mm L 403mm external size		



Part No.	900543	Ref. No.	2320082 3965048
description	refrigeration gasket profile 9030 W 188mm L 403mm external size		



Part No.	900540	Ref. No.	2320043 3960127
description	refrigeration gasket profile 9030 W 372mm L 403mm external size		




Part No.	900542	Ref. No.	3965045
description	refrigeration gasket profile 9030 W 410mm L 430mm external size		



O-rings

EPDM



Part No.	504618	Ref. No.	3600035
description	O-ring EPDM thickness 2.62mm ID ø 15.54mm Qty 1 pcs		

refrigeration cycle components

valves

expansion valves

DANFOSS

valves

type TS2/TE2



Part No.	750015	Ref. No.	3650065
description	expansion valve DANFOSS type TES2 coolant R404a/R507 angled 90° thermostatically controlled inlet 3/8" SAE outlet 1/2" SAE 1/4" p max 34bar -40 up to +10°C capillary pipe 1500mm		

accessories for	750015			
	Part No.	750020	Ref. No.	—
	nozzle insert size 0X type 068-2002 T/TE 2 DANFOSS			
	Part No.	750021	Ref. No.	—
	nozzle insert size 00 type 068-2003 T/TE 2 DANFOSS			
	Part No.	750022	Ref. No.	—
	nozzle insert size 01 type 068-2010 T/TE 2 DANFOSS			
	Part No.	750023	Ref. No.	—
	nozzle insert size 02 type 068-2015 T/TE 2 DANFOSS			
	Part No.	750024	Ref. No.	—
	nozzle insert size 03 type 068-2006 T/TE 2 DANFOSS			
	Part No.	750483	Ref. No.	—
	nozzle insert size 04 type 068-2007 T2/TE2 DANFOSS			
	Part No.	750484	Ref. No.	—
	nozzle insert size 05 type 068-2008 T2/TE2 DANFOSS			
	Part No.	750485	Ref. No.	—
	nozzle insert size 06 type 068-2009 T2/TE2 DANFOSS			

indicators

CASTEL




Part No.	750070	Ref. No.	3650018
description	sight glass CASTEL type 3950/22 with indicator connection 7/16" UNF (1/4" SAE) internal/external thread L 68mm -30 jusqu'à +110°C p max 45bar		

evaporators

for fridges


producer-specific



Part No.	750155	Ref. No.	3650025 3650105
description	evaporator L 320mm W 90mm H 150mm		



Part No.	750153	Ref. No.	3650007
description	evaporator L 390mm W 75mm H 300mm complete with fan		



Part No.	750154	Ref. No.	3650010
description	evaporator L 445mm W 75mm H 280mm total length 510mm		



kitchen accessories

gastronorm

gastronorm plates



1

Part No.	695246	Ref. No.	3400202
description	gastronorm plate size GN 1/1 W 325mm L 530mm		

bridges



1

Part No.	693484	Ref. No.	2300306
description	bridge for Gastronorm container L1 530mm L2 510mm SS W 22mm H 19.5mm Qty 1 pcs thickness 0.75mm		

valves and tank inlets

ball valves

universal

ball valves with lever handle



1

Part No.	514360	Ref. No.	3600259
description	ball valve connection 1/2" IT - 1/2" IT DN15 total length 49mm		

tank inlets



1

Part No.	693483	Ref. No.	3600032
description	tank inlet connection 1/2" WS 27 L1 12mm L2 20mm		



drain systems and wash basins

standpipes

3/4"



1

Part No.	515048	Ref. No.	2300567
description	standpipe size 3/4" usable height 48mm overall height 74mm ED ø 20mm chrome-plated brass with O-ring		
spare parts for	515048		
	Part No.	Ref. No.	—
	528813		
	O-ring EPDM thickness 2mm ID ø 17mm Qty 1 pcs		
accessories for	515048		
	Part No.	Ref. No.	—
	515041		
	drain fitting size 3/4" usable heightmm overall height 30mm ED ø 38mm chrome-plated brass		

producer-specific

EMAINOX



1

Part No.	515060	Ref. No.	3600034 3600077
description	drain fitting thread 3/4" H 18mm ID ø 20mm ED ø 38mm		



1

Part No.	504618	Ref. No.	3600035
description	O-ring EPDM thickness 2.62mm ID ø 15.54mm Qty 1 pcs		



1



Part No.	515048	Ref. No.	2300567
description	standpipe size 3/4" usable height 48mm overall height 74mm ED ø 20mm chrome-plated brass with O-ring		
spare parts for	515048		
	Part No.	Ref. No.	—
	528813		
	O-ring EPDM thickness 2mm ID ø 17mm Qty 1 pcs		

Table continues overleaf




accessories for	515048			
	Part No.	515041	Ref. No.	—
	drain fitting size 3/4" usable heightmm overall height 30mm ED ø 38mm chrome-plated brass			

measuring equipment

thermometers

built-in thermometers

	1		
Part No.	541080	Ref. No.	3700042
description	thermometer mounting measurements 58x25.5mm -40 up to +40°C capillary pipe 2500mm probe ø 6mm probe L 30mm		

ø52mm			
			
1			
Part No.	541413	Ref. No.	3700039
description	thermometer mounting ø 52mm t.max. 120°C 0 up to +120°C probe ø 6mm probe L 36mm capillary pipe 1500mm		

GASTROPARTS.COM

