



GASTROPARTS

Everest

- [EN]** Equipment
- [DE]** Geräte
- [ES]** Aparatos
- [FR]** Équipement
- [IT]** Attrezzature
- [PL]** Urządzenia
- [RU]** Оборудование

✉ gastroparts@gastroparts.com

☎ +48 56 657 00 66

📘 fb.com/gastroparts.global

GASTROPARTS.COM






switches and momentary switches


rocker/momentary rocker switches

30x22mm




1

Part No.	301001	Ref. No.	ELE2020
description	rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
accessories for	301001		
	Part No.	301036	Ref. No. —
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		



1

Part No.	347766	Ref. No.	ELE2034 TC32 R56
description	momentary push switch mounting measurements ø22mm green/ red 1NO/1NC/1NO 400V connection male faston 6.3mm arrow right/ left/0 4A protection IP40 ambient temperature max. 85°C/145°C		



1



Part No.	401709	Ref. No.	ELE1008
description	protective cover external size 57x32mm internal size 47x22mm matt finish rubber H 27.5mm		

push/momentary push switches

ø22mm



1

Part No.	403149	Ref. No.	ELE1007
description	control PCB mounting measurements ø22mm green/indicator light/red meat mincer TC8/TCE8/TCE8-2000 230V connection male faston 6.3mm L 79mm W 59mm 0-1 10A protection IP40		
spare parts for	403149		
	Part No.	347789	Ref. No. —
	momentary push switch mounting measurements ø22mm white/red 1NO/1NC 250V connection screw 4A symbol ON-OFF protection IP40 ambient temperature max. 85°C		
accessories for	403149		
	Part No.	401709	Ref. No. ELE1008
	protective cover external size 57x32mm internal size 47x22mm matt finish rubber H 27.5mm		

microswitches

roller-lever actuated

microswitches





1

Part No.	347767	Ref. No.	ELE1030
description	microswitch with handle with a switch 250V 16A 1CO connection male faston 4.8mm L 21mm L1 16mm ambient temperature max. 85°C mounting distance 22.2mm black lever length 18mm		



1

Part No.	401357	Ref. No.	ELE1001
description	momentary push switch mounting measurements ø22mm 1NO/1NC/indicator light 400V 4A indicator lamp 24V 0-I connection screw ambient temperature max. 125/55°C protection IP40		
spare parts for	401357		
	Part No.	346181	Ref. No. —
	push button mounting ø 21mm external size 30x55mm oval		
accessories for	401357		
	Part No.	401709	Ref. No. ELE1008
	protective cover external size 57x32mm internal size 47x22mm matt finish rubber H 27.5mm		

rotary switches

BREMAS

miscellaneous



1

Part No.	348130	Ref. No.	ELE1026
description	rotary switch 3 1-0-2 momentary sets of contacts 6 type CR012V048 690V 12A shaft ø 4.9x4.9mm shaft L 18mm shaft square connection screw		



control equipment

GIOVENZANA


switches (complete)




1

Part No.	403149	Ref. No.	ELE1007
description	control PCB mounting measurements ø22mm green/indicator light/red meat mincer TC8/TCE8/TCE8-2000 230V connection male faston 6.3mm L 79mm W 59mm 0-1 10A protection IP40		

spare parts for

Part No.	347789	Ref. No.	—
	momentary push switch mounting measurements ø22mm white/red 1NO/1NC 250V connection screw 4A symbol ON-OFF protection IP40 ambient temperature max. 85°C		

accessories for


Part No.	401709	Ref. No.	ELE1008
	protective cover external size 57x32mm internal size 47x22mm matt finish rubber H 27.5mm		




1

Part No.	401357	Ref. No.	ELE1001
description	momentary push switch mounting measurements ø22mm 1NO/1NC/indicator light 400V 4A indicator lamp 24V 0-1 connection screw ambient temperature max. 125/55°C protection IP40		

spare parts for

Part No.	346181	Ref. No.	—
	push button mounting ø 21mm external size 30x55mm oval		

accessories for

Part No.	401709	Ref. No.	ELE1008
	protective cover external size 57x32mm internal size 47x22mm matt finish rubber H 27.5mm		



1

Part No.	347766	Ref. No.	ELE2034 TC32 R56
description	momentary push switch mounting measurements ø22mm green/red 1NO/1NC/1NO 400V connection male faston 6.3mm arrow right/left/0 4A protection IP40 ambient temperature max. 85°C/145°C		

electronics

PCBs



1

Part No.	403150	Ref. No.	ELE1034
description	PCB cheese grater GS-TF-ST00 L 104mm W 104mm		



1

Part No.	403554	Ref. No.	ELE1005
description	PCB for mincer TG12/TG22 suitable for EVEREST		

equipment-specific units

for meat mincers

blades

SALVADOR



1

Part No.	696736	Ref. No.	DIS0372 S/S
description	knife type SALVADOR ø 73mm internal size 12.5x16.5mm stainless steel		

augers


complete



1

Part No.	698298	Ref. No.	1DIS0152+DIS0180 1DIS0152+DIS0181
description	auger model 22 ø 63.5mm L 165mm cast iron shaft diameter 30x11mm with spindle Unger		



			
1			
Part No.	698319	Ref. No.	1DIS0152+DIS0179
description	auger model 22 ø 63mm L 130mm cast iron shaft diameter 30x11mm ENTERPRISE		

GASTROPARTS.COM

