



**GASTROPARTS**

# Expobar

- [EN]** Equipment
- [DE]** Geräte
- [ES]** Aparatos
- [FR]** Équipement
- [IT]** Attrezzature
- [PL]** Urządzenia
- [RU]** Оборудование

✉ [gastroparts@gastroparts.com](mailto:gastroparts@gastroparts.com)

☎ +48 56 657 00 66

📘 [fb.com/gastroparts.global](https://fb.com/gastroparts.global)


**GASTROPARTS.COM**









## heating elements


### heating elements for coffee machine


 <p>1</p>			
<b>Part No.</b>	417266	<b>Ref. No.</b>	38012000 E604B
<b>description</b>	heating element 1200W 230V heating circuits 1 thread 1¼" L 88mm ø 38mm tube ø 6.5mm connection male faston 6.3mm immersion heater connection length 17mm flange with thread coffee machine WS 37 suitable for Office		
<b>For models:</b>	Diamant, Office-Control, Office-Leva		


 <p>1</p>			
<b>Part No.</b>	417528	<b>Ref. No.</b>	38020001
<b>description</b>	heating element 2000W 230V heating circuits 1 thread 1¼" L 108mm ø 38mm tube ø 6.5mm connection male faston 6.3mm immersion heater connection length 17mm flange with thread coffee machine WS 37 suitable for Office		

 <p>1</p>			
<b>Part No.</b>	417075	<b>Ref. No.</b>	38025001
<b>description</b>	heating element 2500W 240V heating circuits 1 mounting ø 39mm hole distance 57mm L 205mm W 26mm H 48mm L1 20mm L2 170mm H1 30mm windings 4 hole ø 10mm tube ø 6mm cable length 380mm immersion heater 3 hole flange		
<b>For models:</b>	Elen, G-10, Markus, Monroc		
<b>accessories for</b>	417075		
	 <p>Part No.</p>	528007	<p>Ref. No.</p> <p>50010030</p>
	flat gasket PTFE ED ø 50mm ID ø 40mm thickness 2.5mm Qty 1 pcs		

 <p>1</p>			
<b>Part No.</b>	417286	<b>Ref. No.</b>	38027000
<b>description</b>	heating element 3050W 230V heating circuits 2 mounting ø 38.5mm hole distance 57mm L 335mm W 34mm H 55mm L1 25mm L2 60mm L3 250mm H1 24mm H2 21mm hole ø 10mm tube ø 8mm cable length 350mm immersion heater 3 hole flange		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem		

 <p>1</p>			
<b>Part No.</b>	417287	<b>Ref. No.</b>	38040000
<b>description</b>	heating element 4000W 230V heating circuits 2 mounting ø 38.5mm hole distance 57mm L 515mm W 35mm H 55mm L1 25mm L2 55mm L3 435mm H1 25mm H2 30mm hole ø 10mm tube ø 8mm cable length 300mm immersion heater		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem		



 <p>1</p>			
<b>Part No.</b>	417267	<b>Ref. No.</b>	38045000
<b>description</b>	heating element 4500W 230V heating circuits 3 mounting ø 39mm hole distance 57mm L 320mm W 32mm H 52mm L1 28mm L2 57mm L3 235mm H1 30mm H2 22mm tube ø 8.4mm cable length 310mm immersion heater 3 hole flange		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem		

 <p>1</p>			
<b>Part No.</b>	417268	<b>Ref. No.</b>	38060000
<b>description</b>	heating element 6000W 230V heating circuits 3 mounting ø 39mm hole distance 57mm L 500mm W 33mm H 55mm L1 37mm L2 58mm L3 405mm H1 30mm H2 25mm hole ø 11mm tube ø 8.3mm cable length 300mm immersion heater 3 hole flange		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem		



### accessories

#### sealing washers

#### PTFE gaskets

  <p>1</p>			
<b>Part No.</b>	528007	<b>Ref. No.</b>	50010030
<b>description</b>	flat gasket PTFE ED ø 50mm ID ø 40mm thickness 2.5mm Qty 1 pcs		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc		

#### O-rings

  <p>1</p>			
<b>Part No.</b>	528231	<b>Ref. No.</b>	30370075
<b>description</b>	O-ring Viton thickness 2.62mm ID ø 12.37mm Qty 1 pcs		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		



## switches and momentary switches

## rocker/momentary rocker switches

30x22mm



1

<b>Part No.</b>	301001	<b>Ref. No.</b>	60900035
-----------------	--------	-----------------	----------

**description** rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65

**For models:** Elen, G-10, Markus, Megacrem, Monroc, Office-Control

**accessories for** 301001



<b>Part No.</b>	301036	<b>Ref. No.</b>	—
-----------------	--------	-----------------	---

protective cover internal size 30x22mm for rocker switch mounting measurementsmm



1

<b>Part No.</b>	346377	<b>Ref. No.</b>	60900043
-----------------	--------	-----------------	----------

**description** rocker switch mounting measurements 30x22mm black 2CO 230V 16A 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40

**For models:** Elen, G-10, Markus, Megacrem, Monroc, Office-Control

**accessories for** 346377



<b>Part No.</b>	301036	<b>Ref. No.</b>	—
-----------------	--------	-----------------	---

protective cover internal size 30x22mm for rocker switch mounting measurementsmm

## push/momentary push switches

30x22mm



1

<b>Part No.</b>	301086	<b>Ref. No.</b>	60900050
-----------------	--------	-----------------	----------

**description** push switch mounting measurements 30x22mm black 2NO 250V 12A 0-1 connection male faston 6.3mm ambient temperature max. 85/55°C protection IP54 with protective collar

## toggle switches

M12x0.75



1

<b>Part No.</b>	346519	<b>Ref. No.</b>	60900080
-----------------	--------	-----------------	----------

**description** toggle switch thread M12x0.75 2NO 250V 15A ON-OFF male faston 6.3mm

**For models:** Office-Leva

**accessories for** 346519



<b>Part No.</b>	346525	<b>Ref. No.</b>	—
-----------------	--------	-----------------	---

protection cap L 23.5mm W 17.3mm protection cap rubber thread M11

**accessories for** 346519



<b>Part No.</b>	347197	<b>Ref. No.</b>	60900081
-----------------	--------	-----------------	----------

bezel ON-OFF for toggle switch M12

## accessories



1

<b>Part No.</b>	347197	<b>Ref. No.</b>	60900081
-----------------	--------	-----------------	----------

**description** bezel ON-OFF for toggle switch M12

**For models:** Office-Leva

## microswitches

## pin-plunger actuated

M12



1

<b>Part No.</b>	345350	<b>Ref. No.</b>	60900030
-----------------	--------	-----------------	----------

**description** microswitch with plunger mounting distance 22mm thread M12x0.75 thread L 16mm 250V 16A 1CO connection male faston 6.3mm stroke 4mm ambient temperature max. 125°C type EF83161.3 actuating force: 66g

**For models:** Office-Control, Office-Leva

**accessories for** 345350



<b>Part No.</b>	345351	<b>Ref. No.</b>	—
-----------------	--------	-----------------	---

nut thread M12x0.75 H 1.6mm WS 14 chrome-plated brass Qty 1 pcs

## rotary switches

## BREMAS

## A1600 series



1

<b>Part No.</b>	347254	<b>Ref. No.</b>	60900000 60900002
-----------------	--------	-----------------	----------------------

**description** rotary switch 2 0-1 sets of contacts 3 type CA0200003V 400V 16A shaft ø 5x5mm shaft L 18mm shaft square connection screw contacts 3NO

**For models:** Diamant, Elen, G-10, Markus, Megacrem



A1700 series



<b>Part No.</b>	347198 <sup>1</sup>	<b>Ref. No.</b>	60900010
<b>description</b>	rotary switch 2 0-1 sets of contacts 4 type CA0200004V 400V 20A shaft ø 5x5mm shaft L 19mm shaft square connection screw		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem		

<sup>1</sup>incl. rubber protective sleeve

**lamps**

indicator lights

indicator lights (complete)

ø12mm

with plug-in socket



<b>Part No.</b>	359471	<b>Ref. No.</b>	60901001
<b>description</b>	indicator light ø 12mm 250V red cable length 500mm temp.-resist. 90°C		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

**solid state relays**

CROUZET



<b>Part No.</b>	402223	<b>Ref. No.</b>	1604203 60800101
<b>description</b>	solid state relay CROUZET 1 phase 25A 24-280V 3-32VDC L 58mm W 45mm screw type GN84136163		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem		



<b>Part No.</b>	402222	<b>Ref. No.</b>	60800100
<b>description</b>	solid state relay CROUZET 1 phase 25A 24-280V 90-280VAC L 58mm W 45mm screw type 84136162		
<b>For models:</b>	Elen, G-10, Markus, Megacrem, Monroc, Office-Leva		

**relays**

level relays

GICAR



<b>Part No.</b>	402103	<b>Ref. No.</b>	60100100
<b>description</b>	level controller 230/240V voltage AC 50/60Hz connection F6.3 type NRL30/1E-2C/F		

GIEMME



<b>Part No.</b>	529968	<b>Ref. No.</b>	60100101
<b>description</b>	level controller 240V voltage AC 50/60Hz 10A connection male faston 6.3mm type RL01E/2C+KNC/F		
<b>For models:</b>	Markus, Megacrem, Monroc, Office-Control, Office-Leva		



<b>Part No.</b>	402971	<b>Ref. No.</b>	60100200
<b>description</b>	level controller 240V voltage AC 50/60Hz 5/16A connection F6.3 type RLO 1E/SIC/F+LED time limit 2'		



## electronic controllers

## miscellaneous

## universal controllers



1

<b>Part No.</b>	379445	<b>Ref. No.</b>	10200125
<b>description</b>	thermostat type 9.3.00.43G		
<b>For models:</b>	Elen, G-10, Office-Leva		

## probes

## producer-specific probes

## probes



1

<b>Part No.</b>	379452	<b>Ref. No.</b>	60100076
<b>description</b>	temperature probe NTC cable glass fibre probe -40 up to +125°C cable -50 up to +350°C connection plug thread 1/4" probe ø3.5x20mm cable length 0.24m		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Office-Leva		

## sensors



1

<b>Part No.</b>	379450	<b>Ref. No.</b>	60100075
<b>description</b>	temperature probe steam pipe		
<b>For models:</b>	Diamant		

## electronics

## PCBs



1

<b>Part No.</b>	402224	<b>Ref. No.</b>	60100301
<b>description</b>	display L 117mm W 44mm suitable for MEGA, 6-10, NEW ELEGANCE		
<b>For models:</b>	G-10, Megacrem		



1

<b>Part No.</b>	529954	<b>Ref. No.</b>	60101022
<b>description</b>	display L 136mm W 62mm model MARKUS		
<b>For models:</b>	Markus		



1

<b>Part No.</b>	529940	<b>Ref. No.</b>	60101050
<b>description</b>	display L 78mm W 138mm suitable for ELEN oval		
<b>For models:</b>	Elen		



1

<b>Part No.</b>	529942	<b>Ref. No.</b>	60101060
<b>description</b>	display suitable for DIAMANT		
<b>For models:</b>	Diamant		



1

<b>Part No.</b>	529955	<b>Ref. No.</b>	60106000
<b>description</b>	PCB LED type DIAMANT		
<b>For models:</b>	Diamant		




1

<b>Part No.</b>	529956	<b>Ref. No.</b>	60106010
<b>description</b>	PCB LED type DIAMANT		
<b>For models:</b>	Diamant		




central units




1

<b>Part No.</b>	529949	<b>Ref. No.</b>	60100420
<b>description</b>	central unit 3 groups 230V 50/60Hz type 3d5 Orquesta Plus voltage AC		
<b>For models:</b>	Diamant		



1

<b>Part No.</b>	529950	<b>Ref. No.</b>	60100410
<b>description</b>	central unit 3 groups doser 50/60Hz AC type 3d5 3GRCTZ XLC (SC) voltage 240		
<b>For models:</b>	Elen, Markus, Monroc		



1

<b>Part No.</b>	529951	<b>Ref. No.</b>	60100034
<b>description</b>	central unit 3-group 230V 50/60Hz type 3d5 MAESTRO DELUXE 3GRCTZND voltage AC		
<b>For models:</b>	Elen, G-10, Markus, Megacrem		




1

<b>Part No.</b>	529948	<b>Ref. No.</b>	60100430
<b>description</b>	control box lighting 230V 50/60Hz type Scheda LUX LED voltage AC		
<b>For models:</b>	Diamant		

keypads

front foils




1

<b>Part No.</b>	529965	<b>Ref. No.</b>	70000184
<b>description</b>	front foil control black L 102mm W 27mm		
<b>For models:</b>	Markus, Office-Control		




1

<b>Part No.</b>	529963	<b>Ref. No.</b>	70000179
<b>description</b>	front foil control bronze L 102mm W 27mm		
<b>For models:</b>	Markus		




1

<b>Part No.</b>	529964	<b>Ref. No.</b>	70000182
<b>description</b>	front foil control red L 102mm W 27mm		
<b>For models:</b>	Markus		




1

<b>Part No.</b>	529959	<b>Ref. No.</b>	70000198
<b>description</b>	front foil ELEN L 128mm W 68mm		
<b>For models:</b>	Elen		




1

<b>Part No.</b>	529958	<b>Ref. No.</b>	70000189
<b>description</b>	front foil ELEN L 129mm W 68mm		
<b>For models:</b>	Elen		



1

<b>Part No.</b>	529960	<b>Ref. No.</b>	70000188
<b>description</b>	front foil ELEN L 129mm W 69mm		
<b>For models:</b>	Elen		





1

<b>Part No.</b>	529957	<b>Ref. No.</b>	60100305
<b>description</b>	front foil G10 L 103mm W 27mm		
<b>For models:</b>	G-10		





			
1			
<b>Part No.</b>	529962	<b>Ref. No.</b>	70000187
<b>description</b>	front foil MARKUS blue L 110mm W 35mm		
<b>For models:</b>	Markus		

			
1			
<b>Part No.</b>	529961	<b>Ref. No.</b>	70000186
<b>description</b>	front foil MARKUS wood L 110mm W 35mm		
<b>For models:</b>	Markus		


			
1			
<b>Part No.</b>	400657	<b>Ref. No.</b>	60102002
<b>description</b>	keypad foil 1d5 buttons 5		
<b>For models:</b>	Markus		


## membrane keypads


			
1			
<b>Part No.</b>	403681	<b>Ref. No.</b>	60102003
<b>description</b>	keypad foil buttons 5 L 103mm W 27mm		


			
1			
<b>Part No.</b>	400334	<b>Ref. No.</b>	60102000
<b>description</b>	membrane keypad coffee machine		


## keypad units

			
1			
<b>Part No.</b>	400654	<b>Ref. No.</b>	60100000
<b>description</b>	keypad unit		

			
1			
<b>Part No.</b>	529937	<b>Ref. No.</b>	60100300
<b>description</b>	keypad unit buttons 5 230V		
<b>For models:</b>	G-10, Monroc		

			
1			
<b>Part No.</b>	529932	<b>Ref. No.</b>	60100401
<b>description</b>	keypad unit buttons 5 230V doser L 71mm W 117mm H 45.3mm 1d5e GR NKP S10		
<b>For models:</b>	Markus		

			
1			
<b>Part No.</b>	529936	<b>Ref. No.</b>	60100310
<b>description</b>	keypad unit buttons 5 230V doser L 71mm W 117mm with probe connection H 45.3mm 1d5e GRCZ NKP S10		
<b>For models:</b>	G-10		

			
1			
<b>Part No.</b>	529967	<b>Ref. No.</b>	60100027
<b>description</b>	keypad unit buttons 5 230V L 117mm W 45.5mm without probe connection 1d5e Spring SMD GR NKP S10		
<b>For models:</b>	Megacrem		


			
1			
<b>Part No.</b>	529947	<b>Ref. No.</b>	60100023
<b>description</b>	keypad unit buttons 5 230V L 117mm W 45.5mm wood 1d5e GR NKP S10		
<b>For models:</b>	Markus		

			
1			
<b>Part No.</b>	529931	<b>Ref. No.</b>	60100022
<b>description</b>	keypad unit buttons 5 brown type 1d5e GRCZ NKP S10 L 117mm W 45.4mm wood		
<b>For models:</b>	Markus		





1

<b>Part No.</b>	529941	<b>Ref. No.</b>	60101500
<b>description</b>	keypad unit buttons 5 suitable for ELEN L 35mm W 138mm H 77mm		
<b>For models:</b>	Elen		



1

<b>Part No.</b>	400652	<b>Ref. No.</b>	60100021
<b>description</b>	keypad unit espresso machine MARKUS buttons 5 black edition 1d5e GR NKP S10 type 1d5e GR NKP S10 L 117mm W 45mm		
<b>For models:</b>	Markus		




1

<b>Part No.</b>	400653	<b>Ref. No.</b>	60100012
<b>description</b>	keypad unit buttons 5 type TH SMT 1GR+RL L 117mm W 46mm		
<b>For models:</b>	Markus		





1

<b>Part No.</b>	400655	<b>Ref. No.</b>	60100020
<b>description</b>	keypad unit espresso machine MARKUS buttons 5 black type 1d5e GRCZ NKP S10 L 117mm W 45mm		
<b>For models:</b>	Markus		




1

<b>Part No.</b>	529934	<b>Ref. No.</b>	60100402	
<b>description</b>	keypad unit coffee machine Markus/Office-Control buttons 5 230V doser L 71mm W 117mm SS 1d5e GRCZ NKP S10 Oval Chromed Keys			
<b>For models:</b>	Markus, Office-Control			
<b>accessories for</b>	529934			
	<b>Part No.</b>	400214	<b>Ref. No.</b>	60100040
	level electrode 1/4" total length 140mm probe L 112mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm			




1

<b>Part No.</b>	402705	<b>Ref. No.</b>	60102009NE
<b>description</b>	keypad unit MARKUS buttons 5 black suitable for EXPOBAR		
<b>For models:</b>	Markus		




1

<b>Part No.</b>	529938	<b>Ref. No.</b>	60100026
<b>description</b>	keypad unit coffee machine MEGACREM buttons 5 230V L 70mm W 117mm with probe connection H 45.5mm 1d5e Spring SMD GRCZ NKP S10		
<b>For models:</b>	Megacrem		



1

<b>Part No.</b>	402706	<b>Ref. No.</b>	60102009NO
<b>description</b>	keypad unit MARKUS buttons 5 brown suitable for EXPOBAR		
<b>For models:</b>	Markus		



1

<b>Part No.</b>	529953	<b>Ref. No.</b>	60101510
<b>description</b>	keypad unit DIAMANT buttons 5 L 131mm W 78mm		
<b>For models:</b>	Diamant		



1

<b>Part No.</b>	529939	<b>Ref. No.</b>	60101100
<b>description</b>	keypad unit MEGACREM buttons 5 230V L 27mm W 116.5mm H 44.5mm		
<b>For models:</b>	Megacrem		





1

<b>Part No.</b>	529952	<b>Ref. No.</b>	60101520
<b>description</b>	keypad unit steam/water DIAMANT buttons 5		
<b>For models:</b>	Diamant		

## control panel



1

<b>Part No.</b>	529944	<b>Ref. No.</b>	60102006
<b>description</b>	bezel coffee machine MARKUS L 102mm W 40mm black plastic suitable for 1d5		
<b>For models:</b>	Markus		



1

<b>Part No.</b>	529943	<b>Ref. No.</b>	60102007
<b>description</b>	bezel L 102mm W 40mm suitable for 1d5 wood		
<b>For models:</b>	Markus		



1

<b>Part No.</b>	529945	<b>Ref. No.</b>	60102012
<b>description</b>	bezel L 112mm W 40mm black plastic suitable for 1d5 oval		
<b>For models:</b>	Markus, Office-Control		

## solenoid valves

## solenoid valves (water)

metal

PARKER

2-way

VE-131 series



1

<b>Part No.</b>	370549	<b>Ref. No.</b>	60000105 ESC49995
<b>description</b>	solenoid valve 2-ways 230VAC connection with O-rings DNmm PARKER coil type KT09 50Hz flange 22x22mm		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem		

VE-161 series



1






<b>Part No.</b>	370566	<b>Ref. No.</b>	60000100
<b>description</b>	solenoid valve 2-ways 230VAC inlet 1/4" IT outlet 1/4" IT connection 1/4" L 38.5mm body nickel-plated DN 2.20mm -10 up to 140°C PARKER coil type ZB09 membranes FKM p max 10bar p min 0bar brass		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Monroc, Office-Control, Office-Leva		

3-way

VE-128 series



1

<b>Part No.</b>	370060	<b>Ref. No.</b>	60000110
<b>description</b>	solenoid valve 3-ways 230VAC body outer cone DN 1.2mm slide-on receptacle DIN -20° up to 140°C PARKER type series VE-128 coil type YB09 with cable membranes Viton p max 10bar brass flange 32x32mm		
<b>spare parts for</b>	370060		
	<b>Part No.</b>	370062	<b>Ref. No.</b> —
	solenoid valve body PARKER 3-ways outer cone		
	<b>Part No.</b>	371033	<b>Ref. No.</b> —
	solenoid coil PARKER 230VAC 9VA coil type YB09 with cable seat ø 14mm		
	<b>Part No.</b>	371095	<b>Ref. No.</b> —
	O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs		
<b>accessories for</b>	370060		
	<b>Part No.</b>	101527	<b>Ref. No.</b> —
	O-ring Viton thickness 1.78mm ID ø 6.75mm Qty 1 pcs		
	<b>Part No.</b>	532193	<b>Ref. No.</b> —
	O-ring silicone thickness 1.78mm ID ø 6.75mm Qty 10 pcs		

VE-141 series



1

<b>Part No.</b>	370550	<b>Ref. No.</b>	60000120
<b>description</b>	solenoid valve 3-ways 230VAC connection 1/4" L 40mm DN 3mm slide-on receptacle DIN -20° up to 130°C coil type ZB09 membranes FKM (water) p max 3bar		
<b>For models:</b>	Diamant		



## pressure switches

### for coffee machines

#### miscellaneous





1

<b>Part No.</b>	541684	<b>Ref. No.</b>	60000008
<b>description</b>	pressure control pressure range 0-1bar connection 1/4" 16A 1-pole type 250V ambient temperature max. 85°C		
<b>For models:</b>	Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		



1

<b>Part No.</b>	541021	<b>Ref. No.</b>	60000000	
<b>description</b>	pressure control pressure range adjustable 0.5-1.4bar connection 1/4" 30A 3-pole type P302 coffee machine parts SIRAI			
<b>For models:</b>	Elen, G-10, Markus, Megacrem			
<b>accessories for</b>	541021			
	<b>Part No.</b>	550262	<b>Ref. No.</b>	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			
	<b>Part No.</b>	890100	<b>Ref. No.</b>	—
	PTFE tape reel L 12m W 12mm -200 up to +260°C approval DINDVGW, KTW temperature-resistant, elastic for fine thread thickness 0.1mm			

## electrodes



1

<b>Part No.</b>	400214	<b>Ref. No.</b>	60100040
<b>description</b>	level electrode 1/4" total length 140mm probe L 112mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

## flow meters and flow sensors

### flow meters

#### GICAR




1

<b>Part No.</b>	401914	<b>Ref. No.</b>	60100045
<b>description</b>	flow meter thread 1/4" brass with LED plug connection with gasket approval NSF		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control		



1

<b>Part No.</b>	400004	<b>Ref. No.</b>	60100050	
<b>description</b>	flow meter thread 1/4" stainless steel with LED plug connection approval NSF			
<b>accessories for</b>	400004			
	<b>Part No.</b>	400256	<b>Ref. No.</b>	—
	plug GICAR for flow meter			

## equipment-specific units

### for espresso machines

#### filter holders

##### filter holders standard

##### filter holders (complete)



1

<b>Part No.</b>	529971	<b>Ref. No.</b>	75002500 75002510
<b>description</b>	filter holder complete suitable for EXPOBAR 2-way ID ø 62mm amount of coffee 14g outlet distance 44mm		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc		



## filter holder without spout



1

<b>Part No.</b>	529972	<b>Ref. No.</b>	75003010
<b>description</b>	filter holder suitable for CREM-EXPOBAR without outlet mounting ø 82mm outlet 3/8" ID ø 62mm		
<b>For models:</b>	Office-Control, Office-Leva		



1

<b>Part No.</b>	525977	<b>Ref. No.</b>	N/A
<b>description</b>	filter holder suitable for CREM-EXPOBAR/WEGA/GRIMAC/SANRAMO without outlet mounting ø 83mm outlet 3/8" ID ø 61.5mm wedge height 10mm wedge position horizontal number of wedges 2 lever inclined		

## filter holders short



1


<b>Part No.</b>	529933	<b>Ref. No.</b>	75000110
<b>description</b>	filter holder mounting ø 82.4mm outlet 3/8" ID ø 61.5mm handle M12x1.75 wedge height 9.5mm wedge position horizontal number of wedges 2 lever inclined chrome-plated, polished		

## handles

## with external thread



1

<b>Part No.</b>	529044	<b>Ref. No.</b>	75000105
<b>description</b>	handle ø 35mm thread M12x1.75 thread L 15mm L 120mm black		
<b>accessories for</b>	529044		
	<b>Part No.</b>	<b>Ref. No.</b>	—
	end cap ø 24.6mm mounting ø 22.1mm H 14mm chrome-plated		

## spouts

## with thread 3/8"



1

<b>Part No.</b>	529003	<b>Ref. No.</b>	75000050
<b>description</b>	filter holder spout thread 3/8" 1-way curved/long outlet distance mm thread L 5mm		
<b>For models:</b>	Markus		



1

<b>Part No.</b>	529007	<b>Ref. No.</b>	75000006
<b>description</b>	filter holder spout thread 3/8" 2-way curved/short outlet distance 45mm		

## filters

## for 1 cup



1

<b>Part No.</b>	526261	<b>Ref. No.</b>	75000037
<b>description</b>	coffee filter ø 70mm mounting ø 60.5mm H 20.5mm cups 1 amount of coffee 6.5g		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		



1


<b>Part No.</b>	529012	<b>Ref. No.</b>	75000059
<b>description</b>	coffee filter ø 70mm mounting ø 60.8mm H 19.5mm cups 1 amount of coffee 6g		
<b>For models:</b>	Diamant, Markus, Office-Control, Office-Leva		



1

<b>Part No.</b>	529011	<b>Ref. No.</b>	75000030 75000031
<b>description</b>	coffee filter ø 70mm mounting ø 60mm H 24.5mm cups 1 amount of coffee 7g perforation ø 0.4mm		
<b>For models:</b>	Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		





for 2 cups			
			
1			
<b>Part No.</b>	529013	<b>Ref. No.</b>	75000040 75000041
<b>description</b>	coffee filter ø 70mm mounting ø 60.5mm H 25.5mm cups 2 amount of coffee 14g perforation ø 0.3x0.3mm square		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		


			
1			
<b>Part No.</b>	529014	<b>Ref. No.</b>	75000047
<b>description</b>	coffee filter ø 70mm mounting ø 60mm H 21mm cups 2 amount of coffee 12g perforation ø 0.3mm round		

for 3 and more cups			
			
1			
<b>Part No.</b>	529973	<b>Ref. No.</b>	75000049
<b>description</b>	coffee filter ø 70mm mounting ø 60mm H 28mm cups 3 amount of coffee 21g		
<b>For models:</b>	Elen, G-10, Markus, Megacrem, Monroc		


blind filters			
			
1			
<b>Part No.</b>	529023	<b>Ref. No.</b>	75000020
<b>description</b>	blind filter ø 70mm mounting ø 60mm H 18mm		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc		

filter holder springs			
			
1			
<b>Part No.</b>	529079	<b>Ref. No.</b>	75000120
<b>description</b>	filter holder spring L 70mm W 60mm wire gauge ø 1.3mm for espresso filter holder		
<b>For models:</b>	Markus		

membranes			
			
1			
<b>Part No.</b>	529024	<b>Ref. No.</b>	75000000
<b>description</b>	blind plug ø 50mm H 2.5mm		
<b>For models:</b>	Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

brewing units			
shower screens			
flat			
			
1			
<b>Part No.</b>	529975	<b>Ref. No.</b>	75000015
<b>description</b>	shower screen ø 34.2mm hole ø 4.9mm		
<b>For models:</b>	Elen, G-10, Markus, Megacrem		

with upstand			
			
1			
<b>Part No.</b>	528417	<b>Ref. No.</b>	75000010
<b>description</b>	shower screen ø 58mm H 19mm		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		


filter holder gaskets			
flat			
standard			
			
1			
<b>Part No.</b>	526255	<b>Ref. No.</b>	75000083
<b>description</b>	filter holder gasket D1 ø 73.6mm D2 ø 58mm H 8.5mm Qty 1 pcs		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		



			
1			
<b>Part No.</b>	526254	<b>Ref. No.</b>	75000081
<b>description</b>	filter holder gasket D1 ø 73.6mm D2 ø 58mm H 8mm Qty 1 pcs		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		


			
1			
<b>Part No.</b>	526256	<b>Ref. No.</b>	75000085
<b>description</b>	filter holder gasket D1 ø 73.6mm D2 ø 58mm H 9mm Qty 1 pcs		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Office-Control, Office-Leva		


## shim gaskets


			
1			
<b>Part No.</b>	528056	<b>Ref. No.</b>	75000095
<b>description</b>	shim gasket D1 ø 74mm D2 ø 58mm thickness 1mm rubber Qty 1 pcs		
<b>For models:</b>	Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

## brewing units with solenoid valve


## gaskets


			
1			
<b>Part No.</b>	529980	<b>Ref. No.</b>	50030000
<b>description</b>	gasket D1 ø 15.3mm D2 ø 5.5mm thickness 3mm Viton		
<b>For models:</b>	Elen, G-10, Markus, Megacrem		


			
1			
<b>Part No.</b>	532553	<b>Ref. No.</b>	50000105
<b>description</b>	O-ring silicone thickness 1.5mm ID ø 13.15mm Qty 1 pcs		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem		


			
1			
<b>Part No.</b>	532554	<b>Ref. No.</b>	50000110
<b>description</b>	O-ring silicone thickness 1.5mm ID ø 4.1mm Qty 1 pcs		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem		

## nozzles

			
1			
<b>Part No.</b>	529985	<b>Ref. No.</b>	30200061
<b>description</b>	injection nozzle for filter PTFE		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control		

			
1			
<b>Part No.</b>	529987	<b>Ref. No.</b>	30200050
<b>description</b>	injection nozzle for group L 9mm thread M6x0.75 thread L 5mm head thickness 4mm brass edition until January 2005		
<b>For models:</b>	Elen, G-10, Markus, Megacrem, Office-Leva		


			
1			
<b>Part No.</b>	529986	<b>Ref. No.</b>	ESC50001
<b>description</b>	injection nozzle with pipe for filter PTFE		
<b>spare parts for</b>	529986		
	<b>Part No.</b>	<b>Ref. No.</b>	30200026
	injection pipe for filter ø 6mm ID ø 4mm L 65mm PTFE		
	<b>Part No.</b>	<b>Ref. No.</b>	30200061
	injection nozzle for filter PTFE		


			
1			
<b>Part No.</b>	526019	<b>Ref. No.</b>	30200060
<b>description</b>	nozzle for filter PTFE edition until 11/2008		
<b>For models:</b>	Elen, G-10, Markus, Megacrem		


## components


			
1			
<b>Part No.</b>	529982	<b>Ref. No.</b>	30000043
<b>description</b>	tap aerator L 100mm		
<b>For models:</b>	Elen, G-10, Markus, Megacrem		




			
1			
<b>Part No.</b>	529981	<b>Ref. No.</b>	30000040
<b>description</b>	tap aerator L 58mm		
<b>For models:</b>	Elen, G-10, Markus, Megacrem, Monroc		




pipes			
			
1			
<b>Part No.</b>	526018	<b>Ref. No.</b>	30200025
<b>description</b>	injection pipe for filter ø 6mm ID ø 4mm L 65mm PTFE		
<b>For models:</b>	Elen, G-10, Markus, Megacrem		


			
1			
<b>Part No.</b>	529984	<b>Ref. No.</b>	30200026
<b>description</b>	injection pipe for filter ø 6mm ID ø 4mm L 65mm PTFE		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control		


screw connections			
			
1			
<b>Part No.</b>	529978	<b>Ref. No.</b>	30200035
<b>description</b>	end cap thread 1/2" L 30mm brass WS 26		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control		


brewing units manual			
components			
drain units			
drain valves			
			
1			
<b>Part No.</b>	526002	<b>Ref. No.</b>	CTAV1-05
<b>description</b>	valve support ø 16mm L 27mm brass shaft triangular D1 ø 10mm D2 ø 7mm		
<b>For models:</b>	Office-Leva		

camshafts			
			
1			
<b>Part No.</b>	526006	<b>Ref. No.</b>	CTAV1-13
<b>description</b>	camshaft shaft ø 8mm shaft intake ø 6.4mm L 86.3mm W 20mm H 17mm thread M6 brass		
<b>For models:</b>	Office-Leva		

valves			
			
1			
<b>Part No.</b>	526008	<b>Ref. No.</b>	CTAV1-24
<b>description</b>	valve group outflow L 54.3mm ED ø 16mm shaft ø 4.5mm brass		
<b>For models:</b>	Office-Leva		
<b>accessories for</b>	526008		
	<b>Part No.</b>	526003	<b>Ref. No.</b> CTAV1-08
	compression spring ø 13.8mm L 54.5mm wire gauge ø 1.5mm windings 10 drain valve		
	<b>Part No.</b>	532550	<b>Ref. No.</b> —
	O-ring NBR 787/70 thickness 2.62mm ID ø 9.13mm Qty 10 pcs		

			
1			
<b>Part No.</b>	526007	<b>Ref. No.</b>	CTAV1-09
<b>description</b>	valve group supply L 52.8mm ED ø 16mm shaft triangular		
<b>For models:</b>	Office-Leva		

components			
nozzles			
with thread			
			
1			
<b>Part No.</b>	528486	<b>Ref. No.</b>	30200020
<b>description</b>	nozzle bore ø 0.7mm thread M6x0.75 L 9mm WS 7		
<b>For models:</b>	Elen, G-10, Markus, Megacrem		

washers			
			
1			
<b>Part No.</b>	526016	<b>Ref. No.</b>	50020020
<b>description</b>	nozzle bore ø 2.5mm ED ø 18.2mm thickness 1mm		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		



1



<b>Part No.</b>	526015	<b>Ref. No.</b>	50020000
<b>description</b>	nozzle thickness 1mm D1 ø 18.2mm D2 ø 3.5mm		
<b>For models:</b>	Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

## screws

1



<b>Part No.</b>	560373	<b>Ref. No.</b>	25091210
<b>description</b>	cylinder head bolt thread M4 thread L 12mm WS 3 SS Qty 1 pcs intake internal hexagon DIN 912/ISO 4762		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

## water dispersions

## water dispersions

## group 1

1



<b>Part No.</b>	529976	<b>Ref. No.</b>	30800070
<b>description</b>	water distributor ø 19.3mm thread M10x1.5 hole ø 3.3mm		
<b>For models:</b>	Elen, G-10, Markus, Megacrem		
<b>accessories for</b>	529976		



<b>Part No.</b>	529975	<b>Ref. No.</b>	75000015
<b>description</b>	shower screen ø 34.2mm hole ø 4.9mm		



<b>Part No.</b>	560076	<b>Ref. No.</b>	25096300
<b>description</b>	countersunk screw thread M4 L 10mm SS DIN 963/ISO 2009 Qty 20 pcs intake slotted head ø 7.5mm		

1



<b>Part No.</b>	529988	<b>Ref. No.</b>	30200040
<b>description</b>	water distributor thread M10x1.5 hole ø 3mm		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

## group 2

1



<b>Part No.</b>	526262	<b>Ref. No.</b>	CTAV1-11
<b>description</b>	water distributor ø 30mm hole ø 1.5mm H 15mm ET M10x1 grooves 6 1mm brass 2 holes perforation ø 1mm		
<b>For models:</b>	Office-Leva		

## accessories

1



<b>Part No.</b>	529977	<b>Ref. No.</b>	50000200
<b>description</b>	gasket water dispersion ø 51.5mm hole ø 31mm		
<b>For models:</b>	Elen, G-10, Markus, Megacrem		

## safety valves

## safety valves

## 3/8"

1



<b>Part No.</b>	529312	<b>Ref. No.</b>	65000110
<b>description</b>	safety valve connection 3/8" triggering pressure 1.8bar		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem		

## expansion valves

## gasket supports

1



<b>Part No.</b>	526017	<b>Ref. No.</b>	CTAV7-26 siehe Bemerkung
<b>description</b>	gasket support D1 ø 16mm D2 ø 10mm ID ø 7mm L 25mm square brass		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem		

## compression springs

1



<b>Part No.</b>	526474	<b>Ref. No.</b>	55000030
<b>description</b>	compression spring ø 8mm L 31.5mm wire gauge ø 0.4mm for expansion valve		
<b>For models:</b>	Elen, G-10, Markus, Megacrem		

## brass 3-way

1



<b>Part No.</b>	529991	<b>Ref. No.</b>	65000020
<b>description</b>	expansion valve T1: 1/4" T2: 1/4" T3: 3/8" T-shape		
<b>For models:</b>	Elen, G-10, Markus, Megacrem		



with non-return valve



1			
<b>Part No.</b>	529992	<b>Ref. No.</b>	65000031
<b>description</b>	expansion valve with non-return valve		
<b>For models:</b>	Elen, G-10, Markus, Megacrem		

drain pans

drain pans



1			
<b>Part No.</b>	529970	<b>Ref. No.</b>	70001010
<b>description</b>	drain pan DIAMANT L 100mm W 113mm H 60mm hole ø 14.5mm		
<b>For models:</b>	Diamant		



1			
<b>Part No.</b>	529969	<b>Ref. No.</b>	70001000
<b>description</b>	drain pan L 100mm W 80mm H 60mm hole ø 14.5mm		
<b>For models:</b>	Elen, G-10, Markus, Megacrem, Monroc, Office-Leva		



1			
<b>Part No.</b>	528483	<b>Ref. No.</b>	10000250
<b>description</b>	drain pan L 224mm W 150mm H 64mm		
<b>For models:</b>	Office-Control		



1			
<b>Part No.</b>	528481	<b>Ref. No.</b>	20000150
<b>description</b>	drain tray L 415mm W 180mm H 18mm hole ø 12mm		
<b>For models:</b>	Markus		

aerators and air bleeders



1			
<b>Part No.</b>	529304	<b>Ref. No.</b>	65000200
<b>description</b>	aerator and air bleeder screw connection 1/4"		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

steam/water taps

steam/water taps

steam/water taps



1			
<b>Part No.</b>	528482	<b>Ref. No.</b>	15000325
<b>description</b>	steam/water tap inlet 1/4" outlet 3/8" shaft M6 shaft L 18.5mm		
<b>For models:</b>	Elen, G-10, Markus, Megacrem, Monroc, Office-Control		

steam taps



steam taps (complete)




1			
<b>Part No.</b>	529989	<b>Ref. No.</b>	15000338
<b>description</b>	steam tap complete swing lever inlet 1/4" outlet 3/8" brass steam suitable for DIAMANT		
<b>For models:</b>	Diamant		
<b>spare parts for</b>	529989		
	<b>Part No.</b>	<b>Ref. No.</b>	
	526004	55000070	compression spring ø 13.7mm L 24.5mm wire gauge ø 1.5mm
	<b>Part No.</b>	<b>Ref. No.</b>	CTAV7-26 siehe Bemerkung
	526017		gasket support D1 ø 16mm D2 ø 10mm ID ø 7mm L 25mm square brass









			
1			
<b>Part No.</b>	528491	<b>Ref. No.</b>	15000400 CTAV4-01
<b>description</b>	steam tap with pipe inlet 3/8" outlet 3/8" chrome-plated brass pipe length 215mm tube ø 8mm		
<b>For models:</b>	Markus, Office-Leva		
<b>spare parts for</b>	528491		
	<b>Part No.</b>	527954	<b>Ref. No.</b> —
	steam tap mounting pos. external inlet 3/8" outlet 3/8" chrome-plated brass		


<b>miscellaneous</b>			
			
1			
<b>Part No.</b>	526017	<b>Ref. No.</b>	CTAV7-26 siehe Bemerkung
<b>description</b>	gasket support D1 ø 16mm D2 ø 10mm ID ø 7mm L 25mm square brass		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem		


<b>components</b>			
<b>shafts</b>			
			
1			
<b>Part No.</b>	526005	<b>Ref. No.</b>	30370050
<b>description</b>	shaft steam tap ø 14.8mm L 92.5mm thread M6 brass		
<b>For models:</b>	Elen, G-10, Markus, Megacrem, Monroc, Office-Control		


<b>bushes</b>			
			
1			
<b>Part No.</b>	526264	<b>Ref. No.</b>	30370077
<b>description</b>	bush for steam pipe D1 ø 12mm D2 ø 9mm ID ø 7.1mm H 5mm brass		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		


			
1			
<b>Part No.</b>	526010	<b>Ref. No.</b>	30370065
<b>description</b>	bush steam/water tap D1 ø 10.5mm D2 ø 9mm ID ø 6.3mm H 4.6mm brass		
<b>For models:</b>	Elen, G-10, Markus, Megacrem, Monroc, Office-Control		
<b>accessories for</b>	526010		
	<b>Part No.</b>	526005	<b>Ref. No.</b> 30370050
	shaft steam tap ø 14.8mm L 92.5mm thread M6 brass		


<b>gaskets</b>			
			
1			
<b>Part No.</b>	526258	<b>Ref. No.</b>	30370060
<b>description</b>	gasket D1 ø 12.5mm thickness 5.5mm silicone		
<b>For models:</b>	Elen, G-10, Markus, Megacrem, Monroc, Office-Control		

<b>springs</b>			
			
1			
<b>Part No.</b>	526004	<b>Ref. No.</b>	55000070
<b>description</b>	compression spring ø 13.7mm L 24.5mm wire gauge ø 1.5mm		
<b>For models:</b>	Diamant		

			
1			
<b>Part No.</b>	526003	<b>Ref. No.</b>	CTAV1-08
<b>description</b>	compression spring ø 13.8mm L 54.5mm wire gauge ø 1.5mm windings 10 drain valve		
<b>For models:</b>	Office-Leva		

			
1			
<b>Part No.</b>	529946	<b>Ref. No.</b>	CTAV1-06
<b>description</b>	compression spring ø 14.7mm L 34mm wire gauge ø 2mm		
<b>For models:</b>	Office-Leva		

<b>washers</b>			
			
1			
<b>Part No.</b>	560381	<b>Ref. No.</b>	25012521
<b>description</b>	washer ID ø 7mm ED ø 20.8mm thickness 1.9mm SS Qty 1 pcs for thread M6		
<b>For models:</b>	Markus, Monroc, Office-Control		

<b>steam/water pipes</b>			
<b>steam pipes</b>			
			
1			
<b>Part No.</b>	526000	<b>Ref. No.</b>	35010085
<b>description</b>	steam pipe thread 3/8" H 185mm ø 14.5mm stainless steel Office		
<b>For models:</b>	Office-Leva		



1			
<b>Part No.</b>	529994	<b>Ref. No.</b>	30370090
<b>description</b>	steam pipe with tube handle thread 3/8" H 190mm edition CLASSIC		
<b>For models:</b>	Monroc		

1			
<b>Part No.</b>	529995	<b>Ref. No.</b>	30370095
<b>description</b>	steam pipe with tube handle thread 3/8" H 190mm ø 13.5mm edition MEGACREM		
<b>For models:</b>	G-10, Markus, Megacrem		

1			
<b>Part No.</b>	529996	<b>Ref. No.</b>	35010050
<b>description</b>	steam pipe with tube handle thread 3/8" H 225mm ø 14.5mm stainless steel		
<b>For models:</b>	Elen, Markus		

1			
<b>Part No.</b>	529997	<b>Ref. No.</b>	35010051
<b>description</b>	steam pipe with tube handle thread 3/8" H 235mm ø 14.5mm stainless steel with PTFE pipe		
<b>For models:</b>	Diamant		

1			
<b>Part No.</b>	529998	<b>Ref. No.</b>	35010052
<b>description</b>	steam pipe with tube handle thread 3/8" H 240mm ø 14.5mm stainless steel MEGACREM, ELEGANCE		
<b>For models:</b>	Markus		

1			
<b>Part No.</b>	529999	<b>Ref. No.</b>	35010075
<b>description</b>	steam pipe with tube handle thread 3/8" H 280mm ø 14.5mm nickel-plated brass		
<b>For models:</b>	Elen, Markus		

water pipes			
1			
<b>Part No.</b>	529822	<b>Ref. No.</b>	30370080
<b>description</b>	water pipe thread 3/8" ø 14.5mm L 90mm bore ø 5.5mm WS 22		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control		

accessories			
gaskets			
1			
<b>Part No.</b>	528402	<b>Ref. No.</b>	50000133
<b>description</b>	O-ring Viton thickness 2.62mm ID ø 10.78mm Qty 1 pcs		
<b>For models:</b>	Diamant		

1			
<b>Part No.</b>	528231	<b>Ref. No.</b>	30370075
<b>description</b>	O-ring Viton thickness 2.62mm ID ø 12.37mm Qty 1 pcs		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

fine filters			
fine filters			
1			
<b>Part No.</b>	529979	<b>Ref. No.</b>	70000009
<b>description</b>	fine filter ø 8.8mm H 22mm		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

intake valves			
intake valves			
1			
<b>Part No.</b>	529990	<b>Ref. No.</b>	15000210
<b>description</b>	intake valve brass automatic		
<b>For models:</b>	Markus, Megacrem		

1			
<b>Part No.</b>	529561	<b>Ref. No.</b>	15000200
<b>description</b>	intake valve complete		
<b>For models:</b>	Markus, Megacrem		



## accessories

## springs



<b>Part No.</b>	528480	<b>Ref. No.</b>	55000020
<b>description</b>	compression spring $\varnothing$ 14.1mm L 28mm wire gauge $\varnothing$ 1.8mm		
<b>For models:</b>	Markus		

## miscellaneous



<b>Part No.</b>	528422	<b>Ref. No.</b>	25000020
<b>description</b>	ball $\varnothing$ 8mm SS		
<b>For models:</b>	Markus		

## level glasses


## level glasses


## pressure rings



<b>Part No.</b>	528682	<b>Ref. No.</b>	30100050
<b>description</b>	press ring D1 $\varnothing$ 15mm D2 $\varnothing$ 11.6mm thickness 3.2mm brass		

## level glasses (complete)



<b>Part No.</b>	529983	<b>Ref. No.</b>	ESC00070	
<b>description</b>	water level tube Min/Max complete			
<b>For models:</b>	Markus			
<b>spare parts for</b>	529983			
	<b>Part No.</b>	526257	<b>Ref. No.</b>	35902000
	water level tube $\varnothing$ 11mm H 140mm without marking ID $\varnothing$ 8mm			

## level glass pipes



<b>Part No.</b>	526257	<b>Ref. No.</b>	35902000
<b>description</b>	water level tube $\varnothing$ 11mm H 140mm without marking ID $\varnothing$ 8mm		
<b>For models:</b>	Markus		

## screw connections



<b>Part No.</b>	526263	<b>Ref. No.</b>	30100040
<b>description</b>	union nut thread 3/8" hole $\varnothing$ 11.6mm H 8mm WS 17		
<b>For models:</b>	Markus		

## non-return valves

## pistons



<b>Part No.</b>	526009	<b>Ref. No.</b>	30369110
<b>description</b>	piston for non-return valve with O-ring $\varnothing$ 12mm L 20mm		
<b>For models:</b>	Markus		

## complete



<b>Part No.</b>	529993	<b>Ref. No.</b>	65000010
<b>description</b>	non-return valve inlet 3/8" outlet 3/8" L 40mm		
<b>For models:</b>	Elen, G-10, Markus, Megacrem		

## knobs

## steam/water taps

## steam/water taps



<b>Part No.</b>	111272	<b>Ref. No.</b>	40000015 40000020
<b>description</b>	turning handle $\varnothing$ 42.5mm L 53mm thread Tr18x2 black		
<b>For models:</b>	Elen, G-10, Markus, Megacrem, Monroc, Office-Control		

## accessories for 111272



<b>Part No.</b>	111269	<b>Ref. No.</b>	30370120
<b>description</b>	symbol water $\varnothing$ 28mm L 27mm black		





<b>Part No.</b>	111270	<b>Ref. No.</b>	30370130
<b>description</b>	symbol steam $\varnothing$ 28mm L 27mm black		




<b>Part No.</b>	111273	<b>Ref. No.</b>	30370110
<b>description</b>	cotter pin $\varnothing$ 1.3mm L 25mm		




			
1			
<b>Part No.</b>	111268	<b>Ref. No.</b>	40000043
<b>description</b>	turning handle ø 60mm shaft ø 6mm black wood		
<b>For models:</b>	Markus		


			
1			
<b>Part No.</b>	111267	<b>Ref. No.</b>	40000042
<b>description</b>	turning handle ø 60mm shaft ø 6mm brown wood		
<b>For models:</b>	Markus		

knob dial plates

			
1			
<b>Part No.</b>	111270	<b>Ref. No.</b>	30370130
<b>description</b>	symbol steam ø 28mm L 27mm black		
<b>For models:</b>	Elen, G-10, Markus, Megacrem, Monroc, Office-Control		


			
1			
<b>Part No.</b>	111269	<b>Ref. No.</b>	30370120
<b>description</b>	symbol water ø 28mm L 27mm black		
<b>For models:</b>	Elen, G-10, Markus, Megacrem, Monroc, Office-Control		

accessories

			
1			
<b>Part No.</b>	111273	<b>Ref. No.</b>	30370110
<b>description</b>	cotter pin ø 1.3mm L 25mm		
<b>For models:</b>	Elen, G-10, Markus, Megacrem, Monroc, Office-Control		

handles and hand wheels

mushroom cap handles

			
1			
<b>Part No.</b>	111093	<b>Ref. No.</b>	40000040
<b>description</b>	handle black		
<b>For models:</b>	Markus		

star handles


			
1			
<b>Part No.</b>	541682	<b>Ref. No.</b>	40000070
<b>description</b>	star handle shaft 6x6mm ø 50mm L 18mm black plastic		
<b>For models:</b>	Office-Leva		

lever handles

			
1			
<b>Part No.</b>	111271	<b>Ref. No.</b>	40000061
<b>description</b>	cone handle ø 25mm thread M8x1.25 black		
<b>For models:</b>	Diamant		
<b>accessories for</b>	111271		
		<b>Part No.</b> 529966	<b>Ref. No.</b> 30370131
		sticker steam ø 19mm thickness 2mm	

accessories



miscellaneous

			
1			
<b>Part No.</b>	529966	<b>Ref. No.</b>	30370131
<b>description</b>	sticker steam ø 19mm thickness 2mm		
<b>For models:</b>	Diamant		



gaskets



O-rings



silicone



 			
1			
<b>Part No.</b>	532553	<b>Ref. No.</b>	50000105
<b>description</b>	O-ring silicone thickness 1.5mm ID ø 13.15mm Qty 1 pcs		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem		







1				
	<b>Part No.</b>	532554	<b>Ref. No.</b>	50000110
	<b>description</b>	O-ring silicone thickness 1.5mm ID $\varnothing$ 4.1mm Qty 1 pcs		
	<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem		



1				
	<b>Part No.</b>	528222	<b>Ref. No.</b>	50000115
	<b>description</b>	O-ring silicone thickness 2.62mm ID $\varnothing$ 10.78mm Qty 1 pcs		
	<b>For models:</b>	Markus, Office-Leva		

Viton				
1				
	<b>Part No.</b>	528402	<b>Ref. No.</b>	50000133
	<b>description</b>	O-ring Viton thickness 2.62mm ID $\varnothing$ 10.78mm Qty 1 pcs		
	<b>For models:</b>	Diamant		

1				
	<b>Part No.</b>	528231	<b>Ref. No.</b>	30370075
	<b>description</b>	O-ring Viton thickness 2.62mm ID $\varnothing$ 12.37mm Qty 1 pcs		
	<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		


1				
	<b>Part No.</b>	532560	<b>Ref. No.</b>	CTAV1-27
	<b>description</b>	O-ring Viton thickness 2.62mm ID $\varnothing$ 20.63mm Qty 1 pcs		
	<b>For models:</b>	Office-Leva		

1				
	<b>Part No.</b>	528649	<b>Ref. No.</b>	30370020
	<b>description</b>	O-ring Viton thickness 2mm ID $\varnothing$ 6mm Qty 1 pcs		
	<b>For models:</b>	Elen, G-10, Markus, Megacrem, Monroc, Office-Control		

1				
	<b>Part No.</b>	526259	<b>Ref. No.</b>	50000130
	<b>description</b>	O-ring Viton thickness 2mm ID $\varnothing$ 7.2mm Qty 1 pcs		
	<b>For models:</b>	Markus		


## sealing washers

## rubber gaskets


1				
	<b>Part No.</b>	528495	<b>Ref. No.</b>	50000030
	<b>description</b>	gasket rubber ED $\varnothing$ 16mm ID $\varnothing$ 8mm thickness 4mm Qty 1 pcs		
	<b>For models:</b>	Markus, Office-Control, Office-Leva		


## copper gaskets

## DIN-7603-A


1				
	<b>Part No.</b>	560396	<b>Ref. No.</b>	30370030
	<b>description</b>	flat gasket copper ED $\varnothing$ 22mm ID $\varnothing$ 17.5mm thickness 2mm Qty 1 pcs		
	<b>For models:</b>	Elen, G-10, Markus, Megacrem, Monroc, Office-Control		


## PTFE gaskets


1				
	<b>Part No.</b>	526012	<b>Ref. No.</b>	50010050
	<b>description</b>	flat gasket PTFE ED $\varnothing$ 15mm ID $\varnothing$ 10mm thickness 1mm Qty 1 pcs		
	<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc		


1				
	<b>Part No.</b>	526011	<b>Ref. No.</b>	50010020
	<b>description</b>	flat gasket PTFE ED $\varnothing$ 18.2mm ID $\varnothing$ 13.2mm thickness 2.5mm Qty 1 pcs		
	<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		





 <p>1</p>			
<b>Part No.</b>	527154	<b>Ref. No.</b>	CTAV1-30
<b>description</b>	flat gasket PTFE ED ø 22mm ID ø 16.8mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	Office-Leva		

 <p>1</p>			
<b>Part No.</b>	526013	<b>Ref. No.</b>	50010000 50010080
<b>description</b>	flat gasket PTFE ED ø 22mm ID ø 17mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		


 <p>1</p>			
<b>Part No.</b>	526265	<b>Ref. No.</b>	50010070
<b>description</b>	flat gasket PTFE ED ø 24mm ID ø 19mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	Diamant		

 <p>1</p>			
<b>Part No.</b>	528683	<b>Ref. No.</b>	50010040 CTAV1-07
<b>description</b>	flat gasket PTFE ED ø 26mm ID ø 21mm thickness 2mm Qty 1 pcs suitable for GAGGIA, SPAZIALE		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

 <p>1</p>			
<b>Part No.</b>	526014	<b>Ref. No.</b>	CTAV1-10
<b>description</b>	flat gasket PTFE ED ø 35mm ID ø 30mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	Office-Leva		

 <p>1</p>			
<b>Part No.</b>	528007	<b>Ref. No.</b>	50010030
<b>description</b>	flat gasket PTFE ED ø 50mm ID ø 40mm thickness 2.5mm Qty 1 pcs		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc		


Viton gaskets

 <p>1</p>			
<b>Part No.</b>	528476	<b>Ref. No.</b>	50000020
<b>description</b>	flat gasket Viton ED ø 13mm ID ø 4mm thickness 4mm Qty 1 pcs		
<b>For models:</b>	Elen, G-10, Markus, Megacrem, Office-Leva		

special gaskets


group gaskets


 <p>1</p>			
<b>Part No.</b>	529538	<b>Ref. No.</b>	50000010
<b>description</b>	group gasket L 74mm W 68mm thickness 2mm suitable for EXPOBAR equiv. no. 50000010		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

 <p>1</p>			
<b>Part No.</b>	529980	<b>Ref. No.</b>	50030000
<b>description</b>	gasket D1 ø 15.3mm D2 ø 5.5mm thickness 3mm Viton		
<b>For models:</b>	Elen, G-10, Markus, Megacrem		

springs

compression springs

 <p>1</p>			
<b>Part No.</b>	526260	<b>Ref. No.</b>	30370040
<b>description</b>	compression spring ø 10.3mm L 31.5mm wire gauge ø 1.2mm		
<b>For models:</b>	Elen, G-10, Markus, Megacrem, Monroc, Office-Control		

 <p>1</p>			
<b>Part No.</b>	529719	<b>Ref. No.</b>	30370076
<b>description</b>	compression spring ø 11.3mm L 16mm wire gauge ø 1.5mm for steam-/water-tap for espresso machine		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

1 mechanical components, equipment accessories



<b>Part No.</b>	526004	<b>Ref. No.</b>	55000070
<b>description</b>	compression spring $\varnothing$ 13.7mm L 24.5mm wire gauge $\varnothing$ 1.5mm		
<b>For models:</b>	Diamant		



<b>Part No.</b>	526003	<b>Ref. No.</b>	CTAV1-08
<b>description</b>	compression spring $\varnothing$ 13.8mm L 54.5mm wire gauge $\varnothing$ 1.5mm windings 10 drain valve		
<b>For models:</b>	Office-Leva		



<b>Part No.</b>	528480	<b>Ref. No.</b>	55000020
<b>description</b>	compression spring $\varnothing$ 14.1mm L 28mm wire gauge $\varnothing$ 1.8mm		
<b>For models:</b>	Markus		



<b>Part No.</b>	529946	<b>Ref. No.</b>	CTAV1-06
<b>description</b>	compression spring $\varnothing$ 14.7mm L 34mm wire gauge $\varnothing$ 2mm		
<b>For models:</b>	Office-Leva		



<b>Part No.</b>	528392	<b>Ref. No.</b>	55000010 CTAV7-21
<b>description</b>	compression spring $\varnothing$ 8mm L 29mm wire gauge $\varnothing$ 0.5mm		
<b>For models:</b>	Markus		



<b>Part No.</b>	526474	<b>Ref. No.</b>	55000030
<b>description</b>	compression spring $\varnothing$ 8mm L 31.5mm wire gauge $\varnothing$ 0.4mm for expansion valve		
<b>For models:</b>	Elen, G-10, Markus, Megacrem		

## manometers



<b>Part No.</b>	541708	<b>Ref. No.</b>	60000050
<b>description</b>	manometer double scale $\varnothing$ 60mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		
<b>For models:</b>	Elen, Markus, Megacrem		



<b>Part No.</b>	542358	<b>Ref. No.</b>	60000070
<b>description</b>	manometer $\varnothing$ 41mm pressure range 0-16bar thread 1/8" connection on the backside		
<b>For models:</b>	Elen, Markus, Megacrem		



<b>Part No.</b>	541681	<b>Ref. No.</b>	60000072
<b>description</b>	manometer $\varnothing$ 41mm pressure range 0-16bar with PSI scale thread 1/4" IT connection on the backside with capillary pipe		
<b>For models:</b>	Diamant, Office-Leva		




<b>Part No.</b>	541680	<b>Ref. No.</b>	60000062
<b>description</b>	manometer $\varnothing$ 41mm pressure range 0-2.5bar with PSI scale thread 1/8" connection on the backside		
<b>For models:</b>	Elen, G-10, Markus, Office-Leva		



<b>Part No.</b>	541689	<b>Ref. No.</b>	60000060
<b>description</b>	manometer $\varnothing$ 41mm pressure range 0-3bar with PSI scale thread 1/8" marking 0.8-1 connection on the backside		
<b>For models:</b>	Elen, Markus, Megacrem, Monroc		




			
1			
<b>Part No.</b>	541447	<b>Ref. No.</b>	60000065
<b>description</b>	manometer ø 60mm pressure range 0-2.5bar with PSI scale marking 0.8-1 connection on the backside		
<b>For models:</b>	Elen, Markus, Megacrem		

## valves and tank inlets

### ball valves

#### universal


#### mini ball valves

			
1			
<b>Part No.</b>	520722	<b>Ref. No.</b>	15000310
<b>description</b>	ball valve connection 1/4" IT - 1/4" ET DN8 total length 39mm chrome-plated brass		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem		

## fastening material


### screws

#### countersunk screws

			
1			
<b>Part No.</b>	560076	<b>Ref. No.</b>	25096300
<b>description</b>	countersunk screw thread M4 L 10mm SS DIN 963/ISO 2009 Qty 20 pcs intake slotted head ø 7.5mm		
<b>For models:</b>	Elen, G-10, Markus, Megacrem		

#### cylinder head bolts


#### DIN 912/ISO 4762

			
1			
<b>Part No.</b>	560373	<b>Ref. No.</b>	25091210
<b>description</b>	cylinder head bolt thread M4 thread L 12mm WS 3 SS Qty 1 pcs intake internal hexagon DIN 912/ISO 4762		
<b>For models:</b>	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

### nuts

#### hexagonal nuts

#### hexagonal nuts metric (without norm)


			
1			
<b>Part No.</b>	560379 <sup>1</sup>	<b>Ref. No.</b>	25097960
<b>description</b>	hexagonal nut thread M6 H 5mm WS 10 SS Qty 1 pcs slotted		
<b>For models:</b>	Markus, Office-Control		

<sup>1</sup>slotted

### washers

#### washers

#### miscellaneous

			
1			
<b>Part No.</b>	560381	<b>Ref. No.</b>	25012521
<b>description</b>	washer ID ø 7mm ED ø 20.8mm thickness 1.9mm SS Qty 1 pcs for thread M6		
<b>For models:</b>	Markus, Monroc, Office-Control		

### fasteners

#### cotter pins

			
1			
<b>Part No.</b>	111273	<b>Ref. No.</b>	30370110
<b>description</b>	cotter pin ø 1.3mm L 25mm		
<b>For models:</b>	Elen, G-10, Markus, Megacrem, Monroc, Office-Control		



**GASTRO**PARTS.COM

