



GASTROPARTS

Fiorenzato-MC

- [EN]** Equipment
- [DE]** Geräte
- [ES]** Aparatos
- [FR]** Équipement
- [IT]** Attrezzature
- [PL]** Urządzenia
- [RU]** Оборудование

✉ gastroparts@gastroparts.com

☎ +48 56 657 00 66

📘 fb.com/gastroparts.global

GASTROPARTS.COM





switches and momentary switches

push/momentary push switches

30x22mm



1

| | | | |
|--------------------|---|-----------------|--------------------------|
| Part No. | 301086 | Ref. No. | 001.003.082 600000010 |
| description | push switch mounting measurements 30x22mm black 2NO 250V 12A 0-1 connection male faston 6.3mm ambient temperature max. 85/55°C protection IP54 with protective collar | | |

toggle switches

M12x0.75



1

| | | | |
|--------------------|--|-----------------|----------|
| Part No. | 347462 | Ref. No. | A2100044 |
| description | toggle switch thread M12x0.75 2CO 250V 15A ON-ON | | |

microswitches

lever actuated



1

| | | | |
|--------------------|--|-----------------|--------------------------|
| Part No. | 347188 | Ref. No. | 001.003.027 600000036 |
| description | microswitch with lever 250V 16A 1NO connection male faston 6.3mm L 22mm ambient temperature max. 125°C mounting distance 22mm type N16 actuating force: 380g lever length 26mm | | |

pin-plunger actuated

non-standard



1

| | | | |
|--------------------|--|-----------------|--------------------------|
| Part No. | 347189 | Ref. No. | 001.003.018 600000008 |
| description | microswitch with plunger 250V 0.1A 1CO connection male faston 2.8mm ambient temperature max. 125°C mounting distance 10mm type B31709 M5 actuating force: 25g blue/black | | |

rotary switches

BREMAS

A1200 series



1

| | | | |
|--------------------|---|-----------------|--------------------------|
| Part No. | 345019 | Ref. No. | 001.004.016 600000002 |
| description | rotary switch sets of contacts 2 2 0-1 type CA0120002 380V 12A shaft ø 5x5mm shaft L 23mm shaft square connection screw | | |



1

| | | | |
|--------------------|--|-----------------|--------------------------|
| Part No. | 347187 | Ref. No. | 001.004.013 600000003 |
| description | rotary switch sets of contacts 3 3 0-1 momentary switch type CA012V205 400V 12A shaft ø 5x5mm shaft L 18mm shaft square connection screw | | |

timers

mechanical timers



1

| | | | |
|--------------------|---|-----------------|--------------------------|
| Part No. | 350119 [†] | Ref. No. | 001.004.028 600000029 |
| description | timer M2 2-pole operation time 60s impulse mechanical 2NO at 250V 16A shaft 3.5x3.5mm shaft L 20mm mounting distance 28mm connection rear | | |

[†]incl. knob

contactors

GENERAL ELECTRIC (AEG)

power contactors



1

| | | | |
|--------------------|--|-----------------|-------------|
| Part No. | 380891 | Ref. No. | 001.003.031 |
| description | power contactor resistive load 20A 400VAC (AC3/400V) 2.2kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS02.K10-59 | | |



SIEMENS

power contactors



1

| | | | |
|--------------------|---|-----------------|-------------|
| Part No. | 380528 | Ref. No. | 001.003.030 |
| description | power contactor resistive load 16A 230VAC (AC3/400V) 8.4A/4kW main contacts 4NO auxiliary contacts connection male faston 6.3mm type 3TG10-10-1A2L2 | | |

solenoid valves

solenoid valves (water)

metal

PARKER

spare parts and accessories

valve bodies



1

| | | | |
|--------------------|--|-----------------|--------|
| Part No. | 370062 | Ref. No. | FZCS04 |
| description | solenoid valve body PARKER 3-ways outer cone | | |

accessories for 370062

| | | | | |
|---|---|--------|-----------------|---|
|  | Part No. | 371029 | Ref. No. | — |
| | solenoid coil PARKER 230VAC 9VA coil type ZB09 seat \varnothing 14mm H 33mm W 34mm D 43mm | | | |
|  | Part No. | 371030 | Ref. No. | — |
| | solenoid coil 24VDC 12VA coil type ZB12 seat \varnothing 14mm | | | |
|  | Part No. | 371033 | Ref. No. | — |
| | solenoid coil PARKER 230VAC 9VA coil type YB09 with cable seat \varnothing 14mm | | | |
|  | Part No. | 371036 | Ref. No. | — |
| | solenoid coil 24VAC 9VA coil type ZB09 seat \varnothing 14mm | | | |
|  | Part No. | 371095 | Ref. No. | — |
| | O-ring Viton thickness 1.78mm ID \varnothing 6.07mm Qty 1 pcs | | | |
|  | Part No. | 371100 | Ref. No. | — |
| | O-ring silicone thickness 1.78mm ID \varnothing 6.07mm Qty 1 pcs | | | |

condensators & interference suppression filters

operating capacitors

plastic



1

| | | | |
|--------------------|--|-----------------|--------------------------|
| Part No. | 365020 | Ref. No. | 001.004.020 600000001 |
| description | operating capacitor capacity 14 μ F 400V tolerance 5%Hz ambient temperature max. -25 to +85°C \varnothing 35mm L 70mm M8 plastic connection male faston 6.3mm protection | | |



1

| | | | |
|--------------------|---|-----------------|-------------|
| Part No. | 365021 | Ref. No. | 001.004.025 |
| description | operating capacitor capacity 16 μ F 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C \varnothing 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection | | |

equipmentspecific units

grinding burrs

grinding burrs straight

standard



1


| | | | |
|--------------------|--|-----------------|--------------------------|
| Part No. | 527650 | Ref. No. | 001.002.034 400000005 |
| description | grinding burrs pair turn direction right D1 \varnothing 64mm ID \varnothing 37mm H 8.5mm tooth spacing 3.5mm hole \varnothing 6mm bore \varnothing 8.5mm mounting \varnothing 49 suitable for FIORENZATO | | |




1

| | | | |
|--------------------|---|-----------------|--------------------------|
| Part No. | 527651 | Ref. No. | 001.002.030 400000004 |
| description | grinding burrs pair turn direction right D1 \varnothing 82.5mm ID \varnothing 49mm H 9.5mm tooth spacing 3mm hole \varnothing 6mm bore \varnothing 10mm mounting \varnothing 66 suitable for FIORENZATO | | |



| springs | | | |
|---|---|-----------------|--------------------------|
| 1  | | | |
| Part No. | 527663 | Ref. No. | 001.002.011 700000001 |
| description | compression spring ø 10mm L 20mm wire gauge ø 1.5mm | | |


| grinding burrs holders | | | |
|---|--|-----------------|--------------------------|
| 1  | | | |
| Part No. | 527649 | Ref. No. | 001.002.004 900000001 |
| description | grinding burr holder D1 ø 64mm mounting pos. lower suitable for FIORENZATO | | |


| | | | |
|--|--|-----------------|--------------------------|
| 1  | | | |
| Part No. | 527648 | Ref. No. | 001.002.016 900000002 |
| description | grinding burr holder D1 ø 64mm mounting pos. upper suitable for FIORENZATO | | |


| | | | |
|---|--|-----------------|--------------------------|
| 1  | | | |
| Part No. | 527647 | Ref. No. | 001.002.029 900000004 |
| description | grinding burr holder D1 ø 83mm mounting pos. lower suitable for FIORENZATO | | |


| | | | |
|---|--|-----------------|-------------|
| 1  | | | |
| Part No. | 527646 | Ref. No. | 001.002.031 |
| description | grinding burr holder D1 ø 83mm mounting pos. upper suitable for FIORENZATO | | |


| | | | |
|--|--|-----------------|-----------|
| 1  | | | |
| Part No. | 531139 | Ref. No. | 900000005 |
| description | grinding burr holder D1 ø 83mm mounting pos. upper suitable for FIORENZATO | | |

| miscellaneous | | | |
|---|-------------|-----------------|--------------------------|
| 1  | | | |
| Part No. | 527661 | Ref. No. | 001.003.052 400000011 |
| description | thread bolt | | |

| dosing containers | | | |
|--|-----------------------|-----------------|-----------|
| 1  | | | |
| Part No. | 530523 | Ref. No. | 400000016 |
| description | wiper for dosing pump | | |

| | | | |
|--|------------------------------|-----------------|-------------|
| 1  | | | |
| Part No. | 527660 | Ref. No. | 001.003.037 |
| description | wiper for dosing pump H 63mm | | |

| adjusting screws | | | |
|--|--|-----------------|--------------------------|
| 1  | | | |
| Part No. | 527659 | Ref. No. | 001.002.024 400000003 |
| description | adjusting screw for dosing pump thread M8 L 12mm aluminium | | |

| springs | | | |
|--|--|-----------------|--------------------------|
| group 1 | | | |
| 1  | | | |
| Part No. | 527658 | Ref. No. | 001.003.032 700000003 |
| description | spring ø 10mm wire gauge ø 1mm total length 60mm | | |



1

| | | | |
|--------------------|--|-----------------|--------------------------|
| Part No. | 525484 | Ref. No. | 001.003.024 700000002 |
| description | spring \varnothing 3.4mm L1 16.5mm wire gauge \varnothing 0.3mm for dosing container | | |



1

| | | | |
|--------------------|---|-----------------|--------------------------|
| Part No. | 527654 | Ref. No. | 001.003.048 700000004 |
| description | torsion spring \varnothing 30mm L2 45mm wire gauge \varnothing 2mm L1 8mm L3 45mm Qty 1 pcs | | |

glass cylinders



1

| | | | |
|--------------------|-------------------------------------|-----------------|--------------------------|
| Part No. | 527642 | Ref. No. | 001.003.009 200000036 |
| description | cylinder \varnothing 115mm H 85mm | | |

levers

bolts



1

| | | | |
|--------------------|--|-----------------|--------------------------|
| Part No. | 525483 | Ref. No. | 001.003.023 400000010 |
| description | bolt for dosing container D1 \varnothing 4mm D2 \varnothing 3mm L 19mm | | |

levers



1

| | | | |
|--------------------|---|-----------------|---------------------------------------|
| Part No. | 527653 | Ref. No. | 001.003.047 900000036 900000125 |
| description | lever dosing pump hole \varnothing 25mm aluminium | | |

coffee presses

coffee presses



1

| | | | |
|--------------------|---------------------------------|-----------------|--------------------------|
| Part No. | 527643 | Ref. No. | 001.003.038 200000018 |
| description | coffee press \varnothing 53mm | | |



1

| | | | |
|--------------------|---------------------------------|-----------------|--------------------------|
| Part No. | 527644 | Ref. No. | 001.003.039 200000017 |
| description | coffee press \varnothing 57mm | | |

automatic grinding

automatic grinding



1

| | | | |
|--------------------|---|-----------------|---|
| Part No. | 527641 | Ref. No. | 001.003.051 001.009.001 900000042 |
| description | ring for dosing container with microswitch \varnothing 127mm H 15mm plastic | | |

miscellaneous



1

| | | | |
|--------------------|---|-----------------|-------------|
| Part No. | 527656 | Ref. No. | 001.002.023 |
| description | spacer ring for dosing pump thickness 0.4mm | | |




1

| | | | |
|--------------------|---|-----------------|---------------------------------------|
| Part No. | 527657 | Ref. No. | 001.003.007 300000027 300000048 |
| description | spacer ring for dosing pump thickness 3mm stainless steel | | |




ratches

ratches



1

| | | | |
|--------------------|--|-----------------|--------------------------|
| Part No. | 531085 | Ref. No. | 001.003.081 900000035 |
| description | ratchet for dosing unit ø 38mm right int. ø 1 8mm H 24mm suitable for FIORENZATO | | |




1

| | | | |
|--------------------|--|-----------------|-------------------------------|
| Part No. | 531292 | Ref. No. | 700000012+400000012+400000008 |
| description | ratchet for dosing unit ø 38mm right int. ø 1 8mm H 24mm suitable for FIORENZATO | | |

stars

complete




1

| | | | |
|--------------------|-----------------------|-----------------|---------------------------------------|
| Part No. | 527645 | Ref. No. | 001.003.050 900000039 900000126 |
| description | star complete ø 118mm | | |

adjustment mechanism

setting rings



1

| | | | |
|--------------------|---|-----------------|--------------------------|
| Part No. | 527662 | Ref. No. | 001.002.022 900000003 |
| description | setting ring mounting ø 84.5mm ø 125mm ID ø 74mm H 24mm mounting pos. upper suitable for FIORENZATO brass | | |

coffee beans containers

container lids



1

| | | | |
|--------------------|--|-----------------|--------------------------|
| Part No. | 527640 | Ref. No. | 001.001.002 200000002 |
| description | lid for coffee beans container ø 200mm | | |



1


| | | | |
|--------------------|--|-----------------|-----|
| Part No. | 527327 | Ref. No. | N/A |
| description | lid for coffee beans container ø 210mm | | |

coffee beans containers




1

| | | | |
|--------------------|--|-----------------|--------------------------|
| Part No. | 527639 | Ref. No. | 001.001.005 200000004 |
| description | coffee beans container ø 200mm H 255mm seat ø 68mm | | |



1

| | | | | |
|---|--|-----------------|-----------------|-----|
| Part No. | 531179 | Ref. No. | N/A | |
| description | coffee beans container without lid ø 207mm H 245mm universal | | | |
| accessories for | 531179 | | | |
|  | Part No. | 527327 | Ref. No. | N/A |
| | lid for coffee beans container ø 210mm | | | |



supports



1

| | | | |
|--------------------|--|-----------------|-----|
| Part No. | 531172 | Ref. No. | N/A |
| description | support for coffee beans container intake conical seat ø 69-67mm | | |

locks



1

| | | | |
|--------------------|---|-----------------|--------------------------|
| Part No. | 527652 | Ref. No. | 001.001.003 200000003 |
| description | catch L 78mm W 48mm thickness 2mm plastic | | |

support for filter holder



1

| | | | |
|--------------------|---|-----------------|--------------------------|
| Part No. | 527655 | Ref. No. | 001.004.018 900000025 |
| description | filter holder support for dosing pump L 115mm W 68mm H 32mm aluminium | | |

for cup coffee machines

steam/water pipes



1

| | | | |
|--------------------|--|-----------------|----------|
| Part No. | 698780 | Ref. No. | A2000113 |
| description | pipe thread 3/4" L 260mm steam/water tap tube ø 12mm IT 1/2" | | |

springs

torsion springs



1

| | | | |
|--------------------|---|-----------------|--------------------------|
| Part No. | 527654 | Ref. No. | 001.003.048 700000004 |
| description | torsion spring ø 30mm L2 45mm wire gauge ø 2mm L1 8mm L3 45mm Qty 1 pcs | | |

compression springs



1

| | | | |
|--------------------|---|-----------------|--------------------------|
| Part No. | 527663 | Ref. No. | 001.002.011 700000001 |
| description | compression spring ø 10mm L 20mm wire gauge ø 1.5mm | | |

fastening material

screws

flat-headed bolts



1

| | | | |
|--------------------|--|-----------------|--------------------------|
| Part No. | 560062 | Ref. No. | 001.004.046 100000003 |
| description | flat-headed bolt thread M4 thread L 10mm SS DIN 7985/ISO 7045 Qty 20 pcs intake Phillips head ø 8mm head thickness 2mm | | |

hexagonal screws



1

| | | | |
|--------------------|---|-----------------|--------------------------|
| Part No. | 550682 | Ref. No. | 001.002.008 100000002 |
| description | hexagonal screw thread M8 thread L 20mm SS WS 13 Qty 1 pcs DIN 933 / ISO 4017 | | |

GASTROPARTS.COM

