



**GASTROPARTS**

# GMG

**[EN]** Equipment

**[DE]** Geräte

**[ES]** Aparatos

**[FR]** Équipement

**[IT]** Attrezzature

**[PL]** Urządzenia

**[RU]** Оборудование

✉ [gastroparts@gastroparts.com](mailto:gastroparts@gastroparts.com)

☎ +48 56 657 00 66

📘 [fb.com/gastroparts.global](https://fb.com/gastroparts.global)


**GASTROPARTS.COM**






## heating elements

### heating elements for contact grills




1

<b>Part No.</b>	420254	<b>Ref. No.</b>	KL-052 KO-B108 KO-B108-150
<b>description</b>	heating element 1000W 220V heating circuits 1 L 194mm W 274mm H 37mm connection distance 40mm tube ø 8.5mm windings 4 connection M4 mounting pos. upper dry heating element for contact grill		




1

<b>Part No.</b>	420266	<b>Ref. No.</b>	KL-057 KO-B113 KO-B113-150 WF-B108 WF-B108-150
<b>description</b>	heating element 1000W 220V heating circuits 1 L 200mm W 220mm H 34mm connection distance 34mm tube ø 8.5mm windings 1 connection M4 mounting pos. lower dry heating element for contact grill/waffle iron		




1

<b>Part No.</b>	420222	<b>Ref. No.</b>	WF-B109 WF-B109-150
<b>description</b>	heating element 1100W 220V L 208mm W 210mm H 35mm tube ø 6.5mm connection M4 connection distance 139mm for contact grill windings 4 with fixing sheet		




1

<b>Part No.</b>	420264	<b>Ref. No.</b>	KL-063 WF-B105 WF-B105-105
<b>description</b>	heating element 1100W 230V heating circuits 1 L 185mm W 215mm H 41mm connection distance 12mm tube ø 8.5mm windings 3 connection M4 mounting pos. upper dry heating element for waffle iron		



1


<b>Part No.</b>	420263	<b>Ref. No.</b>	WF-B107 WF-B107-150
<b>description</b>	heating element 1100W 230V heating circuits 1 L 207mm W 219mm H 34mm connection distance 141mm tube ø 6.5mm windings 4 connection M4 mounting pos. lower dry heating element for waffle iron		





1


<b>Part No.</b>	417642	<b>Ref. No.</b>	KL-066 KL-067
<b>description</b>	heating element 1100W 230V L 245mm W 205mm H 35mm tube ø 6.5mm connection distance 133mm cable lengthmm waffle iron		




			
<b>Part No.</b>	420252	<b>Ref. No.</b>	KL-054 KO-B109 KO-B109-150
<b>description</b>	heating element 1250W 220V heating circuits 1 L 185mm W 395mm H 28mm connection distance 37mm tube ø 8.3mm windings 4 connection M4 mounting pos. upper dry heating element for contact grill		


			
<b>Part No.</b>	420253	<b>Ref. No.</b>	KG2735DEG-09 KL-053 KO-B111 KO-B111-150
<b>description</b>	heating element 1500W 220V heating circuits 1 L 225mm W 278mm H 37mm connection distance 32mm tube ø 8.5mm windings 4 connection M4 mounting pos. lower dry heating element for contact grill		


			
<b>Part No.</b>	420248	<b>Ref. No.</b>	KL-055 KO-B112 KO-B112-150
<b>description</b>	heating element 2000W 220V heating circuits 2 L 240mm W 383mm H 33mm connection distance 32mm tube ø 8.5mm windings 6 connection M4 mounting pos. lower dry heating element for contact grill		

			
<b>Part No.</b>	420265	<b>Ref. No.</b>	KL-056 KO-B110 KO-B110-150 WF-B106 WF-B106-150
<b>description</b>	heating element 650W 220V heating circuits 1 L 160mm W 210mm H 28mm connection distance 38mm tube ø 8.5mm windings 1 connection M4 mounting pos. upper dry heating element for contact grill/waffle iron		

## heating elements for pizza ovens

			
<b>Part No.</b>	420250	<b>Ref. No.</b>	PI-B107 PI-B107-150 PI-B114 PI-B114-150 PI-B116 PI-B116-150
<b>description</b>	heating element 1250W 220V L 613mm W 218mm flange length 245mm flange width 25mm hole distance 120mm connection M4 tube ø 8.3mm heating circuits 1 flange connection hole ø 4.5mm dry heating element for pizza oven		

			
<b>Part No.</b>	420249	<b>Ref. No.</b>	PI-B109 PI-B109-150 PI-B112 PI-B112-150 PI-B113 PI-B113-150
<b>description</b>	heating element 1250W 220V L 688mm W 250mm flange length 270mm flange width 25mm hole distance 131mm connection M4 tube ø 8.3mm heating circuits 1 flange connection hole ø 4.5mm dry heating element for pizza oven		

			
<b>Part No.</b>	420251	<b>Ref. No.</b>	PI-B115 PI-B115-150 PI-B117 PI-B117-150
<b>description</b>	heating element 1500W 220V heating circuits 1 L 610mm W 350mm flange length 355mm flange width 25mm hole distance 173mm tube ø 8.5mm connection M4 flange connection hole ø 5mm dry heating element for pizza oven		



## thermostats

### control and safety thermostats

EGO


control thermostats

55.10/19\_ series



<b>Part No.</b>	375253	<b>Ref. No.</b>	PF4040E-21 PF5050DE4-21 PF6262E-21 PI-B148 PI- B148-150
<b>description</b>	thermostat t.max. 455°C temperature range 85-455°C 1-pole 1NO 16A probe ø 3.9mm probe L 228mm capillary pipe 870mm capillary pipe isolated 660mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

55.17\_ series



<b>Part No.</b>	390821	<b>Ref. No.</b>	CR-B118 KG2735DEG-24 KL-010 KO-B118 WF- B112 WF- B112-150
<b>description</b>	thermostat t.max. 310°C temperature range 50-310°C 1-pole 1NO 16A probe ø 4mm probe L 111mm capillary pipe 1000mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 16mm shaft position° shaft position rotation 270°		

## switches and momentary switches

### rocker/momentary rocker switches


30x11mm



<b>Part No.</b>	347350	<b>Ref. No.</b>	PI-B100 PI- B100-150
<b>description</b>	rocker switch mounting measurements 30x11mm black 1CO 250V 16A I O connection male faston 6.3mm ambient temperature max. 90°C protection IP40		

## cam switches

2 operating positions



<b>Part No.</b>	300112	<b>Ref. No.</b>	CR-B105 DT-B102 GP-B102 KL-007 KO- B102 KO- B102-150 WF-B103 WF-B103-150
<b>description</b>	cam switch 1NO sequence 0-1 10A shaft ø 6x4.6mm shaft L 23mm connection screw ON-OFF		

## rotary switches

miscellaneous



<b>Part No.</b>	347734	<b>Ref. No.</b>	PF7070E-21A PF-B121A PI-B101 PI- B101-150
<b>description</b>	rotary switch sets of contacts 2 2 0-1 type CA20A201 690V 25A shaft ø 5.8mm shaft L 27mm shaft star-shaped complete connection screw		

## lamps

### indicator lights

indicator lights (complete)


ø10mm

with screw socket



<b>Part No.</b>	359400	<b>Ref. No.</b>	CR-B117 DT-B106 GP-B106 KL-006 KO- B119 KO- B119-150 PI-B118 PI- B118-150 WF-B113 WF-B113-150
<b>description</b>	indicator light ø 10mm 230V green		




			
1			
<b>Part No.</b>	359401	<b>Ref. No.</b>	CR-B101 CR-B104 DT-B101 GP-B101 KL-005 KO- B101 KO- B101-150 WF-B101 WF-B101-150
<b>description</b>	indicator light ø 10mm 230V red		

## screw-on/push-on fit

## light bulbs


## for ovens


			
1			
<b>Part No.</b>	359612	<b>Ref. No.</b>	PF7070E-15 PI-B102 PI- B102-150 PI-B103 PI-B103-150
<b>description</b>	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		

## oven lamps


## universal oven lamps


## mounting diameter 35.5mm


			
1			
<b>Part No.</b>	359934	<b>Ref. No.</b>	PF5050DE3-15A PI-B102B PI-B102B-150
<b>description</b>	oven lamp mounting ø 35.5mm 230V 25W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas		


			
1			
<b>Part No.</b>	359942	<b>Ref. No.</b>	PF9262DE-15C PI-B102A
<b>description</b>	oven lamp glass thr.ø 33.5mm ø 41mm hard glas temp.-resist. 350°C		


## 55x70mm

			
1			
<b>Part No.</b>	359659	<b>Ref. No.</b>	PI-B103B-150
<b>description</b>	oven lamp complete 230V 25W socket E14 L 70mm W 55mm mounting measurements 55x70mm temp.-resist. 300°C connection male faston 6.3mm		


			
1			
<b>Part No.</b>	357159	<b>Ref. No.</b>	PI-B103B
<b>description</b>	lamp socket socket E14 mounting measurements 55x70mm connection male faston 6.3mm Qty 1 pcs		


			
1			
<b>Part No.</b>	359937	<b>Ref. No.</b>	PI-B103A PI- B103A-150
<b>description</b>	lamp glass L 80mm W 65mm mounting measurements 52x67mm		

			
1			
<b>Part No.</b>	359937	<b>Ref. No.</b>	PI-B103A PI- B103A-150
<b>description</b>	lamp glass L 80mm W 65mm mounting measurements 52x67mm		

			
1			
<b>Part No.</b>	357159	<b>Ref. No.</b>	PI-B103B
<b>description</b>	lamp socket socket E14 mounting measurements 55x70mm connection male faston 6.3mm Qty 1 pcs		





lamps			
light bulbs			
			
1			
<b>Part No.</b>	359612	<b>Ref. No.</b>	PF7070E-15 PI-B102 PI-B102-150 PI-B103 PI-B103-150
<b>description</b>	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		

			
1			
<b>Part No.</b>	696483	<b>Ref. No.</b>	KL-021 KO-B158 KO-B158-150 KO-B302 KO-B302-150
<b>description</b>	grease collecting tray L 535mm W 27mm H 29mm		


## equipment-specific units


### for grills


sumps			
			
1			
<b>Part No.</b>	696481	<b>Ref. No.</b>	KL-019 KO-B131 KO-B131-150 KO-B300 KO-B300-150
<b>description</b>	grease collecting tray L 290mm W 26mm H 32mm		

			
1			
<b>Part No.</b>	696482	<b>Ref. No.</b>	KL-020 KO-B150 KO-B150-150 KO-B301 KO-B301-150
<b>description</b>	grease collecting tray L 489mm W 26mm H 32mm		

### for pizza ovens

glass panels			
			
1			
<b>Part No.</b>	694525	<b>Ref. No.</b>	PF6262E-08 PI-B138
<b>description</b>	glass panel L 420mm W 95mm thickness 6mm for pizza oven		

			
1			
<b>Part No.</b>	694528	<b>Ref. No.</b>	PI-B133 PI-B145
<b>description</b>	glass panel L 660mm W 105mm thickness 5mm		

			
1			
<b>Part No.</b>	694565	<b>Ref. No.</b>	PI-B143 PI-B143-150
<b>description</b>	glass panel L 715mm W 105mm thickness 5mm for pizza oven Qty 1 pcs		

### firebricks

			
1			
<b>Part No.</b>	850116	<b>Ref. No.</b>	PI-B123-150 PI-B124 PI-B132
<b>description</b>	firebrick L 615mm W 610mm H 18mm delivery freight forwarding company only		



			
1			
<b>Part No.</b>	850117	<b>Ref. No.</b>	PI-B127 PI-B127-150
<b>description</b>	firebrick L 695mm W 350mm H 14mm delivery freight forwarding company only		


## knobs


## universal knobs

			
1			
<b>Part No.</b>	112687	<b>Ref. No.</b>	CR-B113 DT-B103 GP-B103 KL-008 KO-B103 KO-B103-150 WF-B102 WF-B102-150
<b>description</b>	knob zero mark t.max.°C ø 38mm shaft ø 6x4.6mm shaft flat lower black		

## producer-specific knobs

## GMG

			
1			
<b>Part No.</b>	112691	<b>Ref. No.</b>	CR-B115 DT-B107 GP-B107 KL-011 KO-B120 KO-B120-150 PI-B149 PI-B149-150 WF-B114 WF-B114-150
<b>description</b>	knob zero mark ø 54mm shaft ø 6x4.6mm shaft flat upper black		

			
1			
<b>Part No.</b>	112687	<b>Ref. No.</b>	CR-B113 DT-B103 GP-B103 KL-008 KO-B103 KO-B103-150 WF-B102 WF-B102-150
<b>description</b>	knob zero mark t.max.°C ø 38mm shaft ø 6x4.6mm shaft flat lower black		

## handles and hand wheels

## cone handles

			
1			
<b>Part No.</b>	111480	<b>Ref. No.</b>	KL-001 KO-B100 KO-B100-150 WF-B100 WF-B100-150
<b>description</b>	cone handle thread M6 ø 29mm L 37.5mm plastic black		

## folding grill handles


			
1			
<b>Part No.</b>	111483	<b>Ref. No.</b>	KL-002 KL-B121 KO-B107 KO-B107-150
<b>description</b>	cone handle ø 26mm bore ø 12mm L 155mm plastic black for contact grill		

			
1			
<b>Part No.</b>	111484	<b>Ref. No.</b>	WF-B104 WF-B104-150
<b>description</b>	cone handle ø 26mm bore ø 12mm L 155mm plastic red for waffle iron		




## equipment feet and end caps


### screw-in feet


			
1			
<b>Part No.</b>	696484	<b>Ref. No.</b>	CR-B112 DT-B104 GP-B104 KL-012 KO- B117 KO- B117-150 WF-B111 WF-B111-150
<b>description</b>	equipment foot thread 3/8" Whitworth thread L 24mm ø 43mm H 24mm Qty 1 pcs		

## springs

### torsion springs

			
1			
<b>Part No.</b>	692336	<b>Ref. No.</b>	KL-016 KO- B104-AD KO-B106 KO-B106-150
<b>description</b>	torsion spring ø 20mm L1 98mm L2 57mm wire gauge ø 3.5mm for contact grill		

			
1			
<b>Part No.</b>	692335	<b>Ref. No.</b>	KL-014 KO- B104 KO- B104-150
<b>description</b>	torsion spring ø 21.5mm L1 160mm L2 76mm wire gauge ø 4mm for contact grill		


			
1			
<b>Part No.</b>	692334	<b>Ref. No.</b>	KL-015 KO- B105 KO- B105-150
<b>description</b>	torsion spring ø 21.6mm L1 205mm L2 76mm wire gauge ø 4mm for contact grill		

## measuring equipment

### thermometers

#### built-in thermometers

ø60mm

			
1			
<b>Part No.</b>	541879	<b>Ref. No.</b>	PF-B131 PI-B147 PI- B147-150
<b>description</b>	thermometer mounting ø 60mm 0 up to +500°C probe ø 8mm probe L 155mm capillary pipe 1000mm		

mechanical components,  
equipment accessories

1



**GASTRO**PARTS.COM

