



**GASTROPARTS**

# Granuldisk

- [EN]** Equipment
- [DE]** Geräte
- [ES]** Aparatos
- [FR]** Équipement
- [IT]** Attrezzature
- [PL]** Urządzenia
- [RU]** Оборудование

✉ [gastroparts@gastroparts.com](mailto:gastroparts@gastroparts.com)

☎ +48 56 657 00 66

📘 [fb.com/gastroparts.global](https://fb.com/gastroparts.global)

**GASTROPARTS.COM**





## thermostats

### control and safety thermostats

EGO

safety thermostats

55.13\_ series



1

<b>Part No.</b>	375977	<b>Ref. No.</b>	14131
<b>description</b>	safety thermostat switch-off temp. 110°C 1-pole probe ø 6mm probe L 129mm capillary pipe 1500mm connection male faston 6.3mm		



1

<b>Part No.</b>	375976	<b>Ref. No.</b>	10603 14130
<b>description</b>	safety thermostat switch-off temp. 97°C 1-pole probe ø 6mm probe L 129mm capillary pipe 1470mm connection male faston 6.3mm		

## TECASA

control thermostats



1

<b>Part No.</b>	375975	<b>Ref. No.</b>	10602 14087
<b>description</b>	thermostat t.max. 120°C temperature range 30-120°C 1-pole 1CO 16A probe ø 6mm probe L 92mm capillary pipe 1850mm capillary pipe isolated 1530mm gland nut shaft ø 6x4.6mm shaft L 16mm shaft position lower rotation 315° 400V no to be sold in France		

## control equipment

### TELEMECANIQUE (EFA)

XB4 series

rotary switches



1

<b>Part No.</b>	347384	<b>Ref. No.</b>	21122
<b>description</b>	rotary selector mounting measurements ø22mm 1NO 0-1 latching		

## lamps

### indicator lights

indicator lights (complete)

ø22mm



1

<b>Part No.</b>	357109	<b>Ref. No.</b>	10270 23709
<b>description</b>	indicator light ø 22mm 250V clear		

## solenoïd valves

### solenoïd valves (water)

TP



1




















<b>Part No.</b>	370032	<b>Ref. No.</b>	18191	
<b>description</b>	solenoid valve single straight 24VAC inlet 3/4" outlet 14mm DN10 TP flow regulating valve inlet white			
<b>spare parts for</b>	370032			
	<b>Part No.</b>	371035	<b>Ref. No.</b>	—
	solenoid coil 24VAC			
<b>accessories for</b>	370032			
	<b>Part No.</b>	371220	<b>Ref. No.</b>	—
	reducer TP flow rate 3l/min red tolerance ±15%			
	<b>Part No.</b>	371221	<b>Ref. No.</b>	—
	reducer TP flow rate 5.5l/min yellow tolerance ±15%			
	<b>Part No.</b>	371222	<b>Ref. No.</b>	—
	reducer TP flow rate 6l/min grey tolerance ±15%			

Table continues overleaf



accessories for		370032	
	Part No.	371223	Ref. No. —
	reducer TP flow rate 10l/min white tolerance ±15%		
	Part No.	371224	Ref. No. —
	reducer TP flow rate 12l/min bronze tolerance ±15%		
	Part No.	371225	Ref. No. —
	reducer TP flow rate 16l/min light brown tolerance ±15%		
	Part No.	371226	Ref. No. —
	reducer TP flow rate 20l/min red tolerance ±15%		
	Part No.	371230	Ref. No. —
	reducer TP flow rate 0.25l/min red tolerance ±25%		
	Part No.	371231	Ref. No. —
	reducer TP flow rate 0.35l/min violet tolerance ±25%		
	Part No.	371232	Ref. No. —
	reducer TP flow rate 0.5l/min orange tolerance ±25%		
	Part No.	371233	Ref. No. —
	reducer TP flow rate 0.8l/min white tolerance ±25%		
	Part No.	371234	Ref. No. —
	reducer TP flow rate 1l/min light blue tolerance ±25%		
	Part No.	371235	Ref. No. —
	reducer TP flow rate 1.2l/min brown tolerance ±25%		
	Part No.	371236	Ref. No. —
	reducer TP flow rate 1.5l/min light brown tolerance ±25%		
	Part No.	371237	Ref. No. —
	reducer TP flow rate 2.5l/min yellow tolerance ±25%		
	Part No.	371238	Ref. No. —
	reducer TP flow rate 3.4l/min dark green tolerance ±25%		
	Part No.	371239	Ref. No. —
	reducer TP flow rate 5l/min black tolerance ±25%		
	Part No.	371240	Ref. No. —
	reducer TP flow rate 8l/min blue tolerance ±20%		

metal

ASCO

3-way



1

<b>Part No.</b>	370681	<b>Ref. No.</b>	10540 10540-01 21252
<b>description</b>	solenoid valve brass 3-ways 24VAC connection John Guest 6mm NO DN 1.6mm p max 8.5bar 50/60Hz		



1

<b>Part No.</b>	370680	<b>Ref. No.</b>	10539 21251
<b>description</b>	solenoid valve brass 3-ways 24VAC connection John Guest 6mm NO DN 1.6mm p max 8.5bar 50/60Hz		

## electrodes



1

<b>Part No.</b>	403322	<b>Ref. No.</b>	10287 10513 10529 22758
<b>description</b>	level electrode 3/8" total length 75mm probe L 46mm insulated probe length 46mm connection M4 thread 3/8"		



## equipment-specific units

for dishwashers

miscellaneous



1

<b>Part No.</b>	692231	<b>Ref. No.</b>	10334
<b>description</b>	bush H 30mm D1 ø 30mm D2 ø 34.5mm ID ø 25.5mm		

## gaskets

special gaskets

miscellaneous



1

<b>Part No.</b>	901527	<b>Ref. No.</b>	18070
<b>description</b>	gasket L 950mm W 135mm Qty 1m thickness 3mm hole distance 93mm		

**GASTRO**PARTS.COM

