



GASTROPARTS

Hilta

[EN] Equipment

[DE] Geräte

[ES] Aparatos

[FR] Équipement

[IT] Attrezzature

[PL] Urządzenia

[RU] Оборудование

✉ gastroparts@gastroparts.com

☎ +48 56 657 00 66

📘 fb.com/gastroparts.global

GASTROPARTS.COM





heating elements

immersion heating elements

3 hole flange ø35.0mm

1

Part No.	416210	Ref. No.	REBOM22
description	heating element 2200W 230V heating circuits 1 mounting ø 35mm L 253mm W 25mm H 25mm tube ø 6.5mm hole distance 44mm hole ø 10mm connection M5 immersion heater 3 hole flange connection length 16mm		
accessories for	416210		
	Part No.	507048	Ref. No. —
	gasket ID ø 30mm silicone thickness 3mm hole ø 10mm hole distance 41mm for heating element warewashing		

1

Part No.	416212	Ref. No.	09REBO30 REBOM30
description	heating element 3000W 230V heating circuits 1 mounting ø 35mm L 330mm W 28.5mm H 25mm tube ø 6.25mm hole distance 44mm hole ø 10mm connection M5 immersion heater 3 hole flange connection length 15mm		
accessories for	416212		
	Part No.	507048	Ref. No. —
	gasket ID ø 30mm silicone thickness 3mm hole ø 10mm hole distance 41mm for heating element warewashing		

3 hole flange ø57.5mm

1

Part No.	416214	Ref. No.	REBOT60
description	heating element 6000W 230V mounting ø 57.5mm heating circuits 3 L 410mm W 32mm H 50mm thermostat sleeves ø 8.5mm length thermostat sleeves 270mm thermostat sleeve upper centre not clinging tube ø 8.5mm hole distance 70mm hole ø 10mm connection length 30mm connection M5 3 hole flange immersion heater		
spare parts for	416214		
	Part No.	510409	Ref. No. —
	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		
accessories for	416214		
	Part No.	510409	Ref. No. —
	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		
	Part No.	520332	Ref. No. —
	protection cap for heating element		

1

Part No.	416215	Ref. No.	REBOT90
description	heating element 9000W 230V mounting ø 57.5mm heating circuits 3 L 410mm W 35mm H 52mm number of thermostat sleeves 1 thermostat sleeves ø 7.5mm length thermostat sleeves 290mm thermostat sleeve eccentric, non clinging tube ø 8mm hole distance 70mm hole ø 8mm connection M5 3 hole flange immersion heater		

1 1/4"






1



Part No.	416218	Ref. No.	09REVA45
description	heating element 4500W 230V heating circuits 3 thread 1 1/4" L 275mm W 95mm H 45mm L1 40mm L2 25mm L3 210mm W1 32mm W2 29mm H1 23mm H2 22mm connection male faston 6.3mm immersion heater flange with thread		
spare parts for	416218		
	Part No.	510405	Ref. No. —
	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1 1/4" Qty 1 pcs		
accessories for	416218		
	Part No.	507333	Ref. No. —
	flat gasket rubber ED ø 52mm ID ø 41.5mm thickness 3mm Qty 1 pcs equiv. no. G50403GT suitable for IME/Omniwash		
	Part No.	528021	Ref. No. —
	flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega		

1

Part No.	416216	Ref. No.	09REVA18
description	heating element 1800W 230V heating circuits 1 L 330mm W 48mm H 32mm thread M12x1 mounting distance 40mm tube ø 8.5mm connection male faston 6.3mm 2 hole fixing immersion heater		
accessories for	416216		
	Part No.	507332	Ref. No. —
	flat gasket fibre ED ø 18mm ID ø 12mm thickness 2mm Qty 1 pcs		
	Part No.	511923	Ref. No. —
	protection cap for heating element thread M12		
	Part No.	550681	Ref. No. —
	nut thread M12x1.25 H 5mm WS 17 brass Qty 1 pcs		




			
Part No.	418603	Ref. No.	09REVA22
description	heating element 2200W 230V heating circuits 1 L 405mm W 160mm H 35mm thread M12x1 mounting distance 42mm tube ø 8.5mm 2 hole fixing connection male faston 6.3mm immersion heater L1 208mm L2 197mm W1 110mm W2 50mm		
spare parts for	418603		
	Part No.	528110	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs		
accessories for	418603		
	Part No.	520229	Ref. No. —
	nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs		
	Part No.	521110	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs		
	Part No.	521131	Ref. No. —
	nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs		

			
Part No.	416217	Ref. No.	09REVA25
description	heating element 2500W 230V heating circuits 1 L 410mm W 147mm H 27mm thread M12x1 mounting distance 35mm tube ø 8.3mm connection male faston 6.3mm 2 hole fixing immersion heater L1 195mm L2 215mm W1 96mm W2 43mm		
accessories for	416217		
	Part No.	507332	Ref. No. —
	flat gasket fibre ED ø 18mm ID ø 12mm thickness 2mm Qty 1 pcs		

thermostats

bi-metal thermostats


safety bi-metal thermostats

			
Part No.	390455	Ref. No.	TESIW15C
description	bi-metal safety thermostat hole distance 40mm switch-off temp. 100°C 2NC 2-pole 16A connection F6.3 2 hole fixing		

control and safety thermostats

IMIT / TEMPOMATIC / ARTHERMO


control thermostats

			
Part No.	390457	Ref. No.	TERELR
description	thermostat t.max. 85°C temperature range 0-90°C 1-pole 1CO 16A probe ø 6.5mm probe L 110mm capillary pipe 1000mm capillary pipe isolated 950mm gland nut shaft ø 6x4.6mm shaft L 19mm shaft position upper shaft position +135° rotation 270° probe material copper		






switches and momentary switches

microswitches

lever actuated


			
Part No.	346237	Ref. No.	CEMP12CSC
description	microswitch with lever 250V 16A 1NO connection male faston 6.3mm L 46.5mm ambient temperature max. 125°C mounting distance 22.5mm with plunger type U83161.1 actuating force: 80g lever length 48/42mm		

accessories

			
Part No.	507402	Ref. No.	09INMIRS
description	actuator for microswitch thread 3/8" L 105mm complete ID ø 12mm ED ø 32mm		
spare parts for	507402		
	Part No.	507038	Ref. No. —
	compression spring ø 8.8mm L 31mm wire gauge ø 0.7mm		
	Part No.	507039	Ref. No. —
	door shaft		
	Part No.	507040	Ref. No. —
	retaining ring E D1 ø 4mm D2 ø 9mm SS DIN 6799 thickness 0.7mm		
accessories for	507402		
	Part No.	347533	Ref. No. —
	microswitch with lever 250V 16A 1NO connection male faston 6.3mm ambient temperature max. 125°C for door lever length 74mm		




system switches (ROLD)






1

Part No.	345524	Ref. No.	TAINGE
description	push button ø 23mm red ON-OFF		



1

Part No.	347467	Ref. No.	S0500276	
description	switch 2CO 250V 16A 2-pole			
spare parts for	347467			
	Part No.	347098	Ref. No.	—
	switch 2CO 250V 16A connection male faston 6.3mm			
accessories for	347467			
	Part No.	346950	Ref. No.	—
	push button L 25mm W 19.5mm green			



1

Part No.	345651	Ref. No.	DEGEW13
description	switch 2CO 250V 16A connection male faston 6.3mm		


lamps

indicator lights


indicator lights 2-piece (lens and indicator lamp)


indicator light lenses

ø10mm (type SRZ-3)




1


Part No.	359123	Ref. No.	GELUVE	
description	indicator light housings mounting measurements ø10mm green round Qty 1 pcs			
accessories for	359123			
	Part No.	359132	Ref. No.	LASPVE
	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C			



1

Part No.	359124	Ref. No.	GELUGI	
description	indicator light housings mounting measurements ø10mm yellow round Qty 1 pcs			
accessories for	359124			
	Part No.	359132	Ref. No.	LASPVE
	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C			

indicator lamps for socket type SRZ / SDK / SDY / SFK




1



Part No.	359132	Ref. No.	LASPVE
description	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		

timers

programme timers



1

Part No.	360215	Ref. No.	PRCIW13	
description	timer CDC 7805DV engines 2 chambers 5 operation time 6s / 3min 230V shaft ømm shaft Lmm motor type M37RN/M37LN			
spare parts for	360215			
	Part No.	360119	Ref. No.	—
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer			
	Part No.	360131	Ref. No.	—
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction left motor ø 37mm motor type M37LN for timer			



transformers

open transformers

with clamp terminal



1

Part No.	400134	Ref. No.	TRCOW15
description	transformer primary 230/400VAC secondary 24VAC 100VA secondary 5A H 95mm L 85mm W 85mm connection screw 50/60Hz type USE10BB		

keypads

front foils



1

Part No.	519538	Ref. No.	CETSHILTA4
description	front foil grey/black suitable for IME L 585mm W 55mm		

control panel



1

Part No.	502253	Ref. No.	PACOW13NE
description	control panel warewashing L 310mm W 133mm H 7mm black		

solenoïd valves

solenoïd valves (water)

RPE

solenoïd valves with reducers

3-fold



1

Part No.	370240	Ref. No.	ELVA3V
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C RPE plastic output B 0.32-0.42l/min flow regulating valve outlet B green		

TP







1

Part No.	370017	Ref. No.	ELVA1V	
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP p max 10bar			
spare parts for	370017			
	Part No.	371013	Ref. No.	—
	solenoid coil TP 230VAC 50/60Hz			
accessories for	370017			
	Part No.	371220	Ref. No.	—
	reducer TP flow rate 3l/min red tolerance ±15%			
	Part No.	371221	Ref. No.	—
	reducer TP flow rate 5.5l/min yellow tolerance ±15%			
	Part No.	371222	Ref. No.	—
	reducer TP flow rate 6l/min grey tolerance ±15%			
	Part No.	371223	Ref. No.	—
	reducer TP flow rate 10l/min white tolerance ±15%			
	Part No.	371224	Ref. No.	—
	reducer TP flow rate 12l/min bronze tolerance ±15%			
	Part No.	371225	Ref. No.	—
	reducer TP flow rate 16l/min light brown tolerance ±15%			
	Part No.	371226	Ref. No.	—
	reducer TP flow rate 20l/min red tolerance ±15%			
	Part No.	371230	Ref. No.	—
	reducer TP flow rate 0.25l/min red tolerance ±25%			
	Part No.	371231	Ref. No.	—
	reducer TP flow rate 0.35l/min violet tolerance ±25%			
	Part No.	371232	Ref. No.	—
	reducer TP flow rate 0.5l/min orange tolerance ±25%			
	Part No.	371233	Ref. No.	—
	reducer TP flow rate 0.8l/min white tolerance ±25%			
	Part No.	371234	Ref. No.	—
	reducer TP flow rate 1l/min light blue tolerance ±25%			
	Part No.	371235	Ref. No.	—
	reducer TP flow rate 1.2l/min brown tolerance ±25%			
	Part No.	371236	Ref. No.	—
	reducer TP flow rate 1.5l/min light brown tolerance ±25%			

Table continues overleaf



accessories for		370017		
Part No.	371237	Ref. No.	—	
	reducer TP flow rate 2.5l/min yellow tolerance ±25%			
Part No.	371238	Ref. No.	—	
	reducer TP flow rate 3.4l/min dark green tolerance ±25%			
Part No.	371239	Ref. No.	—	
	reducer TP flow rate 5l/min black tolerance ±25%			
Part No.	371240	Ref. No.	—	
	reducer TP flow rate 8l/min blue tolerance ±20%			

pumps

wash and rinse pumps

ALBA (C&A)

pumps



1		Part No.	500940	Ref. No.	EPIM100A
description		pump inlet ø 45mm outlet ø 40mm type 2031 230V 50Hz 1 phase 0.75kW 1HP L 200mm rotation direction right connection plug connection capacitor 12.5µF auxiliary pressure connection 10mm supporting pressure open ALBA PUMPS (C&A)			
spare parts for		500940			
	Part No.	365014	Ref. No.	—	
operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection					
	Part No.	509021	Ref. No.	—	
impellor ø 102mm H 32mm shaft intake ø 9/8mm rotation direction right					
	Part No.	510693	Ref. No.	—	
mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm					
	Part No.	521531	Ref. No.	—	
pump cover ALBA PUMPS (C&A) inlet ø 45mm outlet ø 40mm turn direction right ø 153mm ID ø 127mm inner height 24mm					
	Part No.	521709	Ref. No.	—	
O-ring EPDM thickness 3mm ID ø 126mm Qty 1 pcs					

1		Part No.	500939	Ref. No.	EPIM100T
description		pump inlet ø 45mm outlet ø 40mm type 2031C 230V 50Hz 1 phase 0.74kW 1HP L 200mm rotation direction right capacitor 12.5µF ALBA PUMPS (C&A)			
spare parts for		500939			
	Part No.	365014	Ref. No.	—	
operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection					
	Part No.	509021	Ref. No.	—	
impellor ø 102mm H 32mm shaft intake ø 9/8mm rotation direction right					
	Part No.	510693	Ref. No.	—	
mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm					
	Part No.	521531	Ref. No.	—	
pump cover ALBA PUMPS (C&A) inlet ø 45mm outlet ø 40mm turn direction right ø 153mm ID ø 127mm inner height 24mm					
	Part No.	521709	Ref. No.	—	
O-ring EPDM thickness 3mm ID ø 126mm Qty 1 pcs					

drain pumps

ASKOLL

1		Part No.	500347	Ref. No.	POSCIM
description		drain pump 230V 34W			



equipment-specific units

for dishwashers

housing and bezels

fascias



1

Part No.	502253	Ref. No.	PACOW13NE
description	control panel warewashing L 310mm W 133mm H 7mm black		

hood mechanics for dishwashers

spring holders



1

Part No.	507156	Ref. No.	AGMO15
description	spring holder hood mechanics		

hood handle supports



1

Part No.	507169	Ref. No.	SULAMA
description	handle holder hood mechanics		

air traps

air traps



1

Part No.	524917	Ref. No.	GAAR60 W14-W15
description	air trap ø 60.5mm H 110mm thread 3/4" hose ø 6mm plastic		

door mechanics

door bumpers



1

Part No.	507490	Ref. No.	PACOPO
description	door bumper H 10mm silicone L 33mm W 15mm		

locks



1

Part No.	507011	Ref. No.	09SCPOCO
description	door catch complete door locking catch		

miscellaneous



1

Part No.	507031	Ref. No.	PIPEMO
description	fixing plate for door		

screw connections



1

Part No.	507057	Ref. No.	DAPL112
description	nut thread 1½" H 14mm WS 60 ø 65mm		




1

Part No.	507058	Ref. No.	DAPL114
description	screw connection thread 1¼" H 14mm WS 55		




washing and rinsing systems



1

Part No.	507054	Ref. No.	DAOT0389
description	nut thread 3/8" H 10mm brass WS 20 Qty 1 pcs		




1

Part No.	507224	Ref. No.	GHLAIN
description	slide ring		

springs

tension springs



1


Part No.	507157	Ref. No.	moca15
description	tension spring ø 37mm total length 875mm wire gauge ø 4.5mm L1 305mm L2 570mm for hood		

dosing pumps





membrane dosing pumps

self-priming with supporting pressure

OMNIWASH




1

Part No.	361054	Ref. No.	DOBRDE	
description	dosing pump rinse aid pressure connection ø 6mm suction connection ø 6mm auxiliary pressure connection 10mm			
spare parts for	361054			
	Part No.	361308	Ref. No.	—
	membrane rinse aid pressure connection ømm suction connection ømm auxiliary pressure connectionmm			
	Part No.	361348	Ref. No.	—
	lip valve rinse aid pressure connection ømm suction connection ømm auxiliary pressure connectionmm			
accessories for	361054			
	Part No.	520252	Ref. No.	—
	nylon hose ID ø 6mm ED ø 8mm L 5m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C white			
	Part No.	520278	Ref. No.	—
	PVC hose ID ø 6mm ED ø 8mm L 2m thickness 1mm t.max. 60°C transparent			

hoses

drain hoses



1

Part No.	507207	Ref. No.	TUSC10
description	drain hose DN24 L 1500mm A int. ø 24mm A ext. ø 28mm B int. ø 24mm B ext. ø 28mm outer hose ø 28mm		

formed hoses

with branch



1

Part No.	507327	Ref. No.	MAMA2US4
description	formed hose warewashing equiv. no. GLMSIC4 with piggyback		

fittings, hose and pipe connectors

hose connectors

without screw connection





1

Part No.	507193	Ref. No.	RAPL1Y
description	Y-piece		


1 mechanical components, equipment accessories




			
1			
Part No.	501040	Ref. No.	RAPL1Y
description	Y-piece plastic hose ø 13-13-13mm 3-way		

nuts			
hexagonal nuts			
DIN 934 / ISO 4032/8673			
			
1			
Part No.	560129	Ref. No.	DAMEM05
description	hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		

fastening material

screws			
cylinder head bolts			
DIN 912/ISO 4762			
			
1			
Part No.	560305	Ref. No.	VIEI516
description	cylinder head bolt thread M5 thread L 16mm WS 4 intake internal hexagon DIN 912/ISO 4762		

hexagonal nuts inch thread			
			
1			
Part No.	507054	Ref. No.	DAOT0389
description	nut thread 3/8" H 10mm brass WS 20 Qty 1 pcs		

GASTROPARTS.COM

