



**GASTROPARTS**

# La Minerva

- [EN]** Equipment
- [DE]** Geräte
- [ES]** Aparatos
- [FR]** Équipement
- [IT]** Attrezzature
- [PL]** Urządzenia
- [RU]** Оборудование

✉ [gastroparts@gastroparts.com](mailto:gastroparts@gastroparts.com)

☎ +48 56 657 00 66

📘 [fb.com/gastroparts.global](https://fb.com/gastroparts.global)

**GASTROPARTS.COM**





switches and momentary switches

push/momentary push switches

ø22mm



|                        |  |                 |                   |
|------------------------|--|-----------------|-------------------|
| 1                      |  |                 |                   |
| <b>Part No.</b>        | 348105   | <b>Ref. No.</b> | 20803384          |
| <b>description</b>     | momentary push switch mounting measurements ø22mm red 1NC OFF 230V connection screw 6A protection IP67 ambient temperature max. 70°C |                 |                   |
| <b>spare parts for</b> | 348105   |                 |                   |
|                        | <b>Part No.</b>  | 346270          | <b>Ref. No.</b> — |
| <b>accessories for</b> | 348105   |                 |                   |
|                        | <b>Part No.</b>  | 346292          | <b>Ref. No.</b> — |
|                        | <b>Part No.</b>  | 359606          | <b>Ref. No.</b> — |
|                        | neon light bulb socket Ba9s 220V 2W clear ø 10mm L 28mm  |                 |                   |



|                        |  |                 |                   |
|------------------------|--|-----------------|-------------------|
| 1                      |  |                 |                   |
| <b>Part No.</b>        | 403549   | <b>Ref. No.</b> | 20803401          |
| <b>description</b>     | momentary push switch mounting measurements ø22mm black/white 1NO/1NC 0-1 230V connection screw 6A protection IP40 ambient temperature max. 70°C |                 |                   |
| <b>spare parts for</b> | 403549   |                 |                   |
|                        | <b>Part No.</b>  | 346270          | <b>Ref. No.</b> — |
|                        | <b>Part No.</b>  | 346292          | <b>Ref. No.</b> — |



|                        |  |                 |                          |
|------------------------|--|-----------------|--------------------------|
| 1                      |  |                 |                          |
| <b>Part No.</b>        | 403553   | <b>Ref. No.</b> | 20803406                 |
| <b>description</b>     | PCB L 130mm W 44mm ON-OFF 50Hz 400V suitable for GIERRE / LA MINERVA     |                 |                          |
| <b>spare parts for</b> | 403553   |                 |                          |
|                        | <b>Part No.</b>  | 403606          | <b>Ref. No.</b> 20803372 |
|                        | protective cover for switch external size 57x31mm clear ID ø 20mm H 17mm |                 |                          |



|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| 1                  |  |                 |          |
| <b>Part No.</b>    | 403606   | <b>Ref. No.</b> | 20803372 |
| <b>description</b> | protective cover for switch external size 57x31mm clear ID ø 20mm H 17mm |                 |          |

ø25mm



|                        |   |                 |                   |
|------------------------|---|-----------------|-------------------|
| 1                      |   |                 |                   |
| <b>Part No.</b>        | 345011  | <b>Ref. No.</b> | 20800323          |
| <b>description</b>     | push switch mounting ø 25mm green 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP65 |                 |                   |
| <b>accessories for</b> | 345011  |                 |                   |
|                        | <b>Part No.</b>   | 345039          | <b>Ref. No.</b> — |
|                        | protective cover round ED ø 33mm external size 23mm internal size 21mm H 12mm clear mounting ø 25mm                                   |                 |                   |

position switches

MOELLER/EATON



|                    |  |                 |           |
|--------------------|--|-----------------|-----------|
| 1                  |  |                 |           |
| <b>Part No.</b>    | 348232   | <b>Ref. No.</b> | 20800865N |
| <b>description</b> | position switch plastic 1NC 230V 6A L 95mm W 31mm H 33mm protection IP66 actuating force: 500g screw connection M20 mounting distance 22mm with switch mechanism Qty 2 pcs |                 |           |

PIZZATO

FR series



|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| 1                  |   |                 |          |
| <b>Part No.</b>    | 347664  | <b>Ref. No.</b> | 20800865 |
| <b>description</b> | position switch head not removable 1NO/1NC L 93mm W 31mm H 31mm protection IP67 |                 |          |



|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| 1                  |   |                 |          |
| <b>Part No.</b>    | 348101  | <b>Ref. No.</b> | 20800820 |
| <b>description</b> | position switch plastic 1NC/1NO 400V 3A L 85mm W 31mm H 31mm protection IP67 actuating force: 760g screw connection PG11 mounting distance 22mm |                 |          |

1 electric components



## rotary switches

## MOELLER/EATON



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>Part No.</b>    | 348131  | <b>Ref. No.</b> | 20801212 |
| <b>description</b> | rotary switch sets of contacts 2 2 0-1 type T0-1-102 400V 11.5A shaft $\varnothing$ 12mm shaft L 25mm shaft star-shaped installation kit inclusive connection screw |                 |          |



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>Part No.</b>    | 348158  | <b>Ref. No.</b> | 20801213 |
| <b>description</b> | rotary switch sets of contacts 3 2 0-1 type T0-2-1/Z UV-T0 400V 16A shaft $\varnothing$ 5.8x6.9mm shaft L 35mm with fixing kit connection screw |                 |          |

## magnetic switches

## M10x0.75



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>Part No.</b>    | 348102  | <b>Ref. No.</b> | 20963000 |
| <b>description</b> | magnetic switch thread M10x0.75 1NO 250V 0.04A P max. 10W connection 2-wire cable length 1500mm |                 |          |



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>Part No.</b>    | 348159  | <b>Ref. No.</b> | 20963001 |
| <b>description</b> | magnetic switch thread M10x0.75 1NO 250V 1A P max. 50W cable length 1470mm L 30mm |                 |          |

## M18x1



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>Part No.</b>    | 348156  | <b>Ref. No.</b> | 20963010 |
| <b>description</b> | magnetic switch thread M18x1 1NO/1NC 100V 0.25A P max. 5W cable length 2000mm |                 |          |



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>Part No.</b>    | 348157  | <b>Ref. No.</b> | 20963008 |
| <b>description</b> | magnetic switch thread M18x1 2NO 100V 0.25A P max. 5W cable length 2000mm |                 |          |

## accessories

## magnets



1

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>Part No.</b>    | 691178   | <b>Ref. No.</b> | 20961010 |
| <b>description</b> | magnet $\varnothing$ 22mm Lmm H 7mm Wmm ED $\varnothing$ 22mm M5 |                 |          |

## control equipment

## MOELLER/EATON

## push buttons - signal lamps



1

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>Part No.</b>    | 346747 <sup>1</sup>  | <b>Ref. No.</b> | 20803386 |
| <b>description</b> | push button mounting measurements $\varnothing$ 22mm silver without button lense momentary illuminable |                 |          |

<sup>1</sup>works as signal element

## switch blocks



1

|                    |   |                 |            |
|--------------------|---|-----------------|------------|
| <b>Part No.</b>    | 348127                                  | <b>Ref. No.</b> | 20803390/1 |
| <b>description</b> | contact block with threefold holder 1NO |                 |            |

## button plates with symbol



1

|                    |                            |                 |            |
|--------------------|----------------------------|-----------------|------------|
| <b>Part No.</b>    | 346743                     | <b>Ref. No.</b> | 20803386/1 |
| <b>description</b> | button plate black tipping |                 |            |



accessories



1

**Part No.** 346768 **Ref. No.** 20803371

**description** protective cover ED ø 30mm transparent H 13mm

switches (complete)

rotary switches



1

**Part No.** 348231 **Ref. No.** 20807030

**description** selector switch mounting measurements ø22mm silver/white 0°-45° 1NO latching sequence 0-1

push/momentary push switches



1

**Part No.** 348126 **Ref. No.** 20803386+20803386/1+20803390/1+20803390/1

**description** momentary push switch mounting measurements ø22mm black 1NO tipping momentary



1

**Part No.** 403549 **Ref. No.** 20803401

**description** momentary push switch mounting measurements ø22mm black/white 1NO/1NC 0-1 230V connection screw 6A protection IP40 ambient temperature max. 70°C

**spare parts for** 403549

**Part No.** 346270 **Ref. No.** —

**description** contact block screw 1NC

**Part No.** 346292 **Ref. No.** —

**description** contact block screw 1NO



1

**Part No.** 348105 **Ref. No.** 20803384

**description** momentary push switch mounting measurements ø22mm red 1NC OFF 230V connection screw 6A protection IP67 ambient temperature max. 70°C

**spare parts for** 348105

**Part No.** 346270 **Ref. No.** —

**description** contact block screw 1NC

**accessories for** 348105

**Part No.** 346292 **Ref. No.** —

**description** contact block screw 1NO

**Part No.** 359606 **Ref. No.** —

**description** neon light bulb socket Ba9s 220V 2W clear ø 10mm L 28mm



1

**Part No.** 347665<sup>1</sup> **Ref. No.** 20803393

**description** momentary push switch mounting measurements ø22mm red illuminated, 10-30V 1NC OFF momentary

<sup>1</sup>illuminated, 10-30V



1

**Part No.** 348106 **Ref. No.** 20803385

**description** momentary push switch mounting measurements ø22mm white 1NO on momentary



1

**Part No.** 347666<sup>1</sup> **Ref. No.** 20803396

**description** momentary push switch mounting measurements ø22mm white illuminated, 10-30V 1NO on momentary

<sup>1</sup>illuminated, 10-30V



1

**Part No.** 348125 **Ref. No.** 20803380

**description** switch mounting measurements ø22mm red complete EMERGENCY SHUT-DOWN

timers

mechanical timers



1

**Part No.** 350155<sup>1</sup> **Ref. No.** 20800014

**description** timer M2 2-pole operation time 4min impulse mechanical 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm mounting thread M4 connection male faston 6.3mm

<sup>1</sup>incl. knob and symbol





|   |  |                 |          |
|---|--|-----------------|----------|
|  |  |                 |          |
| 1   |  |                 |          |
| <b>Part No.</b>   | 350156 <sup>1</sup>  | <b>Ref. No.</b> | 20800314 |
| <b>description</b>  | timer M2 3-pole operation time 4min impulse mechanical 3NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm mounting thread M4 connection male faston 6.3mm |                 |          |



<sup>1</sup>incl. knob and symbol

## electronics

### PCBs

|   |                                       |                 |           |
|---|---------------------------------------|-----------------|-----------|
|  |                                       |                 |           |
| 1   |                                       |                 |           |
| <b>Part No.</b>   | 403909                                | <b>Ref. No.</b> | 20900080N |
| <b>description</b>  | PCB bone saw L 135mm W 105mm 230/400V |                 |           |

|  |                              |                 |                                      |
|--|------------------------------|-----------------|--------------------------------------|
|  |                              |                 |                                      |
| 1  |                              |                 |                                      |
| <b>Part No.</b>  | 403194                       | <b>Ref. No.</b> | 209000065<br>209000065/1<br>20900012 |
| <b>description</b>   | PCB L 101mm W 101mm 230/400V |                 |                                      |

|   |  |                 |                          |
|---|--|-----------------|--------------------------|
|  |  |                 |                          |
| 1   |  |                 |                          |
| <b>Part No.</b>   | 403553   | <b>Ref. No.</b> | 20803406                 |
| <b>description</b>  | PCB L 130mm W 44mm ON-OFF 50Hz 400V suitable for GIERRE / LA MINERVA     |                 |                          |
| <b>spare parts for</b>  | 403553   |                 |                          |
|  | <b>Part No.</b>  | 403606          | <b>Ref. No.</b> 20803372 |
|   | protective cover for switch external size 57x31mm clear ID ø 20mm H 17mm |                 |                          |

## compressors

### CUBIGEL

R134A

HMBP monophase




High/Medium evaporation temperature above -20/-15 °C

|  |  |                 |          |
|--|--|-----------------|----------|
|  |  |                 |          |
| 1  |  |                 |          |
| <b>Part No.</b>  | 605182   | <b>Ref. No.</b> | 2091R009 |
| <b>description</b>   | compressor coolant R134a type GX18TB 220-240V 50Hz HMBP 16kg 1/2HP power input 1390W cylinder capacity 18.39cm³ CSIR H 215mmW 401W 553W 734W 944W 1182W 1449W 1744W 2068W test method ASHRAE ambient temperature max. 43°C |                 |          |

## fans

### axial fans

#### import

|  |  |                 |                   |
|--|--|-----------------|-------------------|
|  |  |                 |                   |
| 1  |  |                 |                   |
| <b>Part No.</b>  | 601080 <sup>1</sup>  | <b>Ref. No.</b> | 2091R115          |
| <b>description</b>   | axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C |                 |                   |
| <b>accessories for</b>   | 601080   |                 |                   |
|   | <b>Part No.</b>  | 550898          | <b>Ref. No.</b> — |
|  | connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan   |                 |                   |
|   | <b>Part No.</b>  | 692519          | <b>Ref. No.</b> — |
|  | guard L 120mm W 120mm plastic  |                 |                   |

<sup>1</sup>with ball bearings



## equipment-specific units

### for bandsaws

#### saw blades

width 16mm



**Part No.** 699213 **Ref. No.** 22550419

**description** saw blade L 2050mm W 16mm thickness 0.5mm Qty 1 pcs



**Part No.** 699048 **Ref. No.** 22550408

**description** saw blade L 2390mm W 16mm thickness 0.5mm tooth spacing 6mm



**Part No.** 699050 **Ref. No.** 22550411

**description** saw blade L 2430mm W 16mm thickness 0.5mm tooth spacing 6mm

### for meat mincers

#### drive shafts

#### for blades



**Part No.** 699388 **Ref. No.** CG93-0046

**description** blade pulley ENTERPRISE model 22 L 86mm thread M6 intake 13x13mm

**accessories for** 699388



**Part No.** 696023 **Ref. No.** —  
**description** knife type ENTERPRISE size 22 ø 73mm internal size 13x13mm stainless steel



**Part No.** 699386 **Ref. No.** CG93-0048

**description** auger ø 67mm L 172mm stainless steel 22



**Part No.** 699387 **Ref. No.** CG93-0047

**description** screw L 95mm thread M6 for auger meat mincer thread L 25mm

#### for augers



**Part No.** 699290 **Ref. No.** 82000221

**description** drive shaft ø 11mm thread M14x1.5 L 63.4mm

### augers

#### without bolt



1

**Part No.** 699386 **Ref. No.** CG93-0048

**description** auger ø 67mm L 172mm stainless steel 22

**accessories for** 699386



**Part No.** 699387 **Ref. No.** CG93-0047

**description** screw L 95mm thread M6 for auger meat mincer thread L 25mm



**Part No.** 699388 **Ref. No.** CG93-0046

**description** blade pulley ENTERPRISE model 22 L 86mm thread M6 intake 13x13mm

### miscellaneous



1

**Part No.** 699387 **Ref. No.** CG93-0047

**description** screw L 95mm thread M6 for auger meat mincer thread L 25mm

**accessories for** 699387



**Part No.** 699386 **Ref. No.** CG93-0048

**description** auger ø 67mm L 172mm stainless steel 22



**Part No.** 699388 **Ref. No.** CG93-0046

**description** blade pulley ENTERPRISE model 22 L 86mm thread M6 intake 13x13mm

### for vegetable slicers

#### cutting discs

#### blades smooth

#### cutting discs



1

**Part No.** 697301 **Ref. No.** E2

**description** slicing disk type E2 ø 206mm seat ø 19mm slicing thickness 2mm plastic

**spare parts for** 697301



**Part No.** 697418 **Ref. No.** —

**description** spare blades for cutting disc E





## for potato peelers

## abrasive side elements

## inserts



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>Part No.</b>    | 696749  | <b>Ref. No.</b> | 22995008 |
| <b>description</b> | abrasive band for potato peeler device $\varnothing$ 400mm L 1250mm mounting distance mm W 215mm C565 |                 |          |

## grinding discs



1

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>Part No.</b>    | 696769   | <b>Ref. No.</b> | 85650080 |
| <b>description</b> | peeling disk $\varnothing$ 383mm for potato peeler device C565 |                 |          |




1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>Part No.</b>    | 699390  | <b>Ref. No.</b> | 85700080 |
| <b>description</b> | peeling disk $\varnothing$ 460mm for potato peeler device |                 |          |

## gaskets

## special gaskets

## miscellaneous



1

|                    |   |                 |           |
|--------------------|---|-----------------|-----------|
| <b>Part No.</b>    | 699389  | <b>Ref. No.</b> | 22601001N |
| <b>description</b> | lid gasket for potato peeler device mounting pos. lid Qty supplied by meter |                 |           |

## transmission technology and ball bearings

## drive belts

## V-belts

## XPZ profile



1

|                    |  |                 |           |
|--------------------|--|-----------------|-----------|
| <b>Part No.</b>    | 699485   | <b>Ref. No.</b> | 8PP500035 |
| <b>description</b> | V-belt belt width 9.7mm outer length 1333mm H 8mm serrated profile XPZ 1320 Lw |                 |           |



## consumables

lubricants

oils

for vacuum pumps



1

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>Part No.</b>    | 890014                                 | <b>Ref. No.</b> | 80SV5103 |
| <b>description</b> | oil type VG100 for vacuum pumps Qty 1l |                 |          |



**GASTRO**PARTS.COM

