



GASTROPARTS

Luxia

- [EN]** Equipment
- [DE]** Geräte
- [ES]** Aparatos
- [FR]** Équipement
- [IT]** Attrezzature
- [PL]** Urządzenia
- [RU]** Оборудование

✉ gastroparts@gastroparts.com

☎ +48 56 657 00 66

📘 fb.com/gastroparts.global

GASTROPARTS.COM





heating elements

immersion heating elements

3 hole flange ø47.5mm

Part No.	418793	Ref. No.	L2123 L2134
description	heating element 4300W 230/400V mounting ø 47.5mm heating circuits 3 L 270mm W 30mm H 32mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 230mm thermostat sleeve eccentric, non clinging tube ø 8mm connection M4		
For models:	K1000QBS, K660, OCEANO60, POLY1000, T50		

Part No.	418794	Ref. No.	L2135
description	heating element 6000W 230/400V mounting ø 47.5mm heating circuits 3 L 380mm W 33mm H 32mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 240mm thermostat sleeve eccentric, non clinging tube ø 8.5mm connection M4		
For models:	K1300, POLY1500		


Part No.	415028	Ref. No.	L7415
description	heating element 9000W 230/400V mounting ø 47.5mm heating circuits 3 L 440mm W 33mm H 32mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 235mm thermostat sleeve upper tube ø 8.5mm hole distance 63mm hole ø 10mm connection M4 3 hole flange immersion heater		
For models:	POLY2000		
spare parts for	415028		
	Part No.	510408	Ref. No. L5107
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
accessories for	415028		
	Part No.	510408	Ref. No. L5107
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	Part No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		
	Part No.	521103	Ref. No. —
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs		
	Part No.	521104	Ref. No. —
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4		

accessories for	415028		
	Part No.	560111	Ref. No. —
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4		
	Part No.	560131	Ref. No. —
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		

Part No.	418709	Ref. No.	L2120 L2122 L2128
description	heating element 2400W 230V mounting ø 47.5mm heating circuits 1 L 190mm W 32mm H 40mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 170mm thermostat sleeve eccentric, non clinging tube ø 6.5mm hole distance 72mm hole ø 8x10mm connection M4 3 hole flange immersion heater		
For models:	K10QT, K11QS, K12QS, K400QS, K502QBS, OCEANO35, OCEANO40, OCEANO50, T40, T45		
spare parts for	418709		
	Part No.	510408	Ref. No. L5107
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
accessories for	418709		
	Part No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		

Part No.	416378	Ref. No.	L7212
description	heating element 1000W 230V heating circuits 1 L 152mm W 35mm H 25mm H1 5mm H2 20mm thread M10x1 mounting distance 26mm tube ø 6.5mm		
For models:	OCEANO35, OCEANO40, OCEANO50, OCEANO60		
accessories for	416378		
	Part No.	510416	Ref. No. —
	flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs		
	Part No.	510893	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
	Part No.	520231	Ref. No. —
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs		
	Part No.	521129	Ref. No. —
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439		



			
1			
Part No.	416379	Ref. No.	2127 L2127
description	heating element 2000W 230V L 265mm W 37mm H 40mm thread M10x1 mounting distance 30mm tube \varnothing 6.5mm connection M4		
For models:	K1000QBS, K10QT, K11QS, K12QS, K1300, K400QS, K502QBS, K660, POLY1000, POLY1500, POLY2000		


foil heating elements

			
1			
Part No.	416372	Ref. No.	L7011
description	foil heating element L 220mm W 110mm 450W 230V t.max.°C with thermostat 140°C silicone cable length 1000mm thickness 1mm		
For models:	T40, T45, T50		

accessories

sealing washers




O-rings

			
1			
Part No.	510408	Ref. No.	L5107
description	O-ring EPDM thickness 5.34mm ID \varnothing 47mm Qty 1 pcs		
For models:	K1000QBS, K10QT, K11QS, K12QS, K1300, K400QS, K502QBS, K660, OCEANO35, OCEANO40, OCEANO50, OCEANO60, POLY1000, POLY1500, POLY2000, T40, T45, T50		


thermostats

bi-metal thermostats

safety bi-metal thermostats

			
1			
Part No.	390233	Ref. No.	L2062 L7292
description	bi-metal safety thermostat hole distance 24mm switch-off temp. 110°C 1NC 1-pole 16A connection F6.3 2 hole fixing without holder		
For models:	K660, OCEANO35, OCEANO40, OCEANO50, OCEANO60, POLY1500, POLY2000		
accessories for	390233		
	Part No.	504736	Ref. No. —
	bracket for contact thermostat		
	Part No.	550388	Ref. No. —
	bracket for contact thermostat mounting distance 24.5mm mounting \varnothing 3.8		


bi-metal thermostats

			
1			
Part No.	390301	Ref. No.	L2061 L2083
description	bi-metal thermostat hole distance 23.8mm switch-off temp. 60°C 1NC 1-pole 16A connection F6.3 2 hole fixing		
For models:	K10QT, K12QS, OCEANO35, OCEANO40, OCEANO50, OCEANO60		

control and safety thermostats

IMIT / TEMPOMATIC / ARTHERMO


control thermostats

			
1			
Part No.	376053	Ref. No.	L2060
description	thermostat t.max. 87°C temperature range 0-87°C 1-pole 1CO 16A probe \varnothing 6.5mm probe L 97mm capillary pipe 1500mm capillary pipe isolated 1400mm gland nut shaft \varnothing mm shaft Lmm shaft position		
For models:	K1000QBS, K10QT, K11QS, K12QS, K1300, K400QS, K502QBS, K660, OCEANO35, OCEANO40, OCEANO50, OCEANO60, POLY1000, POLY1500, POLY2000, T40, T45, T50		




			
Part No.	390460	Ref. No.	2060
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 2000mm capillary pipe isolated 1950mm gland nut shaft ømm shaft Lmm shaft position rotation 270° probe material copper		


refrigeration thermostats


RANCO			
K61 series			
			
Part No.	390289	Ref. No.	FA1073 L4750 M06711020
description	thermostat RANCO type K61L1502 probe ømm probe Lmm capillary pipe 2150mm		

switches and momentary switches


push/momentary push switches


19x13mm			
			
Part No.	301105	Ref. No.	L7066
description	momentary push switch mounting measurements 19.3x12.9mm black 1NO 250V 16A connection male faston 6.3mm ambient temperature max. 150 85°C protection IP40		
For models:	POLY2000, T40, T45, T50		

			
Part No.	301106	Ref. No.	L7065
description	push switch mounting measurements 19x13mm black 2NO 230V 16A connection male faston 6.3mm ambient temperature max. 150 85°C protection IP40		
For models:	POLY2000, T40, T45, T50		

28.5x28.5mm			
			
Part No.	345565	Ref. No.	L7440
description	push switch mounting measurements 28.5x28.5mm green 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40		
For models:	POLY1500		

28.5x52.6mm			
			
Part No.	346076	Ref. No.	L7210
description	switch combination mounting measurements 28.5x52.6mm black/grey 2NO/1NO 250V 16A ON-OFF, timer connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	OCEANO35, OCEANO40, OCEANO50, OCEANO60, POLY1000, POLY1500		

28.5x77.5mm			
			
Part No.	346551	Ref. No.	L2037
description	switch combination latching/momentary/latching mounting measurements 28.5x77.5mm green/grey/black 2NO/1NO/2NO 250V 16A time/main switch connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	K1300		

			
Part No.	346996	Ref. No.	L2034
description	switch combination momentary mounting measurements 28.5x77.5mm blue/grey/black 2NO/1NO/1NO 250V 16A with indicator main switch/time/rinsing connection male faston 6.3mm ambient temperature max. 55/120°C protection IP40		
For models:	K1000QBS, K10QT, K11QS, K12QS, K400QS, K502QBS, K660		



microswitches

lever actuated



1

Part No.	345742	Ref. No.	L7071
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 55mm ambient temperature max. 120°C mounting distance 22mm actuating force: 75g lever length 46mm		
For models:	T40, T45, T50		

pin-plunger actuated

miscellaneous



1

Part No.	346997	Ref. No.	2131 L2131
description	microswitch 250V 6A 1NO connection male faston 6.3mm ambient temperature max. 125°C		
For models:	K1000QBS, K10QT, K11QS, K12QS, K400QS, K502QBS, OCEANO35, OCEANO40, OCEANO50, OCEANO60		

position switches

BREMAS



1

Part No.	346080	Ref. No.	L2109
description	position switch with plunger 1NO/1NC		
For models:	K1300		

system switches (ROLD)



1

Part No.	346617	Ref. No.	L7392
description	indicator light lens size 11x15.8mm green		
For models:	POLY1000		

rotary switches

LOVATO



1

Part No.	346555	Ref. No.	L2028
description	rotary switch 3 1-2-3 sets of contacts 3 type GN128940U 690V 12A shaft ø 6x6mm shaft L 23.5mm shaft square connection screw		
For models:	K1300, POLY1500, POLY2000		

miscellaneous



1

Part No.	347689	Ref. No.	L2030 L7070
description	rotary switch sets of contacts 2 2 0-1 type CS20-00063 690V 25A shaft ø 5x5mm shaft L 22mm shaft square connection male faston 6.3mm		

magnetic switches

36x13mm

1

Part No.	345795	Ref. No.	L7363
description	magnetic switch L 36mm W 13mm 1NO 250V 0.04A connection male faston 6.3mm 10W		
For models:	POLY1000, POLY1500, POLY2000		

lamps

indicator lights


indicator lamps for socket type SA / SC / SD / SF / SR




1


Part No.	359982	Ref. No.	L7063
description	indicator lamp 230V clear connection male faston 6.3mm Qty 1 pcs		
For models:	T40, T45, T50		




 <p>1</p>			
Part No.	359983	Ref. No.	L7064
description	indicator lamp 230V green connection male faston 6.3mm Qty 1 pcs		
For models:	T40, T45, T50		


indicator lights (complete)
 ø10mm
 with plug-in socket

 <p>1</p>			
Part No.	359139	Ref. No.	L2041
description	indicator light ø 10mm green 230V connection male faston 6.3mm Qty 1 pcs		
For models:	K1000QBS, K10QT, K11QS, K12QS, K1300, K400QS, K502QBS, K660		

 <p>1</p>			
Part No.	359138	Ref. No.	L2040
description	indicator light ø 10mm red 230V connection male faston 6.3mm Qty 1 pcs		
For models:	K1000QBS, K10QT, K11QS, K12QS, K1300, K400QS, K502QBS, K660		

19x13mm

 <p>1</p>			
Part No.	359201	Ref. No.	L7393
description	indicator light mounting measurements 19x13mm 230V green connection male faston 6.3mm temp.-resist. 150°C		
For models:	POLY2000		


 <p>1</p>			
Part No.	359200	Ref. No.	L7397
description	indicator light mounting measurements 19x13mm 230V red connection male faston 6.3mm		
For models:	POLY2000		



28.5x52.6mm



 <p>1</p>			
Part No.	359111	Ref. No.	L7211
description	indicator light mounting measurements 28.5x52.6mm 230V green/red		
For models:	OCEANO35, OCEANO40, OCEANO50, OCEANO60, POLY1000, POLY1500		

timers



programme timers

 <p>1</p>			
Part No.	360400	Ref. No.	L2010
description	timer BIGATTI engines 1 chambers 2 operation time 120s 230V shaft ø 6x4.6mm shaft L 20mm manif. no. D94 / LU003 motor type 82394544		

 <p>1</p>			
Part No.	360411	Ref. No.	L2014
description	timer CDC 11803 engines 1 chambers 3 operation time 120s 230V shaft ømm shaft Lmm motor type M48R ATS		
For models:	K1000QBS, K10QT, K11QS, K12QS, K400QS, K502QBS, K660, OCEANO35, OCEANO40, OCEANO50, OCEANO60, POLY1000, T40, T45, T50		
spare parts for	360411		
	Part No.	360118	Ref. No. —
	motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W		

 <p>1</p>			
Part No.	360524	Ref. No.	4695 L4695 M06712020
description	timer CDC 11904 engines 1 chambers 4 operation time 12min 230V shaft ømm shaft Lmm manif. no. 11904F1 / BDR000.0000 motor type M48R ATS		
spare parts for	360524		
	Part No.	360118	Ref. No. —
	motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W		








			
1			
Part No.	360154	Ref. No.	N23248
description	timer FIBER P20 engines 1 chambers 4 operation time 15min 230V shaft ømm shaft Lmm manuf. no. P205J04J714 motor type M51BJ0R6400		
spare parts for	360154		
	Part No.	360673	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		

contactors


LOVATO

power contactors

			
1			
Part No.	380705	Ref. No.	L2113
description	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 11BG0910A230		
For models:	K1000QBS, K1300, K660, OCEANO60, POLY1000, POLY1500, POLY2000, T50		
accessories for	380705		
	Part No.	380057	Ref. No. —
	auxiliary contact contacts 1NO/1NC AC1 10A for contactors BG series connection screw type BGX1011		

			
1			
Part No.	380855	Ref. No.	L2111
description	power contactor resistive load 25A 230VAC (AC3/400V) 4.2kW main contacts 3NO auxiliary contacts 1NO		
For models:	K1300, POLY1500, POLY2000		
accessories for	380855		
	Part No.	380055	Ref. No. —
	RC circuit voltage AC/DC suitable for BF09-32 rated 240V		
	Part No.	380118	Ref. No. —
	auxiliary contact contacts 1NO/1NC AC1 10A for contactors BF series connection screw type G480/11		


overload switches

			
1			
Part No.	380670	Ref. No.	L2081
description	overload switch setting range 3-5A for contactors BG (BG06-BG12) series connection screw		
For models:	K1300		

relays

power relays

with bracket mounting

			
1			
Part No.	380054	Ref. No.	L2082 L7391
description	power relays 230VAC 16A 2CO connection male faston 6.3mm bracket mounting		
For models:	K1300, POLY1000, POLY1500, POLY2000		


solenoïd valves

solenoïd valves (water)


















RPE





solenoïd valves with reducers

single

			
1			
Part No.	370440	Ref. No.	N10368
description	solenoïd valve 1-fold, without membrane (constantly open) angled inlet 3/4" outlet 11.5mm input 10-12l/min RPE plastic flow regulating valve inlet white		



TP			
  1			
Part No.	370021	Ref. No.	L2020
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white		
For models:	K1000QBS, K10QT, K11QS, K12QS, K400QS, K502QBS		
spare parts for	370021		
	Part No.	371013	Ref. No. —
	solenoid coil TP 230VAC 50/60Hz		
accessories for	370021		
	Part No.	371220	Ref. No. —
	reducer TP flow rate 3l/min red tolerance ±15%		
	Part No.	371221	Ref. No. —
	reducer TP flow rate 5.5l/min yellow tolerance ±15%		
	Part No.	371222	Ref. No. —
	reducer TP flow rate 6l/min grey tolerance ±15%		
	Part No.	371223	Ref. No. —
	reducer TP flow rate 10l/min white tolerance ±15%		
	Part No.	371224	Ref. No. —
	reducer TP flow rate 12l/min bronze tolerance ±15%		
	Part No.	371225	Ref. No. —
	reducer TP flow rate 16l/min light brown tolerance ±15%		
	Part No.	371226	Ref. No. —
	reducer TP flow rate 20l/min red tolerance ±15%		
	Part No.	371230	Ref. No. —
	reducer TP flow rate 0.25l/min red tolerance ±25%		
	Part No.	371231	Ref. No. —
	reducer TP flow rate 0.35l/min violet tolerance ±25%		
	Part No.	371232	Ref. No. —
	reducer TP flow rate 0.5l/min orange tolerance ±25%		
	Part No.	371233	Ref. No. —
	reducer TP flow rate 0.8l/min white tolerance ±25%		
	Part No.	371234	Ref. No. —
	reducer TP flow rate 1l/min light blue tolerance ±25%		
	Part No.	371235	Ref. No. —
	reducer TP flow rate 1.2l/min brown tolerance ±25%		
	Part No.	371236	Ref. No. —
	reducer TP flow rate 1.5l/min light brown tolerance ±25%		

accessories for 370021			
	Part No.	371237	Ref. No. —
	reducer TP flow rate 2.5l/min yellow tolerance ±25%		
	Part No.	371238	Ref. No. —
	reducer TP flow rate 3.4l/min dark green tolerance ±25%		
	Part No.	371239	Ref. No. —
	reducer TP flow rate 5l/min black tolerance ±25%		
	Part No.	371240	Ref. No. —
	reducer TP flow rate 8l/min blue tolerance ±20%		

TP			
  1			
Part No.	370017	Ref. No.	L2021
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP p max 10bar		
For models:	K1300, K660, OCEANO35, OCEANO40, OCEANO50, OCEANO60, POLY1000, POLY1500, POLY2000, T40, T45, T50		
spare parts for	370017		
	Part No.	371013	Ref. No. —
	solenoid coil TP 230VAC 50/60Hz		
accessories for	370017		
	Part No.	371220	Ref. No. —
	reducer TP flow rate 3l/min red tolerance ±15%		
	Part No.	371221	Ref. No. —
	reducer TP flow rate 5.5l/min yellow tolerance ±15%		
	Part No.	371222	Ref. No. —
	reducer TP flow rate 6l/min grey tolerance ±15%		
	Part No.	371223	Ref. No. —
	reducer TP flow rate 10l/min white tolerance ±15%		
	Part No.	371224	Ref. No. —
	reducer TP flow rate 12l/min bronze tolerance ±15%		
	Part No.	371225	Ref. No. —
	reducer TP flow rate 16l/min light brown tolerance ±15%		
	Part No.	371226	Ref. No. —
	reducer TP flow rate 20l/min red tolerance ±15%		
	Part No.	371230	Ref. No. —
	reducer TP flow rate 0.25l/min red tolerance ±25%		
	Part No.	371231	Ref. No. —
	reducer TP flow rate 0.35l/min violet tolerance ±25%		
	Part No.	371232	Ref. No. —
	reducer TP flow rate 0.5l/min orange tolerance ±25%		

Table continues overleaf



accessories for		370017	
Part No.	371233	Ref. No.	—
	reducer TP flow rate 0.8l/min white tolerance ±25%		
Part No.	371234	Ref. No.	—
	reducer TP flow rate 1l/min light blue tolerance ±25%		
Part No.	371235	Ref. No.	—
	reducer TP flow rate 1.2l/min brown tolerance ±25%		
Part No.	371236	Ref. No.	—
	reducer TP flow rate 1.5l/min light brown tolerance ±25%		
Part No.	371237	Ref. No.	—
	reducer TP flow rate 2.5l/min yellow tolerance ±25%		
Part No.	371238	Ref. No.	—
	reducer TP flow rate 3.4l/min dark green tolerance ±25%		
Part No.	371239	Ref. No.	—
	reducer TP flow rate 5l/min black tolerance ±25%		
Part No.	371240	Ref. No.	—
	reducer TP flow rate 8l/min blue tolerance ±20%		

solenoid valves with reducers



1

Part No.	370427	Ref. No.	L4690
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm input/min output 1.2l/min DN10 t.max. 90°C TP plastic flow regulating valve outlet dark brown		

pressure switches

for warewashing


ø 58mm with male faston 6.3mm


with connection horizontal





1

Part No.	541539	Ref. No.	L7375 L7433
description	pressure control pressure range 160/50mbar connection male faston 6.3mm ø 58mm pressure connection horizontal warewashing pressure connection ø 5mm		
For models:	POLY1000, POLY1500, POLY2000		

	1		
Part No.	541010	Ref. No.	2091 L2091 L7106
description	pressure control pressure range 50/30mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	K10QT, K11QS, K12QS, K660, T40, T45		

	1		
Part No.	541141	Ref. No.	L7109
description	pressure control pressure range 75/35mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	OCEAN050, OCEAN060, T50		

	1		
Part No.	541311	Ref. No.	L2092
description	pressure control pressure range 76/38mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	K1000QBS, K1300, K400QS, K502QBS		

	1		
Part No.	541577	Ref. No.	L7249
description	pressure control pressure range 83/33mbar connection 6mm ø 58mm pressure connection horizontal pressure connection ø 6mm		
For models:	OCEAN035, OCEAN040		



pumps






wash and rinse pumps

ALBA (C&A)

pumps








1

Part No.	500296	Ref. No.	L1301
description	pump inlet ø 28mm outlet ø 28mm type C903 230V 50Hz 1 phase 0.11kW 0.15HP L 200mm rotation direction left capacitor 6.3µF auxiliary pressure connection 13mm supporting pressure closed ALBA PUMPS (C&A)		
For models:	K10QT		
spare parts for	500296		
	Part No.	365012	Ref. No. —
	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		
	Part No.	510692	Ref. No. —
	mechanical shaft seal for shaft ø 11mm slide ring ext. ø 24mm slide ring H 13mm counter ring mounting ø 26mm height counter ring 8mm counter ring int. ø 14mm		
	Part No.	521226	Ref. No. —
	impellor ø 72mm H 19mm thread M7R shaft ø 11mm shaft length 29mm blades 3		
	Part No.	521521	Ref. No. —
	pump cover ALBA PUMPS (C&A) inlet ø 28mm outlet ø 28mm auxiliary pressure connection 13mm supporting pressure closed turn direction left ø 93mm ID ø 76mm inner height 31mm		
	Part No.	532490	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 72.69mm Qty 1 pcs		



1

Part No.	499191	Ref. No.	L7180 L7181 L7450 L7483
description	pump inlet ø 28mm outlet ø 28mm type CL.1301 230V 50Hz 1 phase 0.11kW 0.15HP L 190mm rotation direction left capacitor 6.3µF ALBA PUMPS (C&A)		
For models:	OCEAN035, OCEAN040		
spare parts for	499191		
	Part No.	365012	Ref. No. —
	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		
	Part No.	510692	Ref. No. —
	mechanical shaft seal for shaft ø 11mm slide ring ext. ø 24mm slide ring H 13mm counter ring mounting ø 26mm height counter ring 8mm counter ring int. ø 14mm		
	Part No.	521226	Ref. No. —
	impellor ø 72mm H 19mm thread M7R shaft ø 11mm shaft length 29mm blades 3		
	Part No.	521521	Ref. No. —
	pump cover ALBA PUMPS (C&A) inlet ø 28mm outlet ø 28mm auxiliary pressure connection 13mm supporting pressure closed turn direction left ø 93mm ID ø 76mm inner height 31mm		
	Part No.	532490	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 72.69mm Qty 1 pcs		








1

Part No.	500945	Ref. No.	L1321
description	pump inlet \varnothing 45mm outlet \varnothing 40mm 230V 1 phase 0.3kW 0.4HP L 175mm rotation direction right capacitor 10 μ F ALBA PUMPS (C&A)		
For models:	K12QS		
spare parts for	500945		
	Part No.	365015	Ref. No. —
	operating capacitor capacity 10 μ F 400V tolerance 5%Hz ambient temperature max. -25 to +85°C \varnothing 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
	Part No.	509018	Ref. No. —
	O-ring EPDM thickness 3.53mm ID \varnothing 107.5mm Qty 1 pcs		
	Part No.	509028	Ref. No. —
	impeller \varnothing 87mm H 21mm rotation direction right thread M7L shaft \varnothing 12mm		
	Part No.	510693	Ref. No. —
	mechanical shaft seal for shaft \varnothing 12mm slide ring ext. \varnothing 24mm slide ring H 15.5mm slide ring int. \varnothing 11mm counter ring mounting \varnothing 24mm height counter ring 8mm counter ring int. \varnothing 13.5mm		
	Part No.	521528	Ref. No. —
	pump cover ALBA PUMPS (C&A) inlet \varnothing 45mm outlet \varnothing 40mm turn direction right \varnothing 129mm ID \varnothing 105mm inner high 19mm		







1

Part No.	500085	Ref. No.	L1304 L1305
description	pump inlet \varnothing 45mm outlet \varnothing 40mm type C1001 230V 50Hz 1 phase 0.55kW 0.75HP L 200mm rotation direction right capacitor 16 μ F ALBA PUMPS (C&A)		
For models:	K502QBS		
spare parts for	500085		
	Part No.	365014	Ref. No. —
	operating capacitor capacity 12.5 μ F 450V tolerance 5%Hz ambient temperature max. -25 to +85°C \varnothing 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		

spare parts for	500085		
	Part No.	509021	Ref. No. —
	impeller \varnothing 102mm H 32mm shaft intake \varnothing 9/8mm rotation direction right		
	Part No.	510693	Ref. No. —
	mechanical shaft seal for shaft \varnothing 12mm slide ring ext. \varnothing 24mm slide ring H 15.5mm slide ring int. \varnothing 11mm counter ring mounting \varnothing 24mm height counter ring 8mm counter ring int. \varnothing 13.5mm		
	Part No.	521531	Ref. No. —
	pump cover ALBA PUMPS (C&A) inlet \varnothing 45mm outlet \varnothing 40mm turn direction right \varnothing 153mm ID \varnothing 127mm inner high 24mm		
	Part No.	521709	Ref. No. —
	O-ring EPDM thickness 3mm ID \varnothing 126mm Qty 1 pcs		



1

Part No.	500482	Ref. No.	L7072
description	pump inlet \varnothing 45mm outlet \varnothing 40mm type C7675 230V 50Hz 1 phase 0.29kW 0.4HP L 210mm rotation direction right capacitor 10 μ F ALBA PUMPS (C&A)		
For models:	T40, T45		
spare parts for	500482		
	Part No.	365015	Ref. No. —
	operating capacitor capacity 10 μ F 400V tolerance 5%Hz ambient temperature max. -25 to +85°C \varnothing 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
	Part No.	509018	Ref. No. —
	O-ring EPDM thickness 3.53mm ID \varnothing 107.5mm Qty 1 pcs		
	Part No.	509028	Ref. No. —
	impeller \varnothing 87mm H 21mm rotation direction right thread M7L shaft \varnothing 12mm		
	Part No.	510693	Ref. No. —
	mechanical shaft seal for shaft \varnothing 12mm slide ring ext. \varnothing 24mm slide ring H 15.5mm slide ring int. \varnothing 11mm counter ring mounting \varnothing 24mm height counter ring 8mm counter ring int. \varnothing 13.5mm		



1





Part No.	501429	Ref. No.	L7362
description	pump inlet \varnothing 63mm outlet \varnothing 48mm type C.POLY2000 230/400V 50Hz 3 phase 0.9kW 1.2HP L 300mm rotation direction right ALBA PUMPS (C&A)		
For models:	POLY2000		
spare parts for	501429		
	Part No.	510551	Ref. No. —
	pump cover gasket ID \varnothing 158.3mm pump type 1214/1293/1225/2243/1226/1204/3473/1241 thickness 3.53mm EPDM Qty 1 pcs		
	Part No.	510620	Ref. No. —
	impellor \varnothing 109mm H 27mm rotation direction right thread M8L blades 6		
	Part No.	510693	Ref. No. —
	mechanical shaft seal for shaft \varnothing 12mm slide ring ext. \varnothing 24mm slide ring H 15.5mm slide ring int. \varnothing 11mm counter ring mounting \varnothing 24mm height counter ring 8mm counter ring int. \varnothing 13.5mm		
	Part No.	521236	Ref. No. —
	impellor \varnothing 105mm H 32mm M8R		

FIR

pumps







1


Part No.	500457	Ref. No.	L7383
description	pump inlet \varnothing 28mm outlet \varnothing 26mm type 2213.1417 230V 50Hz 1 phase 0.15kW 0.2HP L 198mm rotation direction left capacitor 6.3 μ F FIR		
For models:	OCEANO50, OCEANO60		
spare parts for	500457		
	Part No.	365012	Ref. No. —
	operating capacitor capacity 6.3 μ F 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C \varnothing 30mm L 61mm M8 plastic connection male faston 6.3mm protection		
	Part No.	510384	Ref. No. —
	pump cover inlet \varnothing 28mm outlet \varnothing 26mm \varnothing 100mm ID \varnothing 76mm		
	Part No.	510695	Ref. No. —
	mechanical shaft seal height counter ring 5.5mm ID \varnothing 11mm		
	Part No.	521703	Ref. No. —
	pump cover gasket EPDM thickness 2.5mm ID \varnothing 75mm Qty 1 pcs		





LGB



Part No.	500946	Ref. No.	L1303 L7501
description	pump inlet ø 45mm outlet ø 40mm type ZF150SX 230V 50Hz 1 phase 0.36kW 0.5HP L 180mm rotation direction right capacitor 10µF LGB		
For models:	K11QS, K400QS		
spare parts for	500946		
	Part No.	365015	Ref. No. —
	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
	Part No.	510703	Ref. No. —
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm		
	Part No.	521140	Ref. No. —
	pump cover LGB inlet ø 45mm outlet ø 40mm auxiliary pressure connection 12mm pump type ZF150SX		
	Part No.	521701	Ref. No. —
	pump cover gasket		




Part No.	500943	Ref. No.	L7455
description	pump inlet ø 62mm outlet ø 50mm type ZF522VSX 230V 50Hz 1 phase 0.7kW 0.95HP L 250mm rotation direction right capacitor 16µF LGB		
spare parts for	500943		
	Part No.	365021	Ref. No. —
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		

spare parts for	500943		
	Part No.	510551	Ref. No. —
	pump cover gasket ID ø 158.3mm pump type 1214/1293/1225/2243/1226/1204/3473/1241 thickness 3.53mm EPDM Qty 1 pcs		
	Part No.	510694	Ref. No. —
	mechanical shaft seal for shaft ø 13mm height counter ring 8mm ID ø 11.5mm H 16mm mounting ø 24/26mm int. ø 1 14mm		
	Part No.	521239	Ref. No. —
	impeller ø 110mm H 26mm rotation direction right thread M8L shaft ø 19.5mm shaft length 17mm seat ø 8.2mm blades 6		
	Part No.	521536	Ref. No. —
	pump cover ALBA / LGB inlet ø 62mm outlet ø 50mm auxiliary pressure connection 12mm supporting pressure closed turn direction right ø 180mm ID ø 150mm inner height 38mm		

condensators & interference suppression filters

filters

RC circuits


	Part No.	365211	Ref. No.	NC23457
description	interference suppression filter type XRY RC MKPX2 275V connection plug			

equipment-specific units

for ice-cube maker

ice chutes

slide grates

	Part No.	694281	Ref. No.	ND12001
description	slide grate for ice-cube maker L 325mm W 210mm			



curtains

with holder



1

Part No.	695506	Ref. No.	NC22034
description	curtain for ice maker W 328mm H 150mm with holder shaft length 325mm shaft \varnothing 7.5mm		



1

Part No.	696594	Ref. No.	NC22106
description	curtain for ice-cube maker W 273mm H 160mm shaft length 280mm shaft \varnothing 7.6mm holder length 316mm		


without holder



1

Part No.	695116	Ref. No.	NC10533
description	curtain for ice-cube maker W 320mm H 80mm shaft length 325mm shaft \varnothing 7.5mm		

for coffee grinders



1

Part No.	345742	Ref. No.	L7071
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 55mm ambient temperature max. 120°C mounting distance 22mm actuating force: 75g lever length 46mm		
For models:	T40, T45, T50		

for dishwashers

drain and intake components

LUXIA

drain /intake bodies



1

Part No.	507478	Ref. No.	L3042
description	drain fitting thread 1" ED \varnothing 50mm ID \varnothing 25/21mm hose \varnothing 26mm		
For models:	K10QT, K11QS, K12QS, OCEANO50, OCEANO60		



1

Part No.	507481	Ref. No.	L3043
description	drain fitting thread 1 1/4" ED \varnothing 55mm ID \varnothing 34/30mm hose \varnothing 37mm		
For models:	K1000QBS, K1300, K400QS, K502QBS, K660, POLY1000, POLY1500, POLY2000		





1




Part No.	507479	Ref. No.	L5113
description	flat gasket rubber ED \varnothing 55mm ID \varnothing 42mm thickness 1mm Qty 1 pcs		
For models:	K1000QBS, K1300, K400QS, K502QBS, K660, POLY1000, POLY1500, POLY2000		





1

Part No.	519559	Ref. No.	L7006	
description	intake/drain body ED \varnothing 110mm ID \varnothing 85mm outlet \varnothing 45 outlet 2 \varnothing 26			
For models:	T40, T45			
accessories for	519559			
	Part No.	512402	Ref. No.	L7099
	gasket rubber ED \varnothing 105mm ID \varnothing 85mm thickness 3mm Qty 1 pcs			
	Part No.	519558	Ref. No.	L7007
	locknut ED \varnothing 105mm H 19mm ID \varnothing 76mm			




			
1			
Part No.	519558	Ref. No.	L7007
description	locknut ED ø 105mm H 19mm ID ø 76mm		
For models:	T40, T45, T50		
accessories for	519558		
	Part No.	Ref. No.	L7099
	 gasket rubber ED ø 105mm ID ø 85mm thickness 3mm Qty 1 pcs		
	Part No.	Ref. No.	L7006
	 intake/drain body ED ø 110mm ID ø 85mm outlet ø 45 outlet 2 ø 26		


			
1			
Part No.	507477	Ref. No.	L3311
description	nut thread 1" ø 50mm H 7.5mm WS 36 brass Qty 1 pcs		
For models:	K10QT, K11QS, K12QS		


			
1			
Part No.	507480	Ref. No.	L3314
description	nut thread 1 1/4" ø 58mm H 8mm WS 44 brass Qty 1 pcs		
For models:	K1000QBS, K1300, K400QS, K502QBS, K660, POLY1000, POLY1500, POLY2000		

filters

			
1			
Part No.	507363	Ref. No.	3011 L3011
description	round filters ø 110mm H 65mm suction		
For models:	K10QT, K11QS, K12QS, K400QS, K502QBS		


			
1			
Part No.	507364	Ref. No.	L3016
description	round filters ø 140mm H 130mm suction		
For models:	K1300		

			
1			
Part No.	507365	Ref. No.	L3012
description	round filters ø 143mm H 80mm suction		
For models:	K1000QBS, K660		


			
1			
Part No.	507366	Ref. No.	L3030
description	screw connection for filter		
For models:	K1000QBS, K10QT, K11QS, K12QS, K1300, K400QS, K502QBS, K660		


overflow pipes

			
1			
Part No.	507484	Ref. No.	L3053 L3054
description	overflow pipe L 131mm ø 35mm		
For models:	K1000QBS, K400QS, K502QBS, K660		

			
1			
Part No.	507437	Ref. No.	L7980
description	overflow pipe L 180mm ø 35mm plastic		






 <p>1</p>			
Part No.	507483	Ref. No.	L7105 L7299
description	overflow pipe L 230mm ø 25mm stainless steel		
For models:	T40, T45		

 <p>1</p>			
Part No.	507429	Ref. No.	L3055
description	overflow pipe L 250mm ø 35mm		
For models:	K1300		


 <p>1</p>			
Part No.	507482	Ref. No.	L3050
description	overflow pipe L 90mm ø 26mm plastic		
For models:	K10QT, K11QS, K12QS		

air traps

 <p>1</p>			
Part No.	511447	Ref. No.	L3072
description	air trap with gasket L 84mm W 34mm H 50mm thread 3/4" hose ø 6mm		
For models:	K1000QBS, K10QT, K11QS, K12QS, K1300, K400QS, K502QBS, K660		

 <p>1</p>			
Part No.	507489	Ref. No.	L7114
description	air trap without gasket L 84mm W 34mm H 50mm thread 3/4" hose ø 6mm		
For models:	OCEANO35, OCEANO40, OCEANO50, OCEANO60, POLY1000, POLY1500, POLY2000, T40, T45, T50		
accessories for	507489		
	Part No.	502036	Ref. No. —
O-ring EPDM thickness 2.62mm ID ø 28.25mm Qty 1 pcs			
	Part No.	510154	Ref. No. L7045 L7100
flat gasket rubber ED ø 33mm ID ø 26mm thickness 2mm Qty 1 pcs			


door mechanics

 <p>1</p>			
Part No.	507011	Ref. No.	L3110
description	door catch complete door locking catch		
For models:	K1000QBS, K10QT, K11QS, K12QS, K400QS, K502QBS, OCEANO35, OCEANO40, OCEANO50, OCEANO60		

washing and rinsing systems

 <p>1</p>			
Part No.	507435	Ref. No.	L3360 L7083
description	bush for wash arm ø 16mm		
For models:	K1000QBS, K10QT, K11QS, K12QS, K1300, K400QS, K502QBS, K660, OCEANO35, OCEANO40, OCEANO50, OCEANO60, POLY1000, POLY1500, POLY2000, T40, T45, T50		

 <p>1</p>			
Part No.	507427	Ref. No.	L3361
description	bush for wash arm ø 25mm		
For models:	K1300		

 <p>1</p>			
Part No.	507434	Ref. No.	L3382
description	knurled nut thread M17x1 ø 30mm H 5mm SS		
For models:	K1300		



washing and rinsing systems (sorted by producer)

LUXIA



1

Part No.	507431	Ref. No.	L5041
description	wash arm L 215mm nozzles 6 number B		
For models:	K1000QBS, K1300, K660		



1

Part No.	507430	Ref. No.	L5040
description	wash arm L 215mm nozzles 7 number A		
For models:	K1000QBS, K1300, K660		




1

Part No.	507426	Ref. No.	L3378 L5032
description	wash arm boss		
For models:	K1300		



1

Part No.	507472	Ref. No.	L5109	
description	rinse arm L 155mm nozzles 2 type B			
For models:	K10QT, K11QS, OCEANO35			
spare parts for	507472			
	Part No.	507474	Ref. No.	L5030

wash arm boss ø 12mm L 80mm W 78mm H 54mm



1

Part No.	507470	Ref. No.	L5051
description	wash arm L 140mm nozzles 4 ø 25mm type A		
For models:	K10QT, K11QS		



1

Part No.	507469	Ref. No.	L5052
description	wash arm L 140mm nozzles 5 ø 25mm type B		
For models:	K10QT, K11QS		



1

Part No.	507474	Ref. No.	L5030
description	wash arm boss ø 12mm L 80mm W 78mm H 54mm		
For models:	K1000QBS, K10QT, K11QS, K12QS, K400QS, K502QBS, K660		




1


Part No.	507473	Ref. No.	L5112
description	rinse arm L 325mm nozzles 5 mounting ø 12mm mounting pos. upper		
For models:	K10QT, OCEANO35, OCEANO40		





1


Part No.	507472	Ref. No.	L5109	
description	rinse arm L 155mm nozzles 2 type B			
For models:	K10QT, K11QS, OCEANO35			
spare parts for	507472			
	Part No.	507474	Ref. No.	L5030
wash arm boss ø 12mm L 80mm W 78mm H 54mm				





			
1			
Part No.	503166	Ref. No.	L7112
description	wash arm mounting pos. lower L 480mm nozzles 6		
For models:	T50		


miscellaneous			
			
1			
Part No.	507432	Ref. No.	L2161
description	end cap for rinse arm ø 10mm		


			
1			
Part No.	507433	Ref. No.	L2160
description	end cap for wash arm ø 15.5mm		


			
1			
Part No.	502051	Ref. No.	3325 L3325 L3325+2xL3410 L3325+L3410
description	rinse jet		

			
1			
Part No.	503167	Ref. No.	L7417
description	wash arm mounting pos. upper L 20mm nozzles 3 ø 12mm		

			
1			
Part No.	502050	Ref. No.	L3321
description	wash jet		


			
1			
Part No.	507475	Ref. No.	L3319 L3319+L3410
description	wash jet complete		


			
1			
Part No.	507428	Ref. No.	L3366
description	wash arm support mounting pos. upper/lower		
For models:	K1300, K660, POLY1000, POLY1500, POLY2000		


rinse arm shafts			
			
1			
Part No.	507441	Ref. No.	L3356
description	rinse arm shaft		

knobs

producer-specific knobs

LUXIA			
			
1			
Part No.	112287	Ref. No.	L3001
description	knob switch zero mark ø 43mm shaft ø 5x5mm black		
For models:	K1300, POLY1500, POLY2000		

			
1			
Part No.	112286	Ref. No.	L3002
description	knob switch zero mark ø 43mm shaft ø 6x4.6mm shaft flat upper black		
For models:	K1000QBS, K10QT, K11QS, K12QS, K1300, K400QS, K502QBS, K660, T40, T45, T50		

			
1			
Part No.	110431	Ref. No.	L3000
description	knob set switch zero mark ø 43mm shaft ø 6x4.6/5x5mm 2-piece		



baskets

warewashing baskets

steel wire baskets round

mix baskets



1

Part No.	970520	Ref. No.	L3503
description	mix basket ED ø 455mm H 160mm seat ø 390mm		

plastic baskets round



1

Part No.	970826	Ref. No.	L3502
description	mix basket ED ø 410mm H 190mm		

plastic baskets square

mix baskets



1

Part No.	971058	Ref. No.	L3510 L7185
description	mix basket L 350mm W 350mm H 150mm		
For models:	K10QT, K11QS, OCEANO35		

gaskets

O-rings

EPDM



1

Part No.	504561	Ref. No.	L7104
description	O-ring EPDM thickness 2.62mm ID ø 29.82mm Qty 1 pcs		
For models:	OCEANO35, OCEANO40, OCEANO50, OCEANO60, POLY1000, POLY1500, POLY2000, T40, T45, T50		



1

Part No.	510408	Ref. No.	L5107
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
For models:	K1000QBS, K10QT, K11QS, K12QS, K1300, K400QS, K502QBS, K660, OCEANO35, OCEANO40, OCEANO50, OCEANO60, POLY1000, POLY1500, POLY2000, T40, T45, T50		

sealing washers

rubber gaskets



1

Part No.	510154	Ref. No.	L7045 L7100
description	flat gasket rubber ED ø 33mm ID ø 26mm thickness 2mm Qty 1 pcs		
For models:	OCEANO35, OCEANO40, OCEANO50, OCEANO60, POLY1000, POLY1500, POLY2000, T40, T45, T50		



1

Part No.	507479	Ref. No.	L5113
description	flat gasket rubber ED ø 55mm ID ø 42mm thickness 1mm Qty 1 pcs		
For models:	K1000QBS, K1300, K400QS, K502QBS, K660, POLY1000, POLY1500, POLY2000		



1

Part No.	512402	Ref. No.	L7099
description	gasket rubber ED ø 105mm ID ø 85mm thickness 3mm Qty 1 pcs		
For models:	T40, T45, T50		
accessories for	512402		



Part No.	519558	Ref. No.	L7007
-----------------	--------	-----------------	-------

locknut ED ø 105mm H 19mm ID ø 76mm



Part No.	519559	Ref. No.	L7006
-----------------	--------	-----------------	-------

intake/drain body ED ø 110mm ID ø 85mm outlet ø 45 outlet 2 ø 26



1

Part No.	507476	Ref. No.	L5111
description	gasket rubber ED ø 50mm ID ø 34mm thickness 2mm Qty 1 pcs		
For models:	K10QT, K11QS, K12QS, OCEANO35, OCEANO40, OCEANO50, OCEANO60		



refrigeration cycle components

valves

Schrader valves

valve bodies



1

Part No.	750097	Ref. No.	N14007
description	valve body for Schrader valve thread 1/4" SAE connection 6mm soldering connection		

dosing pumps

peristaltic dosing pumps






GERMAC

built-in version

with frequency control



1

Part No.	361620	Ref. No.	L1308 L7002 L7215
description	dosing pump GERMAC frequency control 2.5l/h 230VAC detergent hose ø 4x6mm hose thermoplastic type G252 dimensions 62x70x-93mm		
For models:	K1300, OCEANO35, OCEANO40, OCEANO50, OCEANO60, POLY1000, POLY1500, POLY2000		
spare parts for	361620		
	Part No.	361263	Ref. No. —
	roller assembly GERMAC suitable for G80/82/150/152/200/202/250/252/600		
	Part No.	361554	Ref. No. —
	pump hose GERMAC detergent hose type thermoplastic hose ø 5x8mm for model G200/G250/G252		
	Part No.	361556	Ref. No. —
	control PCB type G82/G152/G202/G252 GERMAC		
accessories for	361620		
	Part No.	520090	Ref. No. —
	PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent		
	Part No.	520091	Ref. No. —
	nylon hose ID ø 4mm ED ø 6mm L 2m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C transparent		



membrane dosing pumps

self-priming

various



1


Part No.	361015	Ref. No.	L1504 L7012 L7013 L7219 L7374
description	dosing pump membrane dosing pump rinse aid inlet 6x8mm outlet 4x6mm pressure connection ø 4x6mm suction connection ø 6x8mm		
For models:	K1000QBS, K10QT, K11QS, K12QS, K1300, K400QS, K502QBS, K660, OCEANO35, OCEANO40, OCEANO50, OCEANO60, POLY1000, POLY1500, POLY2000, T40, T45, T50		
spare parts for	361015		
	Part No.	361132	Ref. No. —
	membrane dosing pump		
	Part No.	510298	Ref. No. —
	lip valve dosing pump suitable for DB2/DS5		

hoses


supply hoses


stainless steel flexi hoses

universal hoses



1




Part No.	520008	Ref. No.	L3008
description	flex hose SS braid straight-curved DN12 connection 1: 3/4" connection 2: 3/4" L 1500mm approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar		
For models:	K1300, POLY2000		
accessories for	520008		
	Part No.	520054	Ref. No. —
	flat gasket rubber ED ø 23.5mm ID ø 14mm thickness 2.3mm Qty 10 pcs		

1



drain hoses



1

Part No.	530570	Ref. No.	L3006
description	drain hose DN21 L 2000mm A int. ø 21mm A ext. ø 25mm B int. ø 20/29mm B ext. ø 27/35mm outer hose ø 25mm		
For models:	K1000QBS, K1300, K400QS, K502QBS, K660, OCEANO50, OCEANO60, POLY1000, POLY1500, POLY2000		

fittings, hose and pipe connectors

hose connectors

without screw connection



1

Part No.	518347	Ref. No.	L3092
description	T-piece plastic hose ø 10-10-10mm 3-way		
For models:	K1000QBS, K10QT, K11QS, K12QS, K400QS, K502QBS, OCEANO35, OCEANO40		

ancillary products

clamps

hose clamps

DIN 3017 - W2



1

Part No.	520112	Ref. No.	L3390
description	hose clamp ø 12-20mm width 9mm Qty 10 pcs DIN 3017		
For models:	K1000QBS, K10QT, K11QS, K12QS, K1300, K400QS, K502QBS, K660, POLY1000, POLY1500, POLY2000, T40, T45, T50		

measuring equipment

thermometers

built-in thermometers



1

Part No.	541568	Ref. No.	L7062
description	thermometer mounting measurements 62x11mm 0 up to +120°C capillary pipe 1500mm probe ø 6mm probe L 32mm		
For models:	POLY2000, T40, T50		

fastening material

nuts

knurled nuts



1

Part No.	507434	Ref. No.	L3382
description	knurled nut thread M17x1 ø 30mm H 5mm SS		
For models:	K1300		

hexagonal nuts

hexagonal nuts inch thread



1

Part No.	507477	Ref. No.	L3311
description	nut thread 1" ø 50mm H 7.5mm WS 36 brass Qty 1 pcs		
For models:	K10QT, K11QS, K12QS		



1

Part No.	507480	Ref. No.	L3314
description	nut thread 1 1/4" ø 58mm H 8mm WS 44 brass Qty 1 pcs		
For models:	K1000QBS, K1300, K400QS, K502QBS, K660, POLY1000, POLY1500, POLY2000		



fasteners

clamps

hose clamps

DIN 3017 - W2



1

Part No.	520112	Ref. No.	L3390
description	hose clamp ø 12-20mm width 9mm Qty 10 pcs DIN 3017		
For models:	K1000QBS, K100T, K11QS, K12QS, K1300, K400QS, K502QBS, K660, POLY1000, POLY1500, POLY2000, T40, T45, T50		

GASTROPARTS.COM

