



**GASTROPARTS**

# Öztiryakiler

**[EN]** Cooking

**[DE]** Kochtechnik

**[ES]** Cocción

**[FR]** Cuisson

**[IT]** Cottura

**[PL]** Obróbka termiczna

**[RU]** Термическая обработка

✉ [gastroparts@gastroparts.com](mailto:gastroparts@gastroparts.com)

☎ tel. +48 56 657 00 66

📘 [fb.com/gastroparts.global](https://fb.com/gastroparts.global)

**GASTROPARTS.COM**






## heating elements

## accessories

## sealing washers

## O-rings



1

<b>Part No.</b>	510408	<b>Ref. No.</b>	6228.00001.22 6228.00001.26
<b>description</b>	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		

## energy regulators

## EGO

## 1-circuit



1

<b>Part No.</b>	380019	<b>Ref. No.</b>	6234.00001.11
<b>description</b>	energy regulator 240V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57071.010		

## thermostats

## control and safety thermostats

## EGO

## safety thermostats

## 55.32\_ series



1

<b>Part No.</b>	390141	<b>Ref. No.</b>	6234.00001.28
<b>description</b>	safety thermostat switch-off temp. 350°C 3-pole 3NC 20A probe ø 6mm probe L 77mm capillary pipe 1490mm capillary pipe isolated 800mm gland nut probe SS		

## switches and momentary switches

## rocker/momentary rocker switches

## ø20mm



1

<b>Part No.</b>	348204	<b>Ref. No.</b>	6232.00011.01 6232.00011.27
<b>description</b>	rocker switch mounting measurements 20mm green 1CO 250V 4A 0-1		



1

<b>Part No.</b>	348203	<b>Ref. No.</b>	6232.00011.00 6232.00011.28
<b>description</b>	rocker switch mounting measurements 20mm orange 1CO 250V 4A 0-1		

## cam switches

## 7-position



1

<b>Part No.</b>	300106	<b>Ref. No.</b>	6254.00005.00
<b>description</b>	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 32A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position shaft flat upper		

## operation switches



1


<b>Part No.</b>	300002	<b>Ref. No.</b>	6254.00005.04
<b>description</b>	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		



magnetic switches

miscellaneous





1			
<b>Part No.</b>	347961	<b>Ref. No.</b>	6232.00005.10
<b>description</b>	magnetic switch 250V 3A P max. 750W 1NO connection cable L 12mm cable length 1000mm L1 37mm mounting measurements 58x13mm H 9mm mounting distance 49.5mm voltage AC nominal 5A		
<b>For models:</b>	OBK1500		
<b>accessories for</b>	347961		
	<b>Part No.</b>	699294	<b>Ref. No.</b>
	magnet ø 20.8mm H 12.5mm ID ø 5mm with screw		

oven lamps

universal oven lamps

mounting diameter 35.5mm



1			
<b>Part No.</b>	359718	<b>Ref. No.</b>	62600016006
<b>description</b>	oven lamp mounting ø 35.5mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas		
<b>spare parts for</b>	359718		
	<b>Part No.</b>	359701	<b>Ref. No.</b>
	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W		
	<b>Part No.</b>	359740	<b>Ref. No.</b>
	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT		

control equipment

MOELLER/EATON

switch blocks



1			
<b>Part No.</b>	346292	<b>Ref. No.</b>	6232.00012.05
<b>description</b>	contact block screw 1NO		



1			
<b>Part No.</b>	346293	<b>Ref. No.</b>	6232.00012.07
<b>description</b>	contact block holder triple		

timers

mechanical timers



1			
<b>Part No.</b>	350205	<b>Ref. No.</b>	6259.00002.05
<b>description</b>	timer M11 with bell 1-pole operation time 90min impulse mechanical 1NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 25mm mounting distance 28mm mounting thread M4 connection male faston 6.3mm		
<b>For models:</b>	OM20G, OM40G, OM60G		

lamps

indicator lights

indicator lights (complete)

ø10mm

with screw socket



1			
<b>Part No.</b>	360649	<b>Ref. No.</b>	6251.00004.10
<b>description</b>	indicator light ø 10mm green 240V cable length 300mm		

contactors

MOELLER/EATON

power contactors








1			
<b>Part No.</b>	380171	<b>Ref. No.</b>	6230.00014.12
<b>description</b>	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type DILEM 10		



## relays


## plug-in/print relays

 			
1			
<b>Part No.</b>	380333	<b>Ref. No.</b>	6231.00020.02 6231.00023.15 6231.00025.07
<b>description</b>	print relay 230VAC 2CO at 250V 8A connection pins raster size 5mm FINDER manuf. no. 40.52.8.230.0000 95.65/95.75		
<b>For models:</b>	OBK1500		
<b>accessories for</b>	380333		
	<b>Part No.</b>	380340	<b>Ref. No.</b> —
	relay socket dimensions 62x36x15mm 250V voltage AC 10A Italiana Relè manuf. no. ZMEM/5		
	<b>Part No.</b>	380505	<b>Ref. No.</b> —
	relay socket 2CO 40.52 dimensions 81.9x15.5x75mm 250V voltage AC 10A FINDER manuf. no. 95.95.3		
	<b>Part No.</b>	381181	<b>Ref. No.</b> —
	relay socket 2-pole 40.51/40.52/40.61 connection screw clamp dimensions 15.8x78.6mm 250V voltage AC 10A FINDER manuf. no. 95.75		

## solenoid valves

## solenoid valves (water)

## ELTEK

			
1			
<b>Part No.</b>	370750	<b>Ref. No.</b>	6262.00008.00
<b>description</b>	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 t.max. 90°C ELTEK plastic flow regulating valve inlet blue		
<b>For models:</b>	OBK1500		

## fans

## hot air motors

			
1			
<b>Part No.</b>	601503	<b>Ref. No.</b>	5FIR.35011.12
<b>description</b>	fan wheel D1 ø 350mm H1 125mm blades 12 D2 ø 13mm D3 ø 16mm		
<b>accessories for</b>	601503		
	<b>Part No.</b>	500505	<b>Ref. No.</b> —
	fan motor 220-240/380-415V 3 phase 50/60Hz 0.16-0.26kW 1440/1700rpm speeds 2 L1 140mm L2 27mm L3 35mm M10R IT 1.2/0.7A Cos(φ) 0.63 type L7zAw4D-014 D1 ø 17mm D2 ø 13mm		

## pumps

## drain pumps

## ASKOLL

			
1			
<b>Part No.</b>	499315	<b>Ref. No.</b>	6262.00016.00
<b>description</b>	drain pump inlet ø 24/30/35/39mm outlet ø 22/31mm 230V 40W 50Hz ASKOLL type M231 XP kit		

## gas thermostats

## PEL

## 25ST series




			
1			
<b>Part No.</b>	101172	<b>Ref. No.</b>	
<b>description</b>	gas thermostat PEL type 25ST 100-300°C gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 100mm shaft ø 8x6.5mm shaft L 21/15mm shaft flat upper		
<b>spare parts for</b>	101172		
	<b>Part No.</b>	100259	<b>Ref. No.</b> —
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5		
	<b>Part No.</b>	101060	<b>Ref. No.</b> —
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA		

Table continues overleaf



spare parts for		101172	
	Part No.	106200	Ref. No. —
	nut thread M9x1 suitable for PEL 24/25S		
accessories for		101172	
	Part No.	100908	Ref. No. —
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	Part No.	100909	Ref. No. —
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	Part No.	101246	Ref. No. —
	olive for pipe ø 4mm Qty 1 pcs		
	Part No.	101278	Ref. No. —
	olive for pipe ø 10mm Qty 1 pcs		
	Part No.	101286	Ref. No. —
	olive ID ø 6mm Qty 1 pcs		
	Part No.	101300	Ref. No. —
	union nut thread M16x1.5 tube ø 10mm		
	Part No.	101450	Ref. No. —
	olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm		
	Part No.	101451	Ref. No. —
	union nut thread M16x1.5 tube ø 8mm		
	Part No.	110079	Ref. No. —
	knob dial plate gas thermostat 1-8 silver		
	Part No.	110081	Ref. No. —
	knob ø 70mm shaft ø 8x6.5mm shaft flat universal		


## gas valves and ignition boxes


### gas control valves

#### HONEYWELL



1

Part No.	106004	Ref. No.	6267.00005.30
description	gas valve type VK4105C 220-240V 50/60Hz gas inlet flange 32x32mm gas outlet flange 32x32mm thermocouple connection pilot connection pressure range 15-60mbar max 60mbar operator type pressure controller type V5306E 1234 1 suitable for HONEYWELL flange 32x32mm		
accessories for		106004	
	Part No.	102845	Ref. No. —
	gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem		

accessories for		106004	
	Part No.	102846	Ref. No. —
	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem		

## ignition boxes

#### HONEYWELL

Honeywell



1

Part No.	102343	Ref. No.	6259.00020.061
description	ignition box HONEYWELL type S4565A 2019 1 electrodes 2 waiting times safety time 10s 220-240V 4VA 50/60Hz		

## ignition parts

### pilot burners

#### SIT

##### 100 series



1








Part No.	106907	Ref. No.	6267.00023.07
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.35mm gas connection 6mm		
spare parts for		106907	
	Part No.	100246	Ref. No. —
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
	Part No.	100855	Ref. No. —
	pilot burner bracket triple		
	Part No.	100885	Ref. No. —
	air mixing sleeve for pilot burner Qty 1 pcs		
	Part No.	100916	Ref. No. —
	compression spring for pilot burner Qty 1 pcs		
	Part No.	100917	Ref. No. —
	gasket for pilot burner Qty 1 pcs aluminium		
	Part No.	100918	Ref. No. —
	screw for pilot burner		
	Part No.	107162	Ref. No. —
	pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs		

Table continues overleaf




<b>spare parts for</b> 106907	
	Part No. 107702 Ref. No. — pilot burner bottom part SIT 100 series nozzle ø 0.35mm
<b>accessories for</b> 106907	
	Part No. 100245 Ref. No. — pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75
	Part No. 100904 Ref. No. — locking screw M10x1 for pipe ø 4mm Qty 1 pcs
	Part No. 100905 Ref. No. — locking screw M10x1 for pipe ø 6mm Qty 1 pcs
	Part No. 102110 Ref. No. — pilot tube copper pipe ø 4mm thickness 1mm L 3000mm
	Part No. 102111 Ref. No. — pilot tube copper pipe ø 6mm thickness 1mm L 3000mm
	Part No. 107171 Ref. No. — pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs
	Part No. 107700 Ref. No. — pilot burner bottom part SIT 100 series nozzle ø 0.25mm
	Part No. 107701 Ref. No. — pilot burner bottom part SIT 100 series nozzle ø 0.2mm

## gaskets

### O-rings

#### EPDM

#### ø2.62mm



<b>Part No.</b>	540222	<b>Ref. No.</b>	6228.00059.60
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 47.3mm Qty 1 pcs		

#### ø5.34mm



<b>Part No.</b>	510408	<b>Ref. No.</b>	6228.00001.22 6228.00001.26
<b>description</b>	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		

## ignition cables

### pre-assembled cables



<b>Part No.</b>	100140	<b>Ref. No.</b>	6267.00031.01
<b>description</b>	ignition cable cable length 400mm connection ø2.4mm / ø4mm		

## fittings for catering equipment

### drain taps

#### accessories



<b>Part No.</b>	540222	<b>Ref. No.</b>	6228.00059.60
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 47.3mm Qty 1 pcs		

**GASTROPARTS.COM**



© 2020 Gastroparts Sp. J. All rights reserved.