



**GASTROPARTS**

Universal Catalogue › Wash and rinse pumps ›

# Hanning

✉ [gastroparts@gastroparts.com](mailto:gastroparts@gastroparts.com)

☎ tel. +48 56 657 00 66

📘 [fb.com/gastroparts.global](https://fb.com/gastroparts.global)

**GASTROPARTS.COM**





## pumps


## wash and rinse pumps

HANNING

pumps




1

<b>Part No.</b>	500578	<b>Ref. No.</b>	UP30-274
<b>description</b>	pump inlet $\varnothing$ 24mm outlet $\varnothing$ 24mm type UP30-274 230V 50/60Hz 1 phase 0,09kW 0,12HP L 145mm rotation direction left capacitor 2,5 $\mu$ F HANNING		
<b>spare parts for</b>	500578		
	<b>Part No.</b>	501345	<b>Ref. No.</b> —
	O-ring EPDM thickness 3mm ID $\varnothing$ 58mm Qty 1 pcs		




1

<b>Part No.</b>	500579	<b>Ref. No.</b>	UP30-275
<b>description</b>	pump inlet $\varnothing$ 24mm outlet $\varnothing$ 24mm type UP30-275 230V 50/60Hz 1 phase 0,09kW 0,12HP L 145mm rotation direction left capacitor 2,5 $\mu$ F HANNING		
<b>spare parts for</b>	500579		
	<b>Part No.</b>	501345	<b>Ref. No.</b> —
	O-ring EPDM thickness 3mm ID $\varnothing$ 58mm Qty 1 pcs		



1

<b>Part No.</b>	499184	<b>Ref. No.</b>	UP30-890
<b>description</b>	pump inlet $\varnothing$ 24mm outlet $\varnothing$ 24mm type UP30-890 200-240V 50/60Hz 1 phase 0,1kW L 145mm rotation direction left capacitor 2,5 $\mu$ F HANNING with SS housing		
<b>spare parts for</b>	499184		
	<b>Part No.</b>	365009	<b>Ref. No.</b> —
	operating capacitor capacity 2,5 $\mu$ F 400V		



1

<b>Part No.</b>	499168	<b>Ref. No.</b>	UP30-890
<b>description</b>	pump inlet $\varnothing$ 24mm type UP30-890 200-240V 50/60Hz 1 phase 0,1kW L 145mm rotation direction left capacitor 2,5 $\mu$ F HANNING		



1










<b>Part No.</b>	500279	<b>Ref. No.</b>	UP60-357
<b>description</b>	pump inlet $\varnothing$ 26mm outlet $\varnothing$ 28mm type UP60-357 220/240V 50Hz 1 phase 0,25kW 0,34HP L 190mm rotation direction left capacitor 5 $\mu$ F HANNING		
<b>spare parts for</b>	500279		
	<b>Part No.</b>	365017	<b>Ref. No.</b> —
	operating capacitor capacity 5 $\mu$ F 450V		
	<b>Part No.</b>	507558	<b>Ref. No.</b> N/A
	mechanical shaft seal for shaft $\varnothing$ 7mm		

Table continues overleaf






<b>spare parts for</b> 500279			
	Part No.	521051	Ref. No. —
pump cover HANNING inlet $\varnothing$ 28 mm outlet $\varnothing$ 26 mm			
	Part No.	532644	Ref. No. N/A
O-ring EPDM thickness 3mm ID $\varnothing$ 78mm Qty 1 pcs			




<b>1</b>			
<b>Part No.</b>	500700	<b>Ref. No.</b>	UP60-386
<b>description</b>	pump inlet $\varnothing$ 28mm outlet $\varnothing$ 24mm type UP60-386 230V 50Hz 1 phase 0,19kW L 190mm capacitor 5 $\mu$ F HANNING		
<b>spare parts for</b> 500700			
	Part No.	365131	Ref. No. N/A
impellor capacity 5 $\mu$ F 450V tolerance 5% 50/60Hz			
	Part No.	507558	Ref. No. N/A
mechanical shaft seal for shaft $\varnothing$ 7mm			
	Part No.	524695	Ref. No. N/A
impellor $\varnothing$ 72 mm H 24 mm rotation direction left			
	Part No.	532644	Ref. No. N/A
O-ring EPDM thickness 3mm ID $\varnothing$ 78mm Qty 1 pcs			
	Part No.	551223	Ref. No. N/A
housing 4-pole size 6,3mm straight nylon			








<b>1</b>			
<b>Part No.</b>	499066	<b>Ref. No.</b>	UP60-393
<b>description</b>	pump inlet $\varnothing$ 28mm outlet $\varnothing$ 24mm type UP60-393 200-240V 50Hz 1 phase 0,25kW L 190mm HANNING		
<b>spare parts for</b> 499066			
	Part No.	365017	Ref. No. —
operating capacitor capacity 5 $\mu$ F 450V			
	Part No.	507558	Ref. No. N/A
mechanical shaft seal for shaft $\varnothing$ 7mm			
	Part No.	532644	Ref. No. N/A
O-ring EPDM thickness 3mm ID $\varnothing$ 78mm Qty 1 pcs			



<b>1</b>			
<b>Part No.</b>	499094	<b>Ref. No.</b>	UP60-343
<b>description</b>	pump inlet $\varnothing$ 28mm outlet $\varnothing$ 26mm 220-240V 50Hz HANNING type UP60-343 L 191mm rotation direction left flow rate 110l/min p max 0,48bar 0,22kW capacitor 5 $\mu$ F 1 phase		
<b>spare parts for</b> 499094			
	Part No.	365017	Ref. No. —
operating capacitor capacity 5 $\mu$ F 450V			

→ electric components



1			
<b>Part No.</b>	499147	<b>Ref. No.</b>	UP30-324RU
<b>description</b>	pump inlet $\varnothing$ 28mm outlet $\varnothing$ 26mm type UP30-324RU 220-240V 50Hz 1 phase 0,14kW L 170mm rotation direction left capacitor 4 $\mu$ F HANNING		
<b>spare parts for</b>	499147		
	<b>Part No.</b>	365031	<b>Ref. No.</b> —
	operating capacitor capacity 4 $\mu$ F 450V		
	<b>Part No.</b>	507558	<b>Ref. No.</b> N/A
	mechanical shaft seal for shaft $\varnothing$ 7mm		
	<b>Part No.</b>	521051	<b>Ref. No.</b> —
	pump cover HANNING inlet $\varnothing$ 28 mm outlet $\varnothing$ 26 mm		
	<b>Part No.</b>	532644	<b>Ref. No.</b> N/A
	O-ring EPDM thickness 3mm ID $\varnothing$ 78mm Qty 1 pcs		
<b>accessories for</b>	499147		
	<b>Part No.</b>	507498	<b>Ref. No.</b> —
	protective plate for wash pump suitable for HOBART		







1			
<b>Part No.</b>	499093	<b>Ref. No.</b>	UP30-379
<b>description</b>	pump inlet $\varnothing$ 28mm outlet $\varnothing$ 26mm type UP30-379 220-240V 50Hz 1 phase 0,14kW L 161mm rotation direction left capacitor 4 $\mu$ F HANNING		







1			
<b>Part No.</b>	499213	<b>Ref. No.</b>	UP30-439Ru.
<b>description</b>	pump inlet $\varnothing$ 28mm outlet $\varnothing$ 26mm type UP30-439Ru. 220-240V 50Hz 1 phase 0,14kW L 160mm rotation direction left capacitor 4 $\mu$ F HANNING		






1			
<b>Part No.</b>	500534	<b>Ref. No.</b>	UP60-184 UP60-184 (642.049.184)
<b>description</b>	pump inlet $\varnothing$ 28mm outlet $\varnothing$ 26mm type UP60-184 230V 50Hz 1 phase 0,27kW 0,37HP L 190mm rotation direction left capacitor 5 $\mu$ F HANNING p max 0,77bar Qmax. 160l/min		
<b>spare parts for</b>	500534		
	<b>Part No.</b>	365017	<b>Ref. No.</b> —
	operating capacitor capacity 5 $\mu$ F 450V		
	<b>Part No.</b>	507558	<b>Ref. No.</b> N/A
	mechanical shaft seal for shaft $\varnothing$ 7mm		
	<b>Part No.</b>	521051	<b>Ref. No.</b> —
	pump cover HANNING inlet $\varnothing$ 28 mm outlet $\varnothing$ 26 mm		
	<b>Part No.</b>	532644	<b>Ref. No.</b> N/A
	O-ring EPDM thickness 3mm ID $\varnothing$ 78mm Qty 1 pcs		







1			
<b>Part No.</b>	499068	<b>Ref. No.</b>	UP60-313
<b>description</b>	pump inlet ø 28mm outlet ø 26mm type UP60-313 230V 50Hz 1 phase 0,25kW 0,34HP L 190mm rotation direction left capacitor 5µF HANNING		
<b>spare parts for</b>	499068		
	<b>Part No.</b>	365017	<b>Ref. No.</b> —
	operating capacitor capacity 5µF 450V		
	<b>Part No.</b>	507558	<b>Ref. No.</b> N/A
	mechanical shaft seal for shaft ø 7mm		
	<b>Part No.</b>	521051	<b>Ref. No.</b> —
	pump cover HANNING inlet ø 28 mm outlet ø 26 mm		
	<b>Part No.</b>	532644	<b>Ref. No.</b> N/A
	O-ring EPDM thickness 3mm ID ø 78mm Qty 1 pcs		




1			
<b>Part No.</b>	499284	<b>Ref. No.</b>	UP60-321 Ru. (324914)
<b>description</b>	pump inlet ø 28mm outlet ø 26mm type UP60-321 Ru. 220-240V 50Hz 1 phase 0,27kW L 190mm rotation direction right capacitor 5µF HANNING		
<b>spare parts for</b>	499284		
	<b>Part No.</b>	365017	<b>Ref. No.</b> —
	operating capacitor capacity 5µF 450V		
	<b>Part No.</b>	507558	<b>Ref. No.</b> N/A
	mechanical shaft seal for shaft ø 7mm		
	<b>Part No.</b>	532644	<b>Ref. No.</b> N/A
	O-ring EPDM thickness 3mm ID ø 78mm Qty 1 pcs		



1			
<b>Part No.</b>	499149	<b>Ref. No.</b>	UP60-315RU
<b>description</b>	pump inlet ø 28mm outlet ø 26mm type UP60-315RU 220-240V 50Hz 1 phase 0,25kW L 185mm rotation direction left capacitor 5µF HANNING countries UK		
<b>spare parts for</b>	499149		
	<b>Part No.</b>	365017	<b>Ref. No.</b> —
	operating capacitor capacity 5µF 450V		
	<b>Part No.</b>	507558	<b>Ref. No.</b> N/A
	mechanical shaft seal for shaft ø 7mm		
	<b>Part No.</b>	521051	<b>Ref. No.</b> —
	pump cover HANNING inlet ø 28 mm outlet ø 26 mm		
	<b>Part No.</b>	532644	<b>Ref. No.</b> N/A
	O-ring EPDM thickness 3mm ID ø 78mm Qty 1 pcs		






1			
<b>Part No.</b>	500982	<b>Ref. No.</b>	UP60-388
<b>description</b>	pump inlet ø 28mm outlet ø 26mm type UP60-388 200/240V 50Hz 1 phase 0,22kW L 190mm rotation direction left capacitor 5µF HANNING pump rate 160l/min with metal impellor discharge pressure 0,77bar		
<b>spare parts for</b>	500982		
	<b>Part No.</b>	365131	<b>Ref. No.</b> N/A
	impellor capacity 5µF 450V tolerance 5% 50/60Hz		









1

<b>Part No.</b>	499166	<b>Ref. No.</b>	UP60-414
<b>description</b>	pump inlet $\varnothing$ 28mm outlet $\varnothing$ 26mm type UP60-414 220-240V 50/60Hz 1 phase 0,25kW L 190mm rotation direction right capacitor 5 $\mu$ F HANNING p max 1bar Qmax. 150l/min		
<b>spare parts for</b>	499166		
	<b>Part No.</b>	365017	<b>Ref. No.</b> —
	operating capacitor capacity 5 $\mu$ F 450V		
	<b>Part No.</b>	507558	<b>Ref. No.</b> N/A
	mechanical shaft seal for shaft $\varnothing$ 7mm		
	<b>Part No.</b>	532644	<b>Ref. No.</b> N/A
	O-ring EPDM thickness 3mm ID $\varnothing$ 78mm Qty 1 pcs		



1

<b>Part No.</b>	500571	<b>Ref. No.</b>	UP60-442
<b>description</b>	pump inlet $\varnothing$ 28mm outlet $\varnothing$ 26mm type UP60-442 200/240V 50/60Hz 1 phase 0,2/0,3kW 0,19HP L 190mm rotation direction left capacitor 5 $\mu$ F auxiliary pressure connection 12mm supporting pressure closed HANNING p max 1bar Qmax. 160l/min		
<b>spare parts for</b>	500571		
	<b>Part No.</b>	365131	<b>Ref. No.</b> N/A
	impellor capacity 5 $\mu$ F 450V tolerance 5% 50/60Hz		
	<b>Part No.</b>	507558	<b>Ref. No.</b> N/A
	mechanical shaft seal for shaft $\varnothing$ 7mm		
	<b>Part No.</b>	521051	<b>Ref. No.</b> —
	pump cover HANNING inlet $\varnothing$ 28 mm outlet $\varnothing$ 26 mm		
	<b>Part No.</b>	524695	<b>Ref. No.</b> N/A
	impellor $\varnothing$ 72 mm H 24 mm rotation direction left		

spare parts for 500571



<b>Part No.</b>	532644	<b>Ref. No.</b>	N/A
-----------------	--------	-----------------	-----

O-ring EPDM thickness 3mm ID  $\varnothing$  78mm Qty 1 pcs

1

<b>Part No.</b>	499112	<b>Ref. No.</b>	UP60-341Ru
<b>description</b>	pump inlet $\varnothing$ 32,5mm outlet $\varnothing$ 1" type UP60-341 Ru 220-240/380-415V 50/60Hz 0,16kW HANNING without impellor p max 0,68bar Qmax. 160l/min		



1

<b>Part No.</b>	499000	<b>Ref. No.</b>	UP60-334 (781237-1V)
<b>description</b>	pump inlet $\varnothing$ 32mm outlet $\varnothing$ 1" type UP60-334 230V 50Hz 1 phase 0,24kW L 250mm rotation direction left capacitor 5 $\mu$ F HANNING p max 0,35bar Qmax. 85l/min		



1

<b>Part No.</b>	499040	<b>Ref. No.</b>	UP60-335 (781237-2)
<b>description</b>	pump inlet $\varnothing$ 32mm outlet $\varnothing$ 1" type UP60-335 230V 50Hz 1 phase 0,27kW L 250mm rotation direction left capacitor 5 $\mu$ F HANNING p max 0,68bar Qmax. 160l/min		




1

<b>Part No.</b>	499072	<b>Ref. No.</b>	PS90S-107
<b>description</b>	pump inlet $\varnothing$ 62mm outlet $\varnothing$ 54mm type PS90S-107 220-240/380-415V 50Hz 3 phase 2,7kW 3,6HP L 380mm rotation direction right HANNING		



1

<b>Part No.</b>	499092	<b>Ref. No.</b>	UP30-380
<b>description</b>	pump inlet $\varnothing$ outlet $\varnothing$ 26mm type 220-240V 50Hz 1 phase 0,1kW L 135mm capacitor 4 $\mu$ F p max 0,55bar HANNING flange $\varnothing$ 92mm flow rate 45l/min		
<b>accessories for</b>	499092		
	<b>Part No.</b>	510427	<b>Ref. No.</b> —
	O-ring EPDM thickness 3mm ID $\varnothing$ 83mm Qty 1 pcs		



1

<b>Part No.</b>	500548	<b>Ref. No.</b>	UP60-213
<b>description</b>	pump type UP60-213 230V 1 phase 0,25kW 0,34HP rotation direction left HANNING		

spare parts and accessories

mechanical shaft seals



1

<b>Part No.</b>	507558	<b>Ref. No.</b>	N/A
<b>description</b>	mechanical shaft seal for shaft $\varnothing$ 7mm height counter ring 5mm ID $\varnothing$ 6,75mm ED $\varnothing$ 20mm mounting $\varnothing$ counter ring 18,5/slide ring 20mm		



steam traps



1

<b>Part No.</b>	365131	<b>Ref. No.</b>	N/A
<b>description</b>	impellor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 30mm L 60mm M8 aluminium connection male faston 6.3mm protection		

impellers



1

<b>Part No.</b>	524695	<b>Ref. No.</b>	N/A
<b>description</b>	impellor ø 72mm H 24mm rotation direction left thread M6L suitable for HANNING blades 6		

pump cover gaskets





1

<b>Part No.</b>	532644	<b>Ref. No.</b>	N/A
<b>description</b>	O-ring EPDM thickness 3mm ID ø 78mm Qty 1 pcs		

miscellaneous




1

<b>Part No.</b>	551223	<b>Ref. No.</b>	N/A
<b>description</b>	housing 4-pole size 6,3mm straight nylon t.max. 120°C Qty 1 pcs for plug		
<b>accessories for</b>	551223		
	<b>Part No.</b>	551222	<b>Ref. No.</b> —
	housing 4-pole size 6,3mm straight plastic		
<b>accessories for</b>	551223		
	<b>Part No.</b>	551228	<b>Ref. No.</b> —
	male faston size 6.3x0.8mm 1.0-2.5mm <sup>2</sup> Cu gal Sn		



**GASTROPARTS.COM**



© 2020 Gastroparts Sp. J. All rights reserved.