



GASTROPARTS

Universal Catalogue › Water Technology ›

[EN] Hose reels and spray guns

[DE] Schlauchroller und Gerätehandbrausen

[ES] Enrolladores de tubo y duchas de mano para lavado

[FR] Pulvérisateurs et enrouleurs de tuyaux

[IT] Dispositivi avvolgitubo e spruzzatori

[PL] Spryskiwacze i zwijacze węży

[RU] Катушки для шлангов и ручные души

✉ gastroparts@gastroparts.com

☎ tel. +48 56 657 00 66

📘 fb.com/gastroparts.global

GASTROPARTS.COM





hose reels and spray guns

3

spray guns.	112
hose reels.	114
cleaning guns.	117
water sockets.	119



hose reels and spray guns

spray guns



fig.	Part No.	connector	L (mm)	suitable for
1	540003	1/2" ET	105	—
2	542800	1/2" ET	120	MKN
3	540301	1/2" ET	128	Eloma Palux
4	542105	1/2" ET	130	—



fig.	Part No.	connector	L (mm)	suitable for
5	540302	1/2" ET	135	Fagor Rational
6	540673	1/2" ET	135	Kreffit Rational
7	542964	1/2" ET	135	Convotherm Electrolux
8	540602	1/2" ET	168	—



fig.	Part No.	connector	L (mm)	suitable for
9	691048	1/2" ET	225	Fagor Foinox
10	548304	1/2" ET	245	Mastro River
11	548630	1/2" ET	245	—
12	548636	1/2" ET	250	Echtermann



fig.	Part No.	connector	L (mm)	suitable for
1	542098	3/8" IT	130	—
2	542038	3/8" IT	135	ATA Convotherm Electrolux Juno Klarco Retigo Zanussi
3	540664	1/2" IT	165	Fagor Rational
4	549332	1/2" IT	215	Electrolux Inoxtrend Zanussi





fig.	Part No.	connector	L (mm)	suitable for
5	542062	1/2" IT	225	Lainox




fig.	Part No.	description	suitable for
1	591356	cleaning set incl. water socket connection 1/2" hose length 1250m t.max. 50°C	—
2	542097	spray gun 1/2" ET L 245mm with hose (2m) and wall holder type Active	—
3	542954	spray gun for appliances 1/2" ET L 129mm with hose (2m) and wall holder type GASTROTOP	—

hose reels and spray guns


4

fig.	Part No.	description	suitable for
4	691618	spray gun for appliances 1/2" ET L 225mm with hose (2m) and wall holder type STAR	Fagor




1

fig.	Part No.	description	connections	L (mm)	suitable for	Ref. No.
1	520732	shower hose	1/4" - 1/2"	2080	Rational	2067.0604
1	530604	shower hose	1/2" - M12x1	1500	Krefft Rational	76-20670603 2067.0603




2

fig.	Part No.	description	connections	L (mm)	suitable for	Ref. No.
2	520532	shower hose	3/8"	1600	Electrolux	003170
2	520892	shower hose	3/8"	1600	Retigo	ZA11-0902
2	520891	shower hose	3/8"	2100	Retigo	ZA11-0904



3


fig.	Part No.	description	connections	L (mm)	suitable for	Ref. No.
3	520272	shower hose	1/2"	1000	—	—
3	520277	shower hose	1/2"	1500	Convotherm	7012071
3	520096	shower hose	1/2"	2000	Convotherm	7002070
3	520097	shower hose	1/2"	2200	Convotherm	7002071
3	520098	shower hose	1/2"	2600	Convotherm	7002072



4

fig.	Part No.	description	connections	L (mm)	suitable for	Ref. No.
4	542018 ¹	shower hose	1/2"	1500	—	—
4	542019 ¹	shower hose	1/2"	2000	—	—

¹PVC coated




5

fig.	Part No.	description	connections	L (mm)	suitable for	Ref. No.
5	540230	shower hose	1/2"	2000	—	—
5	540231	shower hose	1/2"	2500	—	—
5	540239	shower hose	1/2"	3000	—	—



6

fig.	Part No.	description	connections	L (mm)	suitable for	Ref. No.
6	520730	shower hose	1/2"	2400	Krefft Rational	76-20670600 2067.0600
6	520729	shower hose	1/2"	2800	Krefft Rational Rosinox	76-20670601 2067.0601 RX25177072
6	520731	shower hose	1/2"	3200	Krefft Rational	76-20670602 2067.0602



7

fig.	Part No.	description	connections	L (mm)	suitable for	Ref. No.
7	520094	shower hose	ø12mm - 1/2"	1500	Krefft Rational	76-20670610 2067.0610
7	520099	shower hose	ø12mm - 1/2"	1800	Krefft Rational	76-20670611 2067.0611
7	520108	shower hose	ø12mm - 1/2"	2080	Krefft Rational	76-20670609 2067.0609



1 2 3 4

fig.	Part No.	description	suitable for
1	549299	angle piece T1: 1/2" for hand spray	Echtermann
2	693526	bush for spray gun	Krefft Rational
3	540674	coupling for spray gun rotary connections 1/2" IT - 1/2" ET	—
4	540008	shower head connection 1/2" metal	Convotherm Echtermann



5 6 7 8

fig.	Part No.	description	suitable for
5	548353	swivel joint IT 1/2" ET 1/2" brass	Echtermann
6	540002	wall holder for hand spray	—
7	540961	wall holder for hand spray	Convotherm
8	542966	wall holder for hand spray	Electrolux Zanussi



hose reels

appliance hose reels



fig.	Part No.	description	suitable for	Ref. No.
1	540662	hose reel complete with spray gun hose length 1,5m	Krefftt Rational	76-84101013 8410.1013
2	545800	hose reel complete with spray gun hose length 1,6m	Electrolux Zanussi	0C1128 0C1128




fig.	Part No.	description	suitable for	Ref. No.
3	542099	hose reel complete with spray gun hose length 1,6m connection John Guest 10mm hose ø 6x12mm	Lainox	LAR62200131
4	542093	hose reel complete with spray gun hose length 1,8m	Fagor	12040977



fig.	Part No.	description	suitable for	Ref. No.
5	540663	hose reel complete with spray gun hose length 1,5mm	Krefftt Rational	76-86552006 8655.2006
6	545067	hose reel without spray gun hose length 1,55m	Eloma	EL0753181



fig.	Part No.	description	suitable for	Ref. No.
7	541444	hose reel without spray gun hose length 1,5m	Fagor Rational	12026185 50.00.176P
8	540480	hose reel without spray gun hose length 1,7m	Eloma	EL0580953



fig.	Part No.	description	suitable for	Ref. No.
9	542804	hose reel without spray gun hose length 1,8m	MKN	204410
10	540661	hose reel without spray gun hose length 1m	Fagor Lincat Rational	12026734 OHA12 50.00.140P



fig.	Part No.	description	suitable for	Ref. No.
11	540481	hose reel without spray gun hose length 2,1m	Eloma	ELE250070
12	540483	hose reel without spray gun hose length 2,1m	Fagor Rational	12026642 8655.2020P

under-counter and built-in hose reels




fig.	Part No.	hose length (m)	connection	hose ø (mm)	material
1	542950	1,5	1/2"	7x13	SS






fig.	Part No.	hose length (m)	connection	hose ø (mm)	material
2	542039	1,7	1/2"	7x13	SS

hose reels and spray guns

3


fig.	Part No.	hose length (m)	connection	hose ø (mm)	material
3	542069	1,5	1/2"	7x13	SS



5


fig.	Part No.	hose length (m)	hose ø (mm)	connection	material	suitable wall holder
5	542026	10	13x17	3/4"	SS	542030

wall-mounted hose reels




1

fig.	Part No.	hose length (m)	hose ø (mm)	connection	material	suitable wall holder
1	542028	3	10x15	3/8"	SS	542034




6

fig.	Part No.	hose length (m)	hose ø (mm)	connection	material	suitable wall holder
6	542951	15	13x17	3/4"	SS	542030




2

fig.	Part No.	hose length (m)	hose ø (mm)	connection	material	suitable wall holder
2	542070	9	13x17	3/8" IT	SS	542071




7

fig.	Part No.	hose length (m)	hose ø (mm)	connection	material	suitable wall holder
7	540400	20	13x20	3/4"	SS	542033



3

fig.	Part No.	hose length (m)	hose ø (mm)	connection	material	suitable wall holder
3	542025	10	13x20	3/4"	SS	542034



4

fig.	Part No.	hose length (m)	hose ø (mm)	connection	material	suitable wall holder
4	542029	12	10x14	1/2"	SS	542034

spare parts and accessories

wall holders



1

fig.	Part No.	description
1	542033	wall holder for hose reel pivoting

hose reels and spray guns




fig.	Part No.	description
2	542030	wall holder for hose reel pivoting pivot range 140° hole distance 140x175mm




fig.	Part No.	description
3	542071	wall holder for hose reel pivoting SS pivot range 160°




fig.	Part No.	description
4	542034	wall holder for hose reel pivoting SS pivot range 180°

hose holders



fig.	Part No.	description
1	540406	hose holder stainless steel
2	592172	hose holder stainless steel W 350mm H 250mm D 156mm hole distance 310mm

hoses




fig.	Part No.	ø (mm)	connections	length	Temp.Res. (°C)	approval
1	592173	12x21	1/2"	10m	-40 up to +90	LMBG
1	592174	12x21	1/2"	15m	-40 up to +90	LMBG
1	592175	12x21	1/2"	20m	-40 up to +90	LMBG
1	592176	12x21	1/2"	25m	-40 up to +90	LMBG



fig.	Part No.	ø (mm)	connections	length	Temp.Res. (°C)	approval
2	542088	13x17	3/8" - 1/2"	10m	-40 up to +90	DVGW, WRAS
2	542089	13x17	3/8" - 1/2"	15m	-40 up to +90	DVGW, WRAS




fig.	Part No.	ø (mm)	connections	length	Temp.Res. (°C)	approval
3	520476	13x19	-	2.5m	-20 up to +60	LMBG
3	520100	13x19	-	5m	-20 up to +60	LMBG
3	520101	13x19	-	20m	-20 up to +60	LMBG
3	520095	13x19	-	40m	-20 up to +60	LMBG
3	520254	19x27	-	5m	-20 up to +60	LMBG
3	520255	19x27	-	20m	-20 up to +60	LMBG
3	520109	19x27	-	40m	-20 up to +60	LMBG




fig.	Part No.	ø (mm)	connections	length	Temp.Res. (°C)	approval
4	542156	13x20	3/4"	10m	-40 up to +90	DVGW




fig.	Part No.	ø (mm)	connections	length	Temp.Res. (°C)	approval
5	541858	13x23	1/2"	10m	-20 up to +90	-
5	540405	13x23	1/2"	15m	-20 up to +90	FDA
5	540402	13x23	1/2"	20m	-20 up to +90	FDA




fig.	Part No.	connections	length	suitable for	Ref. No.
1	520915	ø14.6mm / 3/4"	0.7m	Rational	5001173




fig.	Part No.	connections	length	suitable for	Ref. No.
2	540403	ø19mm - DN19	1.5m	—	—



cleaning guns

fig.	Part No.	connection	material
1	540300	1/2" IT - tail ø13mm	brass
2	541882	1/2" IT - coupling DN13	brass

fig.	Part No.	connection	material
3	540401	1/2" IT - tail ø13mm	SS
4	541883	1/2" IT - coupling DN13	SS

fig.	Part No.	connection	material
5	591357	1/2" IT	plastic
6	540550	3/4" IT	plastic

fig.	Part No.	connection	material
7	540553 ¹	1/2" IT - coupling DN13	brass
8	541473	1/2" IT - coupling bush DN13	brass

¹controllable

with foam lance connection

fig.	Part No.	description
1	540372	cleaning spray gun connection 1/2" brass

fig.	Part No.	description
2	540479	coupling bush type DN13 SS connection 1/2" IT
3	540516	coupling bush type DN13 chrome-plated brass connection 1/2" IT
4	540373	foam lance connection 1/2" complete SS L 300mm

fig.	Part No.	description
1	540551	cleaning spray gun connection 3/4" plastic
2	540554	cleaning spray gun connection 1/2" with snap-on connection DN13 brass

fig.	Part No.	description
3	540535	nozzle connection 3/4" short SS
4	540536	foam lance connection 3/4" plastic total length 182mm

fig.	Part No.	description
5	541870	foam lance connection 1/2" aluminium L 450mm

fig.	Part No.	description
6	540557	container connection ø10.5mm plastic 1,35l
6	540558	container connection ø10.5mm plastic 2,7l



spare parts and accessories

hose connectors



fig.	Part No.	material	TS	HCø (mm)	Qty (pcs)
1	520677	brass	3/8"	13	1
1	540473	brass	1/2"	13	1
1	540474	brass	3/4"	19	1
2	541888	brass	1/2"	9	1
3	540475	SS	1/2"	13	1



fig.	Part No.	material	TS	HCø (mm)	Qty (pcs)
4	540477 ¹	SS	1/2"	13	1
5	540512	SS	1/2"	13	1
6	540513 ¹	SS	1/2"	13	1

¹rotary

fig.	Part No.	material	TS	HCø (mm)	Qty (pcs)
7	542956	stainless steel	1/2"	13	1
7	542957	stainless steel	1/2"	19	1

couplings

chrome-plated brass



fig.	Part No.	description	type	connection
1	540515	coupling plug	DN13	1/2" (ø13mm)
1	541987	coupling plug	DN13	3/4" (ø19mm)
2	540484	coupling plug	DN13	1/2" ET
2	540514	coupling plug	DN13	3/4" ET
3	540486	coupling plug	DN13	1/2" IT
3	540487	coupling plug	DN13	3/4" IT



fig.	Part No.	description	type	connection
1	540485	coupling bush	DN13	1/2" (ø13mm)
1	540643	coupling bush	DN13	3/4" (ø19mm)
2	540641	coupling bush	DN13	1/2" ET
2	540642	coupling bush	DN13	3/4" ET
3	540516	coupling bush	DN13	1/2" IT
3	540640	coupling bush	DN13	3/4" IT



fig.	Part No.	description	type	connection
1	540488	coupling plug	DN19	1/2" ET
2	540518	coupling plug	DN19	3/4" (ø19mm)
3	541988	coupling plug	DN19	3/4" ET



fig.	Part No.	description	type	connection
1	540489	coupling bush	DN19	3/4" (ø19mm)
2	541989	coupling bush	DN19	3/4" ET
3	540519	coupling bush	DN19	3/4" IT

stainless steel



fig.	Part No.	description	type	connection
1	540520	coupling plug	DN13	3/8" ET
1	540521	coupling plug	DN13	1/2" ET
2	542140	coupling plug	DN13	1/2" (ø13mm)
3	540522	coupling plug	DN13	1/2" IT



fig.	Part No.	description	type	connection
1	542139	coupling bush	DN13	1/2" (ø13mm)
2	540523	coupling bush	DN13	1/2" ET
3	540479	coupling bush	DN13	1/2" IT



hoses



fig.	Part No.	connections	ø (mm)	length	Temp.Res. (°C)	approval
1	520476	-	13x19	2.5m	-20 up to +60	LMBG
1	520100	-	13x19	5m	-20 up to +60	LMBG
1	520101	-	13x19	20m	-20 up to +60	LMBG
1	520095	-	13x19	40m	-20 up to +60	LMBG
1	520254	-	19x27	5m	-20 up to +60	LMBG
1	520255	-	19x27	20m	-20 up to +60	LMBG
1	520109	-	19x27	40m	-20 up to +60	LMBG



fig.	Part No.	connections	ø (mm)	length	Temp.Res. (°C)	approval
2	592173	1/2"	12x21	10m	-40 up to +90	LMBG
2	592174	1/2"	12x21	15m	-40 up to +90	LMBG
2	592175	1/2"	12x21	20m	-40 up to +90	LMBG
2	592176	1/2"	12x21	25m	-40 up to +90	LMBG



fig.	Part No.	connections	ø (mm)	length	Temp.Res. (°C)	approval
3	541858	1/2"	13x23	10m	-20 up to +90	-
3	540405	1/2"	13x23	15m	-20 up to +90	FDA
3	540402	1/2"	13x23	20m	-20 up to +90	FDA



fig.	Part No.	connections	ø (mm)	length	Temp.Res. (°C)	approval
4	542056	3/4"	13x21	1.5m	60-70	-



fig.	Part No.	connections	ø (mm)	length	Temp.Res. (°C)	approval
5	542057	3/4" - DN13	13x21	10m	60-70	-
5	542058	3/4" - DN13	13x21	15m	60-70	-
5	542059	3/4" - DN13	13x21	20m	60-70	-

miscellaneous



fig.	Part No.	description
1	541666	repair kit for cleaning gun for 540300 + 540401 nozzle, valve bolt, spring
2	542008	rubber protection for cleaning gun for 540300 + 540372
3	542009	rubber protection for cleaning gun for 540300 + 540372

water sockets




fig.	Part No.	description
1	591454	coupling stainless steel thread 1/2" Qty 1 pcs
2	591453	nipple stainless steel thread 1/2" hose ø 13mm Qty 1 pcs



fig.	Part No.	description
3	591452	water socket stainless steel complete thread 1/2" hose ø 13mm Qty 1 pcs

GASTROPARTS.COM



© 2020 Gastroparts Sp. J. All rights reserved.