



GASTROPARTS

Food Preparation ›

[EN] Bandsaws

[DE] Bandsägen

[ES] Sierra de cinta

[FR] Scie à ruban

[IT] Sega a nastro

[PL] Piły taśmowe

[RU] Ленточные пилы

✉ gastroparts@gastroparts.com

☎ tel. +48 56 657 00 66

📘 fb.com/gastroparts.global

GASTROPARTS.COM



vacuum packers
air cushions



Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
1	572001	310	85	Henkelman	0301310
2	572002	330	85	Henkelman	0301330
3	572003	370	85	Henkelman	0301370
4	572004	390	85	Henkelman	0301390
5	572005	410	85	Henkelman	0301410
6	572006	440	85	Henkelman	0301440
7	572007	490	85	Henkelman	0301490
8	572008	550	85	Henkelman	0301550

Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
9	572009	580	85	Henkelman	0301580
10	572010	640	85	Henkelman	0301640
11	572011	660	85	Henkelman	0301660
12	572012	740	85	Henkelman	0301740
13	572013	800	85	Henkelman	0301800
14	572014	850	85	Henkelman	0301850
15	572015	860	85	Henkelman	0301860

air cylinders



Pos.	Part no.	ø (mm)	H (mm)	suitable for	equiv. no.
1	691544	50	25	Henkelman	0286000
2	691545	80	30	Henkelman	0286005
3	691546	80	48	Henkelman	0286010

Pos.	Part no.	ø (mm)	H (mm)	suitable for	equiv. no.
4	691547	110	29	Henkelman	0286015
5	691549	110	47	Henkelman	0286020
6	691548	110	120	Henkelman	0286017

air valves



Pos.	Part no.	connection	suitable for	equiv. no.
1	691551	1"	Henkelman	0281005
2	691555	1¼"	Henkelman	0900852

Pos.	Part no.	connection	suitable for	equiv. no.
3	691553	2"	Henkelman	0281025

cut off wires



1

Pos.	Part no.	ø (mm)	Qty	suitable for	equiv. no.
1	572051	1,1	sold per meter	Henkelman	0305010

gas pressure springs



1

2

Pos.	Part no.	extension force (N)	hub (mm)	LA (mm)	Lø (mm)	suitable for	equiv. no.
1	691528	370	40	145	6,2	Henkelman	0810200
2	691529	500	65	228	6,3	Henkelman	0810215

heating wires



Pos.	Part no.	B (mm)	L (mm)	Qty	suitable for	equiv. no.
1	572016				Henkelman	0305003
2	418506		454	1	Sirman	KODK001
3	572050	3,5		MTR	Henkelman	0305000

Pos.	Part no.	B (mm)	L (mm)	Qty	suitable for	equiv. no.
4	572052	5	3000	1	Henkelman	0305020
5	572053	8	3000	1	Henkelman	0305025

housing and bezels



1

2

Pos.	Part no.	L (mm)	B (mm)	thickness (mm)	for device	suitable for	equiv. no.
1	692068	258	55	2,3	JUMBO Combivac	Henkelman	0600020
2	692069	288	88	20	JUMBO	Henkelman	0600011


insert plates



1

Pos.	Part no.	L (mm)	B (mm)	thickness (mm)	for device	suitable for	equiv. no.
1	692063	740	490	20	F80 KL	Henkelman	0307050

lids



1 2

Pos.	Part no.	L (mm)	B (mm)	H (mm)	for device	suitable for	equiv. no.
1	692062	475	460	75	B42/J42/H 200	Henkelman	0620010
2	691586	670	670		H 300 II	Henkelman	0900738

locking screws




1 2 3 4 5

Pos.	Part no.	TS	material	suitable for	equiv. no.
1	691565	1/4"	SS	Henkelman	0939105
2	691566	1/2"	plastic	Henkelman	0939110
3	691567	3/4"	plastic	Henkelman	0939113

Pos.	Part no.	TS	material	suitable for	equiv. no.
4	691568	1"	plastic	Henkelman	0939115
5	691564	1/8"	SS	Henkelman	0939102

maintenance sets



1 2 3 4 5 6

Pos.	Part no.	application	size	suitable for	equiv. no.
1	691577	for air valve	1"	Henkelman	0931225
2	691575	for air valve	1 1/4"	Henkelman	0900872
3	691573	for air valve	2"	Henkelman	0931205

Pos.	Part no.	application	size	suitable for	equiv. no.
4	691576	for vacuum valve	1"	Henkelman	0931220
5	691574	for vacuum valve	1 1/4"	Henkelman	0900870
6	691572	for vacuum valve	2"	Henkelman	0931200

membranes



1 2 3 4 5

Pos.	Part no.	ø (mm)	H (mm)	suitable for	equiv. no.
1	691579	48	5	Henkelman	0931226
2	691580	50	19	Henkelman	0931400
3	691581	80	24	Henkelman	0931405

Pos.	Part no.	ø (mm)	H (mm)	suitable for	equiv. no.
4	691578	90	1	Henkelman	0931206
5	691582	110	34	Henkelman	0931410

oil filter



Pos.	Part no.	size	suitable for	equiv. no.
1	691543	160 300	Henkelman	0939091

Pos.	Part no.	size	suitable for	equiv. no.
2	691542	63 100	Henkelman	0939090

oil separator filters with thread



Pos.	Part no.	flow rate (m³/h)	ø (mm)	L (mm)	TS	suitable for	equiv. no.
1	691534	4	35	52	3/8"	Henkelman	0939000
2	691954	8				Henkelman	0939162

Pos.	Part no.	flow rate (m³/h)	ø (mm)	L (mm)	TS	suitable for	equiv. no.
3	691536	8	40	70	1/2"	Henkelman	0939001

without thread



Pos.	Part no.	flow rate (m³/h)	ø (mm)	L (mm)	suitable for	equiv. no.
1	691537	16	52	120	Henkelman	0939003
2	691538	21	72	128	Henkelman	0939005
3	691539	63	72	206	Henkelman	0939011

Pos.	Part no.	flow rate (m³/h)	ø (mm)	L (mm)	suitable for	equiv. no.
4	691540	100	72	248	Henkelman	0939010
5	691541	160	72	375	Henkelman	0939015

oils



Pos.	Part no.	type	content (L)	suitable for	equiv. no.
1	890248	22	1	Henkelman	0439501
2	890253	100	1	Henkelman	0439520
3	890250	CS32	0,3	Henkelman	0439503
4	890247	VG22	0,05	Henkelman	0439500

Pos.	Part no.	type	content (L)	suitable for	equiv. no.
5	890249	VG32	0,2	Henkelman	0439502
6	890251	VG32	0,5	Henkelman	0439505
7	890252	VG32	1	Henkelman	0439510

rupper bumper



Pos.	Part no.	type	suitable for	equiv. no.
1	691570	H200	Henkelman	0940205
2	691571	H300	Henkelman	0940210

Pos.	Part no.	type	suitable for	equiv. no.
3	691569	JUMBO	Henkelman	0940203


sealing bars



Pos.	Part no.	L (mm)	B (mm)	H (mm)	suitable for	equiv. no.
1	691632	277	15	31	Henkelman	0300010
2	691831	277	15	31	Henkelman	0300020
3	691997	280	16	34	Henkelman	0300041
4	691998	425	16	34	Henkelman	0300215

Pos.	Part no.	L (mm)	B (mm)	H (mm)	suitable for	equiv. no.
5	691816	500	16	34	Henkelman	0300337
6	691587	516	25	25	Henkelman	0380590
7	691999	525	16	35	Henkelman	0300332
8	691801	565	15	33	Henkelman	0300510

contacts for sealing bars



Pos.	Part no.	MP	type	suitable for	equiv. no.
1	691559	left	DS	Henkelman	0900170
2	691557	left	TS	Henkelman	0900152
3	691556	left/right	table DS	Henkelman	0900150

Pos.	Part no.	MP	type	suitable for	equiv. no.
4	691560	right	DS	Henkelman	0900172
5	691558	right	TS	Henkelman	0900154

service kits



Pos.	Part no.	type	suitable for	equiv. no.
1	890262	B35 / B M 42/42XL	Henkelman	0940120
2	890261	B42 XL BA/Toucan BA	Henkelman	0940125
3	890263	F80/P80 LL	Henkelman	0940140
4	890256	J35/J42/B35	Henkelman	0940115

Pos.	Part no.	type	suitable for	equiv. no.
5	890255	JP	Henkelman	0940110
6	890264	M46 M/F/P 52	Henkelman	0940130
7	890254	MJ	Henkelman	0940100
8	890265	P2 40/50/75	Henkelman	0940160

solenoid valve assemblies



Pos.	Part no.	TS	hose connector ø (mm)	voltage (V)	coil type	for device	suitable for	equiv. no.
1	370504	1/2"	21	24	VA12	B35+SA	Henkelman	0900835
2	370505	1/2"	21	24	VA12	B42(XL)+SA	Henkelman	0900836



Pos.	Part no.	TS	hose connector ø (mm)	voltage (V)	coil type	version	for device	suitable for	equiv. no.
1	370511	1/2"	7,5	24	VA12	2 coils	MJ	Henkelman	0280025
2	370513	1/2"	12	24	VA12	2 coils	JP	Henkelman	0280027



1

2

Pos.	Part no.	TS	hose connector ø (mm)	voltage (V)	coil type	version	for device	suitable for	equiv. no.
1	370512	1/2"	21	24	VA12	2 coils	J35/J42/B35	Henkelman	0280026
2	370514	1/2"	21	24	VA12	3 coils	H200+SA	Henkelman	0280029



Pos.	Part no.	TS	hose connector ø (mm)	voltage (V)	coil type	for device	suitable for	equiv. no.
1	370500	1/2"	7,5	24	VA12	MJ	Henkelman	0900830
2	370501	1/2"	10	24	VA12	JP	Henkelman	0900831
3	370502	1/2"	21	24	VA12	J35	Henkelman	0900832
4	370503	1/2"	21	24	VA12	J42	Henkelman	0900833



1

Pos.	Part no.	TS	hose connector ø (mm)	voltage (V)	for device	suitable for	equiv. no.
1	692064	1/2"	6	24	H200	Henkelman	0280032

teflon strips



Pos.	Part no.	B (mm)	thickness (mm)	Qty	suitable for	equiv. no.
1	691526	15	0,25	MTR	Henkelman	0305505

Pos.	Part no.	B (mm)	thickness (mm)	Qty	suitable for	equiv. no.
2	693842	46	0,1	MTR	Henkelman	0305510


vacuum pumps
inspection glasses



Pos.	Part no.	TS	material	suitable for	equiv. no.
1	691561	½"		Henkelman	0438000
2	500988	½"	plastic	Henkelman	0438010

Pos.	Part no.	TS	material	suitable for	equiv. no.
3	691562	¾"		Henkelman	0438005
4	691563	1"		Henkelman	0438015


rotor vanes



Pos.	Part no.	L (mm)	B (mm)	H (mm)	suitable for	equiv. no.
1	691992	20	14	3	Henkelman	0939056
2	691584	70	18	4	Henkelman	0939060

Pos.	Part no.	L (mm)	B (mm)	H (mm)	suitable for	equiv. no.
3	691585	100	40	4	Henkelman	0939065

vacuum pumps



Pos.	Part no.	voltage (V)	freq. (Hz)	suitable for	equiv. no.
1	500990	230	50	Henkelman	0431600001

Pos.	Part no.	voltage (V)	freq. (Hz)	suitable for	equiv. no.
2	500987	230	50	Henkelman	0430100

vacuum valves



Pos.	Part no.	connection	suitable for	equiv. no.
1	691550	1"	Henkelman	0281000
2	691554	1¼"	Henkelman	0900850

Pos.	Part no.	connection	suitable for	equiv. no.
3	691552	2"	Henkelman	0281020

miscellaneous



1



2



3



4



5

Pos.	Part no.	description	suitable for	equiv. no.
1	691955	flange ID ø 54mm L 80mm W 80mm H 14mm	Henkelman	0400735
2	300231	potentiometer 950KOhm rotation angle 300°	Henkelman	0232100
3	692065	retaining ring spindle ø 6mm thickness 0,7mm	Henkelman	0065250
4	691583	silencer ID ø 51,5mm outside ø 57mm H 32mm	Henkelman	0931230
5	692066	spindle ext. ø 6mm L 127mm	Henkelman	0390500

GASTROPARTS.COM



© 2020 Gastroparts Sp. J. All rights reserved.

vacuum packers
air cushions



Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
1	572001	310	85	Henkelman	0301310
2	572002	330	85	Henkelman	0301330
3	572003	370	85	Henkelman	0301370
4	572004	390	85	Henkelman	0301390
5	572005	410	85	Henkelman	0301410
6	572006	440	85	Henkelman	0301440
7	572007	490	85	Henkelman	0301490
8	572008	550	85	Henkelman	0301550

Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
9	572009	580	85	Henkelman	0301580
10	572010	640	85	Henkelman	0301640
11	572011	660	85	Henkelman	0301660
12	572012	740	85	Henkelman	0301740
13	572013	800	85	Henkelman	0301800
14	572014	850	85	Henkelman	0301850
15	572015	860	85	Henkelman	0301860

air cylinders



Pos.	Part no.	ø (mm)	H (mm)	suitable for	equiv. no.
1	691544	50	25	Henkelman	0286000
2	691545	80	30	Henkelman	0286005
3	691546	80	48	Henkelman	0286010

Pos.	Part no.	ø (mm)	H (mm)	suitable for	equiv. no.
4	691547	110	29	Henkelman	0286015
5	691549	110	47	Henkelman	0286020
6	691548	110	120	Henkelman	0286017

air valves



Pos.	Part no.	connection	suitable for	equiv. no.
1	691551	1"	Henkelman	0281005
2	691555	1¼"	Henkelman	0900852

Pos.	Part no.	connection	suitable for	equiv. no.
3	691553	2"	Henkelman	0281025

cut off wires



1

Pos.	Part no.	ø (mm)	Qty	suitable for	equiv. no.
1	572051	1,1	sold per meter	Henkelman	0305010

gas pressure springs



1

2

Pos.	Part no.	extension force (N)	hub (mm)	LA (mm)	Lø (mm)	suitable for	equiv. no.
1	691528	370	40	145	6,2	Henkelman	0810200
2	691529	500	65	228	6,3	Henkelman	0810215

heating wires



Pos.	Part no.	B (mm)	L (mm)	Qty	suitable for	equiv. no.
1	572016				Henkelman	0305003
2	418506		454	1	Sirman	KODK001
3	572050	3,5		MTR	Henkelman	0305000

Pos.	Part no.	B (mm)	L (mm)	Qty	suitable for	equiv. no.
4	572052	5	3000	1	Henkelman	0305020
5	572053	8	3000	1	Henkelman	0305025

housing and bezels



1

2

Pos.	Part no.	L (mm)	B (mm)	thickness (mm)	for device	suitable for	equiv. no.
1	692068	258	55	2,3	JUMBO Combivac	Henkelman	0600020
2	692069	288	88	20	JUMBO	Henkelman	0600011


insert plates



1

Pos.	Part no.	L (mm)	B (mm)	thickness (mm)	for device	suitable for	equiv. no.
1	692063	740	490	20	F80 KL	Henkelman	0307050

lids



1 2

Pos.	Part no.	L (mm)	B (mm)	H (mm)	for device	suitable for	equiv. no.
1	692062	475	460	75	B42/J42/H 200	Henkelman	0620010
2	691586	670	670		H 300 II	Henkelman	0900738

locking screws




1 2 3 4 5

Pos.	Part no.	TS	material	suitable for	equiv. no.
1	691565	1/4"	SS	Henkelman	0939105
2	691566	1/2"	plastic	Henkelman	0939110
3	691567	3/4"	plastic	Henkelman	0939113

Pos.	Part no.	TS	material	suitable for	equiv. no.
4	691568	1"	plastic	Henkelman	0939115
5	691564	1/8"	SS	Henkelman	0939102

maintenance sets



1 2 3 4 5 6

Pos.	Part no.	application	size	suitable for	equiv. no.
1	691577	for air valve	1"	Henkelman	0931225
2	691575	for air valve	1 1/4"	Henkelman	0900872
3	691573	for air valve	2"	Henkelman	0931205

Pos.	Part no.	application	size	suitable for	equiv. no.
4	691576	for vacuum valve	1"	Henkelman	0931220
5	691574	for vacuum valve	1 1/4"	Henkelman	0900870
6	691572	for vacuum valve	2"	Henkelman	0931200

membranes



1 2 3 4 5

Pos.	Part no.	ø (mm)	H (mm)	suitable for	equiv. no.
1	691579	48	5	Henkelman	0931226
2	691580	50	19	Henkelman	0931400
3	691581	80	24	Henkelman	0931405

Pos.	Part no.	ø (mm)	H (mm)	suitable for	equiv. no.
4	691578	90	1	Henkelman	0931206
5	691582	110	34	Henkelman	0931410

oil filter



Pos.	Part no.	size	suitable for	equiv. no.
1	691543	160 300	Henkelman	0939091

Pos.	Part no.	size	suitable for	equiv. no.
2	691542	63 100	Henkelman	0939090

oil separator filters with thread



Pos.	Part no.	flow rate (m³/h)	ø (mm)	L (mm)	TS	suitable for	equiv. no.
1	691534	4	35	52	3/8"	Henkelman	0939000
2	691954	8				Henkelman	0939162

Pos.	Part no.	flow rate (m³/h)	ø (mm)	L (mm)	TS	suitable for	equiv. no.
3	691536	8	40	70	1/2"	Henkelman	0939001

without thread



Pos.	Part no.	flow rate (m³/h)	ø (mm)	L (mm)	suitable for	equiv. no.
1	691537	16	52	120	Henkelman	0939003
2	691538	21	72	128	Henkelman	0939005
3	691539	63	72	206	Henkelman	0939011

Pos.	Part no.	flow rate (m³/h)	ø (mm)	L (mm)	suitable for	equiv. no.
4	691540	100	72	248	Henkelman	0939010
5	691541	160	72	375	Henkelman	0939015

oils



Pos.	Part no.	type	content (L)	suitable for	equiv. no.
1	890248	22	1	Henkelman	0439501
2	890253	100	1	Henkelman	0439520
3	890250	CS32	0,3	Henkelman	0439503
4	890247	VG22	0,05	Henkelman	0439500

Pos.	Part no.	type	content (L)	suitable for	equiv. no.
5	890249	VG32	0,2	Henkelman	0439502
6	890251	VG32	0,5	Henkelman	0439505
7	890252	VG32	1	Henkelman	0439510

rupper bumper



Pos.	Part no.	type	suitable for	equiv. no.
1	691570	H200	Henkelman	0940205
2	691571	H300	Henkelman	0940210

Pos.	Part no.	type	suitable for	equiv. no.
3	691569	JUMBO	Henkelman	0940203


sealing bars



Pos.	Part no.	L (mm)	B (mm)	H (mm)	suitable for	equiv. no.
1	691632	277	15	31	Henkelman	0300010
2	691831	277	15	31	Henkelman	0300020
3	691997	280	16	34	Henkelman	0300041
4	691998	425	16	34	Henkelman	0300215

Pos.	Part no.	L (mm)	B (mm)	H (mm)	suitable for	equiv. no.
5	691816	500	16	34	Henkelman	0300337
6	691587	516	25	25	Henkelman	0380590
7	691999	525	16	35	Henkelman	0300332
8	691801	565	15	33	Henkelman	0300510

contacts for sealing bars



Pos.	Part no.	MP	type	suitable for	equiv. no.
1	691559	left	DS	Henkelman	0900170
2	691557	left	TS	Henkelman	0900152
3	691556	left/right	table DS	Henkelman	0900150

Pos.	Part no.	MP	type	suitable for	equiv. no.
4	691560	right	DS	Henkelman	0900172
5	691558	right	TS	Henkelman	0900154

service kits



Pos.	Part no.	type	suitable for	equiv. no.
1	890262	B35 / B M 42/42XL	Henkelman	0940120
2	890261	B42 XL BA/Toucan BA	Henkelman	0940125
3	890263	F80/P80 LL	Henkelman	0940140
4	890256	J35/J42/B35	Henkelman	0940115

Pos.	Part no.	type	suitable for	equiv. no.
5	890255	JP	Henkelman	0940110
6	890264	M46 M/F/P 52	Henkelman	0940130
7	890254	MJ	Henkelman	0940100
8	890265	P2 40/50/75	Henkelman	0940160

solenoid valve assemblies



Pos.	Part no.	TS	hose connector ø (mm)	voltage (V)	coil type	for device	suitable for	equiv. no.
1	370504	1/2"	21	24	VA12	B35+SA	Henkelman	0900835
2	370505	1/2"	21	24	VA12	B42(XL)+SA	Henkelman	0900836



Pos.	Part no.	TS	hose connector ø (mm)	voltage (V)	coil type	version	for device	suitable for	equiv. no.
1	370511	1/2"	7,5	24	VA12	2 coils	MJ	Henkelman	0280025
2	370513	1/2"	12	24	VA12	2 coils	JP	Henkelman	0280027



1

2

Pos.	Part no.	TS	hose connector ø (mm)	voltage (V)	coil type	version	for device	suitable for	equiv. no.
1	370512	1/2"	21	24	VA12	2 coils	J35/J42/B35	Henkelman	0280026
2	370514	1/2"	21	24	VA12	3 coils	H200+SA	Henkelman	0280029



Pos.	Part no.	TS	hose connector ø (mm)	voltage (V)	coil type	for device	suitable for	equiv. no.
1	370500	1/2"	7,5	24	VA12	MJ	Henkelman	0900830
2	370501	1/2"	10	24	VA12	JP	Henkelman	0900831
3	370502	1/2"	21	24	VA12	J35	Henkelman	0900832
4	370503	1/2"	21	24	VA12	J42	Henkelman	0900833



1

Pos.	Part no.	TS	hose connector ø (mm)	voltage (V)	for device	suitable for	equiv. no.
1	692064	1/2"	6	24	H200	Henkelman	0280032

teflon strips



Pos.	Part no.	B (mm)	thickness (mm)	Qty	suitable for	equiv. no.
1	691526	15	0,25	MTR	Henkelman	0305505

Pos.	Part no.	B (mm)	thickness (mm)	Qty	suitable for	equiv. no.
2	693842	46	0,1	MTR	Henkelman	0305510


vacuum pumps
inspection glasses



Pos.	Part no.	TS	material	suitable for	equiv. no.
1	691561	½"		Henkelman	0438000
2	500988	½"	plastic	Henkelman	0438010

Pos.	Part no.	TS	material	suitable for	equiv. no.
3	691562	¾"		Henkelman	0438005
4	691563	1"		Henkelman	0438015


rotor vanes



Pos.	Part no.	L (mm)	B (mm)	H (mm)	suitable for	equiv. no.
1	691992	20	14	3	Henkelman	0939056
2	691584	70	18	4	Henkelman	0939060

Pos.	Part no.	L (mm)	B (mm)	H (mm)	suitable for	equiv. no.
3	691585	100	40	4	Henkelman	0939065

vacuum pumps



Pos.	Part no.	voltage (V)	freq. (Hz)	suitable for	equiv. no.
1	500990	230	50	Henkelman	0431600001

Pos.	Part no.	voltage (V)	freq. (Hz)	suitable for	equiv. no.
2	500987	230	50	Henkelman	0430100

vacuum valves



Pos.	Part no.	connection	suitable for	equiv. no.
1	691550	1"	Henkelman	0281000
2	691554	1¼"	Henkelman	0900850

Pos.	Part no.	connection	suitable for	equiv. no.
3	691552	2"	Henkelman	0281020

miscellaneous



1



2



3



4



5

Pos.	Part no.	description	suitable for	equiv. no.
1	691955	flange ID ø 54mm L 80mm W 80mm H 14mm	Henkelman	0400735
2	300231	potentiometer 950KOhm rotation angle 300°	Henkelman	0232100
3	692065	retaining ring spindle ø 6mm thickness 0,7mm	Henkelman	0065250
4	691583	silencer ID ø 51,5mm outside ø 57mm H 32mm	Henkelman	0931230
5	692066	spindle ext. ø 6mm L 127mm	Henkelman	0390500

GASTROPARTS.COM



© 2020 Gastroparts Sp. J. All rights reserved.

band saws

electrical parts

keypads

gaskets



1

Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
1	403004	122	52	Sirman	19563030

keypads



1

Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
1	403001	120	49	Sirman	LF1010027

saw bands

width 16mm



Pos.	Part no.	L (mm)	thickness (mm)	tooth spacing (mm)
1	699018	1050	0,5	6
2	699019	1360	0,5	6
3	699020	1450	0,5	6
4	699021	1480	0,5	6
5	699022	1490	0,5	6
6	699023	1500	0,5	6
7	699024	1510	0,5	6
8	699025	1520	0,5	6
9	699026	1550	0,5	6
10	699027	1560	0,5	6
11	699028	1580	0,5	6
12	699029	1590	0,5	6
13	699031	1625	0,5	6
14	699032	1640	0,5	6
15	699033	1650	0,5	6
16	697396	1660	0,5	6
17	699034	1700	0,5	6
18	699035	1750	0,5	6
19	699036	1760	0,5	6
20	699037	1800	0,5	6
21	699038	1820	0,5	6
22	699039	1830	0,5	6
23	699040	1840	0,5	6
24	699041	1850	0,5	6

Pos.	Part no.	L (mm)	thickness (mm)	tooth spacing (mm)
25	699042	1980	0,5	6
26	699003	2020	0,5	6
27	697771	2050	0,5	
28	699043	2050	0,5	6
29	699044	2100	0,5	6
30	699045	2170	0,5	6
31	699046	2335	0,5	6
32	699047	2350	0,5	6
33	699048	2390	0,5	6
34	699049	2400	0,5	6
35	699050	2430	0,5	6
36	699051	2490	0,5	6
37	699052	2500	0,5	6
38	699053	2590	0,5	6
39	699054	2600	0,5	6
40	699055	2800	0,5	6
41	699056	2850	0,5	6
42	699057	2880	0,5	6
43	699058	2930	0,5	6
44	699059	3050	0,5	6
45	699060	3100	0,5	6
46	699061	3115	0,5	6
47	699062	3140	0,5	6
48	699063	3150	0,5	6



Pos.	Part no.	L (mm)	thickness (mm)	tooth spacing (mm)
49	699064	3200	0,5	6

width 20mm




Pos.	Part no.	L (mm)	thickness (mm)	tooth spacing (mm)
50	699065	3600	0,5	6

Pos.	Part no.	L (mm)	thickness (mm)	tooth spacing (mm)
1	699066	1050	0,5	6
2	699067	1360	0,5	6
3	699068	1450	0,5	6
4	699069	1480	0,5	6
5	699070	1490	0,5	6
6	699071	1500	0,5	6
7	699072	1510	0,5	6
8	699073	1520	0,5	6
9	697388	1550	0,5	6
10	699074	1560	0,5	6
11	699013	1570	0,5	6
12	699075	1580	0,5	6
13	699076	1590	0,5	6
14	699077	1600	0,5	6
15	699015	1600	0,5	6
16	699078	1625	0,5	6
17	699079	1640	0,5	6
18	699006	1650	0,5	6
19	699080	1700	0,5	6
20	699081	1750	0,5	6
21	699082	1760	0,5	6
22	699083	1800	0,5	6
23	699084	1820	0,5	6
24	699085	1830	0,5	6
25	697372	1840	0,5	6

Pos.	Part no.	L (mm)	thickness (mm)	tooth spacing (mm)
26	699086	1850	0,5	6
27	699087	1980	0,5	6
28	699004	2020	0,5	6
29	699088	2050	0,5	6
30	699089	2100	0,5	6
31	699090	2320	0,5	6
32	699091	2350	0,5	6
33	699092	2390	0,5	6
34	699093	2400	0,5	6
35	699094	2490	0,5	6
36	699095	2500	0,5	6
37	699096	2600	0,5	6
38	699097	2850	0,5	6
39	699098	2880	0,5	6
40	699099	2930	0,5	6
41	699100	3050	0,5	6
42	699101	3100	0,5	6
43	699102	3115	0,5	6
44	699103	3140	0,5	6
45	699104	3150	0,5	6
46	699105	3200	0,5	6
47	699106	3250	0,5	6
48	699107	3430	0,5	6
49	699108	3590	0,5	6
50	699109	3600	0,5	6

wipers



1

Pos.	Part no.	L (mm)	B (mm)	thickness (mm)	material	for device	suitable for	equiv. no.
1	697772	45	25	3	plastic	SO1650/SO2020	Sirman	LF2001032

GASTROPARTS.COM



© 2020 Gastroparts Sp. J. All rights reserved.